



M.Phil.) REGNO:-TMC -D/79/89/36

General Instructions :

- 1. All question are compulsory.
- 2. The question paper consists of 29 questions divided into three sections A,B and C. Section A comprises of 10 question of 1 mark each. Section B comprises of 12 questions of 4 marks each and Section C comprises of 7 questions of 6 marks each.
- 3. Question numbers 1 to 10 in Section A are multiple choice questions where you are to select one correct option out of the given four.
- 4. There is no overall choice. However, internal choice has been provided in 4 question of four marks and 2 questions of six marks each. You have to attempt only one lf the alternatives in all such questions.
- 5. Use of calculator is not permitted.
- 6. Please check that this question paper contains65 printed pages.
- 7. Code number given on the right hand side of the question paper should be written on the title page of the answer-book by the candidate.

सामान्य निर्देश :

- 1. सभी प्रश्न अनिवार्य हैं।
- इस प्रश्न पत्र में 29 प्रश्न है, जो 3 खण्डों में अ, ब, व स है। खण्ड अ में 10 प्रश्न हैं और प्रत्येक प्रश्न 1 अंक का है। खण्ड – ब में 12 प्रश्न हैं और प्रत्येक प्रश्न 4 अंको के हैं। खण्ड – स में 7 प्रश्न हैं और प्रत्येक प्रश्न 6 अंको का है।
- 3. प्रश्न संख्या 1 से 10 बहुविकल्पीय प्रश्न हैं। दिए गए चार विकल्पों में से एक सही विकल्प चुनें।
- 4. इसमें कोई भी सर्वोपरि विकल्प नहीं है, लेकिन आंतरिक विकल्प 4 प्रश्न 4 अंको में और 2 प्रश्न 6 अंको में दिए गए हैं। आप दिए गए विकल्पों में से एक विकल्प का चयन करें।
- 5. कैलकुलेटर का प्रयोग वर्जित हैं ।
- 6. कृपया जाँच कर लें कि इस प्रश्न–पत्र में मुद्रित पृष्ठ 6 हैं।
- 7. प्रश्न–पत्र में दाहिने हाथ की ओर दिए गएँ कोड नम्बर को छात्र उत्तर–पुस्तिका के मुख–पृष्ठ पर लिखें।

	Pre-Board E	Examinati	ion 2011 -12	
Time	: 3 Hours		अधिकतम समय : 3	
Maxi	mum Marks : 100		अधिकतम अंक : 100	
Total	No. Of Pages :6		कुल पृष्ठों की संख्या : 6	
CLA	ISS – XII	CBSE	MATHEMATICS	
		PART – A		
Q.1	Let $f: \mathbb{R} - \{-\frac{3}{5}\} \to \mathbb{R}$ be a	a function defin	ed $f(x) = \frac{2x}{5x+3}$, find f^1 : Range of	
	$\mathbf{f} \to \mathbf{R} - \left\{-\frac{3}{5}\right\}.$			
Q.2	Write the value of $\int_{0}^{\pi/2} \log$	$\int \left[\frac{3+5\cos x}{3+5\sin x}\right] dx .$		
Q.3	For two non zero vector	rs \vec{a} and \vec{b} write	e when $ \vec{a} + \vec{b} = \vec{a} + \vec{b} $ holds.	
Q.4	A matrix A of order 3×3 has determinant 5. What s the value of $ 3A $?			
Q.5	Cartesian equations of a	line AB are. $\frac{2\pi}{2}$	$\frac{x-1}{2} = \frac{4-y}{7} = \frac{z+1}{2}$ Write the	
	direction ratios of a line	parallel to AB.		
Q.6	A four digit number is for Find the probability that	•	digits 1,2,3,5 with no repetitions. divisible by 5.	
Q.7	Write the order and deg			
	$\frac{\mathrm{d}y}{\mathrm{d}x} + a\sqrt{1 + \left(\frac{\mathrm{d}y}{\mathrm{d}x}\right)^2} \; .$			
Q.8	Evaluate, $\int_{0}^{1.5} [\mathbf{x}] d\mathbf{x}$. (w)			
Q.9	If $4\sin^{-1} x + \cos^{-1} x = \pi$	then find the va	alue of x .	
Q.10	Find a, for which $f(x) =$	$a(x + \sin x)$ is in	ncreasing.	

 Target Mathematics by- AGYAT GUPTA ; Resi.: D-79 Vasant Vihar ; Office : 89-Laxmi bai colony

 Ph. :2337615; 4010685®, 2630601(O)
 Mobile : <u>9425109601;</u> 9425110860;9425772164(P)

 Target Mathematics by- AGYAT GUPTA ;
 Resi.: D-79 Vasant Vihar ; Office : 89-Laxmi bai colony

 Ph. :2337615; 4010685®, 2630601(O)
 Mobile : <u>9425109601;</u> 9425110860;9425772164(P)

vertical and vertex lower n	OR $\overline{x^2} dx$. of an inverted right circular cone with its axis nost. Its semi – vertical angle is $\tan^{-1}(1/2)$. constant rate of 5 cubic meter per minute. Find of the water is rising at the instant when the	Q.17	homogeneous and find its particular solution given that $x = 0$ when $y = 1$. OR Solve the following differential equation: $(1 - x^2)\frac{dy}{dx} - xy = x^2$, given $y = 2$ when $x = 0$. If \vec{a}, \vec{b} and \vec{c} are three unit vectors such that $\vec{a} \cdot \vec{b} = \vec{a} \cdot \vec{c} = 0$ and angle between \vec{b} and \vec{c} is $\frac{\pi}{6}$, prove that $\vec{a} = \pm 2(\vec{b} \times \vec{c})$.	
Evaluate $: \int (x+1)\sqrt{1-x-1}$ Q.12 A water tank has the shape vertical and vertex lower m	OR $\overline{x^2} dx$. of an inverted right circular cone with its axis nost. Its semi – vertical angle is $\tan^{-1}(1/2)$. constant rate of 5 cubic meter per minute. Find of the water is rising at the instant when the		2 when x = 0. If \vec{a}, \vec{b} and \vec{c} are three unit vectors such that $\vec{a} \cdot \vec{b} = \vec{a} \cdot \vec{c} = 0$ and angle	
Q.12 A water tank has the shape vertical and vertex lower n	of an inverted right circular cone with its axis nost. Its semi – vertical angle is $\tan^{-1}(1/2)$. constant rate of 5 cubic meter per minute. Find of the water is rising at the instant when the		If \vec{a}, \vec{b} and \vec{c} are three unit vectors such that $\vec{a} \cdot \vec{b} = \vec{a} \cdot \vec{c} = 0$ and angle	
vertical and vertex lower n	host. Its semi – vertical angle is $\tan^{-1}(1/2)$. constant rate of 5 cubic meter per minute. Find of the water is rising at the instant when the			
-	-	0.19		
depth of water in the tank i		Q.18	Let X denote the number of colleges where you will apply after your results and $P(X = x)$ denotes your probability of getting admission in x	
Q.13 If $A = \begin{bmatrix} 0 & 1 \\ 0 & 0 \end{bmatrix}$, prove that (a)	If $A = \begin{bmatrix} 0 & 1 \\ 0 & 0 \end{bmatrix}$, prove that $(aI + bA)^n = a^n$. I + na ⁿ⁻¹ bA where I is a unit		number of colleges. It is given that $\begin{bmatrix} kx & If x = 0 \text{ or } 1 \end{bmatrix}$	
matrix of order 2 and n is a	a positive integer. OR		$P(X = x) = \begin{cases} 2kx & \text{If } x = 2, \\ k(5 - x)\text{If } x = 3 \text{ or } 4 \end{cases} \text{ k is + ve constant .}$	
If a, b and c are real number	ers and $\begin{vmatrix} b+c & c+a & a+b \\ c+a & a+b & b+c \\ a+b & b+c & c+a \end{vmatrix} = 0$. Show that either		(a) Find the value of k.(b) What is the probability that you will get admission in exactly two colleges?	
a + b + c = 0 or $a = b = c$.		Q.19	(c) Find the mean and variance of the probability distribution.	
	Show that the function $y (1 + Dx)c$ is a solution of the		If $y = \sin^{-1}\left(x^2\sqrt{1-x^2} + x\sqrt{1-x^4}\right)$ Prove that $\frac{dy}{dx} = \frac{2x}{\sqrt{1-x^4}} + \frac{1}{\sqrt{1-x^2}}$.	
equation $\frac{d^2 y}{dx^2} - 6\frac{dy}{dx} + 9y$ 0.15 Find the shortest distance h	v = 0.	Q.20	If $\sin^{-1}\frac{2p}{1+p^2} - \cos^{-1}\frac{1-q^2}{1+q^2} = \tan^{-1}\frac{2x}{1-x^2}$ then prove that $x = \frac{p-q}{1+pq}$.	
	$\frac{x-15}{3} = \frac{58-2y}{-16} = \frac{z-5}{-5}$ Also find the angle	Q.21	Evaluate : $\int_{1}^{3} (5x^{2} - e^{x} + 4) dx$ as a limit of sums	
between two lines .	OR	Q.22	Discuss the continuity and differentiability of $f(x) = \begin{cases} 1-x & x < 1 \end{cases}$	
planes, $2x + 3y - z + 1 = 0$	ane passing through the intersection of the ; $x + y - 2z + 3 = 0$ and perpendicular the plane e inclination of this plane with the xy- plane.		$\begin{cases} 1-x & x < 1 \\ (1-x)(2-x) & 1 \le x \le 2 \\ 3-x & x > 2 \end{cases} $ at $x = 1 \& x = 2$.	

 Target Mathematics by- AGYAT GUPTA ; Resi.: D-79 Vasant Vihar ; Office : 89-Laxmi bai colony

 Ph. :2337615; 4010685®, 2630601(O)
 Mobile : <u>9425109601;</u> 9425110860;9425772164(P)

 Target Mathematics by- AGYAT GUPTA ;
 Resi.: D-79 Vasant Vihar ; Office : 89-Laxmi bai colony

 Ph. :2337615; 4010685®, 2630601(O)
 Mobile : <u>9425109601;</u> 9425110860;9425772164(P)

	PART – C		order
Q.23			
	For A = $\begin{vmatrix} 3 & -6 & 9 \end{vmatrix}$, find A ⁻¹ and hence solve the system of equations		
	For A = $\begin{bmatrix} 2 & 4 & 6 \\ 3 & -6 & 9 \\ 10 & 5 & -20 \end{bmatrix}$, find A ⁻¹ and hence solve the system of equations		1
	$\frac{2}{x} + \frac{3}{y} + \frac{10}{z} = 4 \ ; \ \frac{4}{x} - \frac{6}{y} + \frac{5}{z} = 1 \ \& \frac{6}{x} + \frac{9}{y} - \frac{20}{z} = 2 \ .$		Q
	x y z x y z x y z	Q.28	Find
Q.24	Find the probability distribution of the number of white balls drawn in a	Q.20	
	random draw of 3 balls without replacement from a bag containing 4		$\frac{x-6}{3}$
	white and 6 red balls. Also find the mean and variance of the distribution. OR A candidate has to reach the examination centre in time. Probability of		line a
			Let X
			defin
	him going by bus or scooter or by other means of transport are $\frac{3}{10}$, $\frac{1}{10}$, $\frac{3}{5}$		(i) Pr
	respectively. The probability that he will be late is $\frac{1}{4}$ and $\frac{1}{3}$ respectively,		(ii) Is
	if the travels by bus or scooter. But he reaches in time if he uses any other		(iii) I
	mode of transport. He reached late at the centre. Find the probability that		(iv)fi
	he travelled by bus.		(v) fi
Q.25	Find the area of the origin : $\{(x, y): 0 \le y \le x^2, 0 \le y \le x + 2; 0 \le x \le 3\}$.		(vi) it then
	OR		then
	Find the ratio of the areas into which curve $y^2 = 6x$ divides the region		
	bounded by $x^2 + y^2 = 16$.		IT
Q.26	A point on the hypotenuse of a right triangle is at a distance 'a' and 'b'		
	from the sides of the triangle. Show that the minimum length of the		
	hypotenuse is $[a^{2/3} + b^{2/3}]^{3/2}$.		
Q.27	There is a factory located at each of the two places P & Q. From these		
	locations, a certain commodity is delivered to each of the three depots		
	situated at A, B & C. The weekly requirements of the depots 5, 5 & 4		
	units of commodity while the production capacity of the factories at P &		
	Q are respectively 8 & 6 units .The cost of transportation per unit is is		
	given below. Formulate the above L.P.P. mathematically to determine		
	how many units should be transported from each factory to each depot in		

Target Mathematics by- AGYAT GUPTA ; Resi.: D-79 Vasant Vihar ; Office : 89-Laxmi bai colony Ph. :2337615; 4010685®, 2630601(O) Mobile : <u>9425109601;</u> 9425110860;9425772164(P)

	order that	the transportation	on cost is minimum.		_		
	Ţ <u>0 COST (in ₹)</u>						
		A	В	С			
	Р	16	1 0	15			
	Q	1 0	12	1 0			
2.28	Find the foot of the perpendicular from $P(1, 2, 3)$ on the line						
	$\frac{x-6}{3} = \frac{y-7}{2} = \frac{z-7}{-2}$. Also obtain the equation of the plane containing the						
	line and the point $(1, 2, 3)$.						
).29	Let X be a non – empty set. $P(x)$ be its power set. Let '* be an operation						
	defined on element of $P(x)$ by $A^*B = A \cap B \forall A, B \in P(X)$ Then,						
	(i) Prove that * is a binary operation in P(X).						
	(ii) Is* commutative ?						
	(iii) Is* associative?						
	(iv)find the identity element in $P(X)$ w.r.t * .						
	(v) find the all the invertible element of $P(X)$						
	. ,	•	operation defined on tion itself over *.	$P(X)$ as $A \cap B = A \cup B$	В		
			x				

IT'S CHOICE - NOT CHANCE - THAT DETERMINES YOUR DESTINY.

 Target Mathematics by- AGYAT GUPTA ;
 Resi.: D-79 Vasant Vihar ; Office : 89-Laxmi bai colony

 Ph. :2337615; 4010685®, 2630601(O)
 Mobile : <u>9425109601;</u> 9425110860;9425772164(P)