

# ARMY PUBLIC SCHOOL, R. K. PURAM

#### HALF YEARLY EXAMINATION, Sept. 2011

**CLASS: XII** 

#### INFORMATICS PRACTICES

TIME: 3 Hrs SET - 2 MAX. MARKS: 70

- Q1 Answer the following questions:
  - (a) Tara wants to transfer of hypertext documents on the internet, write the name of the relevant 1 communication protocol, which will let her do the same.
  - (b) Two doctors in the same room want to connect their laptops Tops for working on a Group

    presentation. Out of the following, what kind of Network they have formed?

    LAN, MAN, PAN, WAN
  - (c) Arrange the following communication channels in ascending order of their data transmission 1 rates. Ethernet Cable, Optical Fiber, Telephone Cable, Co-axial Cable
  - (d) Which of the following are proprietary standards? AIFF OGG RM HTML
  - (e) Acme Education has set up its new branch at Jaipur for its office and web based activities. It has 4 wings of buildings as shown in diagram:









Center to center distances between various blocks

n Number of computers

Wing X to Wing Z	150 m
Wing Z to Wing Y	170 m
Wing Y to Wing X	50 m
Wing Y to Wing U	80 m
Wing X to Wing U	175 m
Wing Z to Wing U	190 m

Wing X	150
Wing Z	30
Wing Y	50
Wing U	55

- (i) Suggest the most placement of Repeater and switch with justification.
- (ii) Suggest most suitable place to house the server.

1

1

1



	(iii)	Suggest the most suitable cable layout a	and topology between various wings.	1
	(f)	How will you prevent/counter threats to	network security?	1
	(g)	Differentiate between Circular and Line	ear Topology of networks.(Two points each)	1
	(h)	Asha is confused between the terms Do	main Name and URL. Explain the difference with	1
		the help of appropriate examples of each	h.	
	(i)	Suggest the most placement of Repeate	r and switch with justification.	1
	(ii)	Suggest most suitable place to house the	e server.	1
Q2	Ansv	ver the following questions		
	(a)	While working in Netbeans, Rajmeeta inc	luded a Combobox in the form. Now she wants the	1
		list of her friends' names to be displayed i	n it. Which property of Combobox control should	
		she use to do this?		
	(b)	What is the significance of NULL statement	ent?	1
	(c)	Write a Neatbeans program which accept	'total marks' and 'age' in JTfl and JTf2	1
		respectively. If total marks are more than 4	450 and age is equals or more than 17 then give an	
		message 'eligible' otherwise 'not eligible	,	
	(d)	Compare Public Protected and Private Pro	otected access specifier.	1
	(e)	Write a function in java that receives a 3 of	ligit integer and returns the sum of the digits.	1
	(f)	What is the purpose of Default clause in s	witch statement Break statement in a loop.	1
	(g)	Determine the output:		1
		int a=7;		
		System.out.print(a);		
		System.out.print(a);		
		System.out.print(a);		
	(h)	How many times will each of the following	ng loops execute? Which one of these is an	2
		entry control loop and which one is an exi	it control loop?	
		Loop1:	Loop2:	
		int sum = $0$ , $i = 8$ ;	int sum = $0$ , $i = 7$ ;	
		do	while (i<=7)	

### Q3 Answer the following questions

 $\{ sum += i; i++; \} while (i<8);$ 

(a) If a database "Employee" exists, which MySql command helps you to list the names of all tables and their structure in that database?

 $\{sum += i; i++;\}$ 

2



(b) Sahil created a table in Mysql. Later on he found that there should have be one column less 1 in the table. Which command should he use to add another column to the table?

1

1

2

- (c) What is the following command doing?
  - ALTER TABLE PERSONS

Remove CONSTRAINT Chk person CHECK (Sal >10000 AND CITY = 'Delhi');

- (d) You need to add the emp\_fk\_dept constraint to the EMPLOYEES table in your schema. Which statement should you use.
- (e) Consider the following table TRAIN and find out the output.

TrainNo	Name	FarePerTicket
8369	SMITH	800
8499	ANYA	1600
8521	SETH	NULL
8566	DEV	2985
8500	SUNIL	NULL
8509	SUMY	2467

- (i) SELECT Name, fareperticket from TRAIN where Name like"SU%";
- (ii) SELECT trainno, AVG(FarePerTicket) from TRAIN;
- (f) A table ACCOUNT in a database has 9 columns and 30 rows. Another similar table ACCOUNT1 has 9 columns and 150 more rows. All the records from ACCOUNT1 are added into ACCOUNT table. What is the degree and cardinality of this table now?
- (g) Which statement is used to mark the start of a transaction

1

1

1

- Q4 (a) Discuss various reasons that support the concept of Clasess and objects in Object Oriented language
  - (b) Consider the following java class:

2

```
public class date{
    public int day;
    public int month;
    public int year;
public date(int d,int m,int y) {
```

```
day=d;
```

(i) How many constructors and instance variables does the class

month=m; have?

(ii) Create a date object corresponding 24th May 2010





(e)

```
1
(c)
        Rewrite the following program code using switch statement:
        if(opt==1)
         JLabel1.setText("You entered one");
        else if(opt==10)
         JLabel1.setText("You entered ten");
        else if(opt==100)
         JLabel1.setText("You entered hundred");
        else if(opt==10000)
         JLabel1.setText("You entered thousand");
        else
         JLabel1.setText("invalid entry");
(d)
        Find out the output:
                                                                                                        4
        (i) int a=11,b=15,c=17;
             System.out.println(a+"\t" + b +"\t"+c);
        (ii) int a=5;
             a = a + 1;
             if(a > 8)
               Label4.settext(Integer.toString(a));
             else
                 Label4.settext(Integer.toString(a*a));
        (iii) int add(int x,int y) {
             if(x >= y)
                 x = x - y;
                 return add(x,y);
              }
              else
                  return x;
              }
           (a) What will be the function add(400,100) return?
           (b) What will be the function add(15,10) return?
```

\_\_\_\_\_

The following code has some error(s). Rewrite the correct code underlining all the



```
corrections 1

made:

int x=20

do{

if (x\%3==0)

JOptionPane.showMessageDialog(2*x+1);

else

JOptionPane.showMessageDialog(2*x-1);
} while (x>0);

(f) Convert the following segment into an equivalent do loop.

int x,c;


for(x=10,c=20;c>=10;c=c-2)

x++;
```

(g) Read the following case study and answer the questions that follow.

TeachWell Public School wants to computerize the employee salary section. The School is having two categories of employees: Teaching and Non Teaching. The Teaching employees are further categorized into PGTs, TGTs and PRTs having different Basic salary.

The School gives addition pay of 3000 for employees who are working for more than 10 years.





2

1

1

2

1

2

Employee Type	Basic Salary	DA (% of	HRA (% of	Deductions(% of
		Basic Salary)	Basic Salary)	Basic salary)
Non Teaching	12500	31	35	12
PGT	14500	30	35	12
TGT	12500	21	30	12
PRT	11500	20	28	12

(i) Write the code to calculate the Basic salary, deductions, gross salary and net salary based on the given specification.

Add 3000 to net salary if employee is working for more than 10 years.

Gross salary=Basic salary + DA + HRA

Net salary = Gross salary - deductions

- (ii) Write the code to clear all textfields, uncheck checkbox and set non teaching as the default category.
- (iii) Write the code to exit the application. Also display a message "Thank you" before exiting the application.
- (iv) Write the code to disable textfields for gross salary, deductions and netsalary.
- (v) Make sure that the basic salary entered should be a positive and non-zero value. If not give an appropriate message and clear the textfield.
- Q5 (a) Differentiate between COMMIT and ROLLBACK.
  - (b) Find out the output:
    - (i) SELECT SUBSTR(TRIM(' INDIA IS GREAT '),3,9);
    - (ii) SELECT MOD(14\*9,90/9);
    - (iii) SELECT Day\_Of\_Month('2009-08-03');
    - (iv) SELECT MID('Class 11', 1,5);
  - (c) Consider the table EMPLOYEE given below. Write commands in SQL for (i) to (v) (1 MARK EACH) and output for (vi) to (ix)(1/2 MARK EACH).
  - (i) To calculate the total salary from employees of job ANALYST.
  - (ii) To convert name of employees into lower case.
  - (iii) To list names, departments and date of hiring of all the employees in descending
  - (iv) order of date of joining.

\_\_\_\_\_\_



- (v) Display the first three characters of the field job.
- (vi) To insert the details of a new employee in the above table with the following data: 8935,"Aman","MANAGER",8904,"1994-01-03",2300,null,30
- (vii) SELECT MIN(Hiredate) FROM EMPLOYEE;
- (viii) SELECT DISTINCT(DEPTNO) FROM EMPLOYEE;
- (ix) SELECT COUNT(\*) FROM EMPLOYEE WHERE HIREDATE <'1991-12-03';

EmpNo	Ename	Job	Mgr	Hiredate	Sal	Comm.	Deptno
8369	SMITH	CLERK	8902	1990-12-18	800.00	NULL	20
8499	ANYA	SALESMAN	8698	1991-02-20	1600.00	300.00	30
8521	SETH	SALESMAN	8698	1991-02-22	1250.00	500	30
8566	DEV	MANAGER	8839	1991-04-02	2985.00	NULL	20
8654	MOHIN	SALESMAN	8698	1991-09-28	1250.00	1400.00	30
8698	BINA	MANAGER	8839	1991-05-01	2850.00	NULL	30
8882	SHIVASH	MANAGER	8839	1991-05-09	2450	NULL	30
8888	SCOTT	ANALYST	8566	1992-12-09	3000.00	NULL	20
8839	AMIR	PRESIDENT	NULL	1991-11-18	5000.00	NULL	10
8844	KULDEEP	SALESMAN	8698	1991-09-08	1500.00	0.00	30
8886	ANOOP	CLERK	8888	1993-01-12	1100.00	NULL	20
8900	JATIN	CLERK	8698	1991-12-03	950.00	NULL	30
8902	FAKIR	ANALYST	8566	1991-12-03	3000.00	NULL	20
8934	MITA	CLERK	8882	1992-01-03	1300.00	NULL	10

- (d) Name the SQL commands for the following situations:
  - (i) To view the structure of a table.

2

- (ii) To physically delete a table.
- (f) Differentiate between TRUNCATE TABLE and DELETE COMMAND.

1

2

Q6 (a) Create table Student as per the specifications given below:

Column Name	Type	Length	Constraint
Rno	Integer	5	Primary Key
Name	Varchar	25	NOT NULL
Address	Varchar	25	Default Delhi

\_\_\_\_\_\_



DOB	Date		
Class	Integer	3	>=1
Admno	Varchar	10	Foreign key =>Admission(Enrno)

(b) In a database there are two tables 'Student 'and 'Marks' as shown below:

Student

Enrno	Name	DOB	Class
1001	anugraha	2000-10-7	7
1002	alvin	2002-5-8	5
1003	aswin	2003-5-5	7
1004	ashish	2004-6-7	5

IVIa	IKS

Enrno	TMarks	TDate
1001	88.38	2010-8-10
1003	85.58	2010-7-10

- (i) How many rows and how many columns will be there in the Equi Join of these two tables?
- (ii) Which column in the 'Marks' table is the foreign key?
- (c) Consider the tables 'FLIGHTS' and 'FARES' given below. With reference to these tables, 3
  Write commands in SQL for (i) and (ii) and output for (iii) below:

**FLIGHTS** 

No	Starting	Ending	No_seats	No_stops
301	Mumbai	Delhi	8	0
799	Banglore	Delhi	2	1
101	Indore	Mumbai	3	0
302	Delhi	Mumbai	8	0

**FARE** 

No	Fare	Tax %
101	3400	10
799	1050	8
701	650	10
301	4300	5

- (i) Display all the information of flights along with Fare for each flight.
- (ii) Display the Flight Details for each Flight whose tax is 8% or more.
- (iii) select FLIGHTS.No, Starting, Ending, Fare

from FLIGHTS, FARE

where FLIGHTS.No=FARE.No

and Fare <=2000;

- (a) How does e-learning helpful to the students?
- (b) How many types of relationship are possible among entities ?Give example of each.

1

2



- (c) Identify the type of relationship from the following and also show them diagrammatically. 1
  'A publishing company produces scientific books on various subjects'.
- (d) Vijayan works for the Customs Department. He wishes to create controls on a form for
   the following functions. Choose appropriate controls from Text box, Label, Option button,
   Check box, List box, Combo box, Command button and write in the third column.

SNo	Control used to:	Control
1	Enter name, basic salary	
2	Select the gender	
3	Select the department from available list	
4	Display the picture of the employee	