

CBSE

COMPUTER SCIENCE


CLASS – XII

OLD QUESTIONS

&

ANSWERS

(Source of Grasping Subject & Gaining Marks)

The logo for C++ programming language, featuring a large purple 'C' followed by two purple '+' signs.

Data Structures
Structured Query Language
Boolean Algebra
Networking & Open Source Concepts

Prepared By:

MRK

“THE FEAR OF THE

LORD

IS THE BEGINNING OF WISDOM”

CONTENTS

Chap No	Chapter Name	Page Number	Marks	Unit Wise Marks (70)	
1	C++ Revision Tour	1	12	30	
2	Object Oriented Programming	30	0 or 2		
3	Function Overloading		0 or 2		
4 & 5	Classes and Objects & Constructors & Destructors	34	6		
6	Inheritance	65	4		
7	Data File Handling	80	6		
8	Pointers	102	0 or 2		
9	Arrays	107	8		
10	Data Structures	130	6		14
11	Database Concepts	151	2		8
12	Structured Query Language	155	6		
13	Boolean Algebra	175	8		
14	Networking & Open Source Concepts	192	10		
MATERIAL					
5	Constructors & Destructors	216			

Dear Student/Reader, I have prepared this material with the good intention to make the XIIth class computer students to understand all the important models. By practicing this material students may get good marks. But to get full marks, one must prepare all the syllabus prescribed by CBSE.

As I have prepared the above material through my own answers, marking schemes from CBSE, copied material from various sources, etc, there might be some spelling mistakes, or any other errors. So reader should read carefully. I am not responsible for any errors that creep in this material.

****ALL THE BEST****

Your Ever....Dear....

Faculty, Friend & Well Wisher: MRK

Email: ptlspecialsolutions@gmail.com

1. C++ REVISION TOUR

MODEL WISE QUESTION & ANSWERS

Note: This material is prepared for thorough practice of important models from old questions and thereby getting good marks and student is advised to prepare all the syllabus given by CBSE.

MODEL 1A: Name the types of tokens. 2 Marks

1. Write the type of C++ Operators (Arithmetic, Logical, Operators) from the following.

2019SP(2)

- (i) ! (ii) != (iii) && (iv) %

Ans:

- (i) Logical (ii) Relational (iii) Logical (iv) Arithmetic

2. Write the type of C++ tokens (keywords and user defined identifiers) from the following:

(2018)

- (i) else (ii) Long (iii) Queue (iv) _Count
(Note : Actually (iii) option is given wrong as 4Queue. For 4Queue – Answer will be “None”)

- Ans)** (i) else – Keyword
(ii) Long – User defined Identifier
(iii) Queue – User defined Identifier
(iv) _Count – User defined Identifier

3. Write the type of C++ tokens (keywords and user defined identifiers) from the following:

(2017)

- (i) new (ii) While (iii) case (iv) Num_2
Ans) (i) new - Keyword
(ii) While - User defined Identifier
(iii) case - Keyword
(iv) Num_2 - User defined Identifier

MODEL 1B: Valid/Invalid Identifiers. 2 Marks

1. Out of the following, find those identifiers, which can not be used for naming Variable, Constants or Functions in a C++ program:

2016OD

Total*Tax, double, Case, My Name,
NeW, switch, Column31, _Amount
A) Total*Tax, double, My Name, switch

2. Find the correct identifiers out of the following, which can be used for naming Variable, Constants or Functions in a C++ program: (2015 OD)

- For, while, INT, NeW, delete,
1stName, Add+Subtract, name1
A) For, INT, NeW, name1

MODEL 2A) Which C++ header file(s) are essentially required to be included to run/execute the following C++ code: 1 Mark

1. Observe the following program very carefully and write the name of those header file(s), which are essentially needed and execute the following program successfully: **2019SP(1)**

```
void main()
{
char text[20], newText[20];
gets(text);
strcpy(newText, text);
for(int i=0; i<strlen(text); i++)
if(text[i]=='A')
text[i]=text[i]+2;
puts(text);
}
```

Ans:

stdio.h, string.h

2. The following C++ code during compilation reports errors as follows: **(2018)**

Error: 'ofstream' not declared

Error: 'strupr' not declared

Error: 'strcat' not declared

Error: 'FIN' not declared

Write the names of the correct header files, which must be included to compile the code successfully:

```
void main()
{
ofstream FIN("WISH.TXT");
char TEXT2[ ]="good day";
char TEXT1[ ]="John!";
strupr(TEXT2);
strcat(TEXT1, TEXT2);
FIN<<TEXT1<<endl;
}
```

Ans: (i) fstream.h (ii) string.h

3. Anil typed the following C++ code and during compilation he found three errors as follows:

(i) Function strlen should have prototype

(ii) Undefined symbol cout

(iii) Undefined symbol endl

On asking, his teacher told him to include necessary header files in the code. Write the names of the header files, which Anil needs to include, for successful compilation and execution of the following code **(2017)**

```
void main()
{
char Txt[] = "Welcome";
for(int C= 0; C<strlen(Txt); C++)
Txt[C] = Txt[C]+1;
cout<<Txt<<endl;
}
```

Ans) string.h, iostream.h OR fstream.h (iomanip.h also)

4) Which C++ header file(s) are essentially required to be included to run/execute the following C++ code : (2017MP)

```
void main()
{
char *word1="Hello",*word2="Friends";
strcat(word1,word2);
cout<<word1;
}
A) iostream.hstring.h
```

5) Ronica Jose has started learning C++ and has typed the following program. When she compiled the following code written by her, she discovered that she needs to include some header files to successfully compile and execute it. Write the names of those header files, which are required to be included in the code. (2016 OD)

```
void main()
{
double X,Times,Result;
cin>>X>>Times;
Result=pow(X,Times);
cout<<Result<<endl;
}
A) • iostream.h (also iomanip.h) • math.h
```

6) Observe the following program very carefully and write the name of those header file(s), which are essentially needed to compile and execute the following program successfully: (2015 OD)

```
typedef char STRING[80];
void main()
{
STRING Txt[] = "We love Peace";
int Count=0;
while (Txt[Count]!='\0')
if (isalpha(Txt[Count]))
    Txt[Count++]='@' ;
else
    Txt[Count++]='#' ;
puts (Txt) ;
}
A) ctype.h, stdio.h
```

7) Observe the following C++ code and write the name(s) of the header file(s), which will be essentially required to run it in a C++ compiler: 1

```
void main ( )
{ char CH,STR[20];
cin>>STR;
CH=toupper(STR[0]);
cout<<STR<<"start with"<<CH<<endl;
}
A) iostream.h and ctype.h (2014 OD)
```

8) Observe the following C++ code and write the name(s) of the header file(s), which will be essentially required to run it in a C++ compiler: 1

```
void main ( )
{ int Number;
cin>>Number;
```

```
if (abs(Number)== Number);
cout<<"Positive"<<endl;
}
A) iostream.h, math.h (2013 D)
```

9) Which C++ header file(s) are essentially required to be included to run/execute the following C++ source code (Note: Do not include any header file, which is/are not required): (2012)

```
void main ( )
{ char TEXT[ ]="Something";
cout<<"Remaining SMS Chars:"<<
160-strlen(TEXT)<<endl;
}
Ans: iostream.h (for cout)
string.h (for strlen( ));
```

10) Write the names of the header files, which is/are essentially required to run/execute the following C++ code: (2011 D)

```
void main ( )
{ char C, String [ ] = "Excellence Overload";
for (int I=0; String [ I ] != '\0'; I++)
if (String [I] == ' ')
cout<<endl;
else
{ C=toupper(String[I]);
cout<<C ;
}
}
Ans: iostream.h ctype.h
```

11) Write the names of the header files, which is/are essentially required to run/execute the following C++ code: (2011 OD)

```
void main ( )
{ char CH,Text[ ] = "+ve Attitude";
for (int I=0 ; Text[I] != '\0' ;I++)
if (Text[I] == ' ')
cout<<endl;
else
{ CH=toupper (Text [I]) ;
cout<<CH;
}
}
Ans: iostream.h, ctype.h
```

12) Which C++ header file(s) will be essentially required to be included to run/execute the following C++ code: (2010 OD)

```
void main()
{
int Rno=24; char Name [ ] = "Amen Singhanian";
cout<<setw(10)<<Rno<<setw(20)<<Name<<endl;
}
Ans. iostream.h, iomanip.h
```

13) Name the header files that shall be needed for the following code: (2008 OD)

```
void main( )
{ char word[]="Exam";
  cout<<setw(20)<<word;
}
```

Ans: iostream.h, iomanip.h

14) Name the header file(s) that shall be needed for successful compilation of the following C++ code.

```
void main( )
{ char Text[40];
  strcpy(Text,"AISSCE");
  puts(Text);
}
```

Ans: string.h, stdio.h (2007 OD)

15) Which C++ header file(s) will be essentially required to be included to run /execute the following C++ code: (2009-10 MP1)

```
void main()
{ char Msg[ ]="Sunset Gardens";
  for (int I=5;I<strlen(Msg);I++)
    puts(Msg);
}
```

A) (i) string.h (ii) stdio.h

16) Which C++ header file(s) will be essentially required to be included to run/execute the following C++ code: (2011-12 MP1)

```
void main( )
{ int Last=25;
  for(int C=9;C<=Last;C++)
    cout<<C<<"."<<sqrtI<<endl;
}
```

Ans: (i) iostream.h (for cout) (ii) math.h (for sqrt())

MODEL 2b): Write the names of the header files to which the following belongs to : 1 Mark

1) Write the names of the header files to which the following belong: (i) puts () (ii) sin ()
Ans (i) stdio.h (ii) math.h (2009 D)

2) Write the names of the header files to which the following belong:
(i) setw() (ii) sqrt()
Ans (i) iomanip.h (ii) math.h (2009 OD)

3 Name the header file to which the following below:
(i) abs() (ii) isupper()
Ans (i) abs() - math.h, stdlib.h, complex.h
(ii) isupper() - ctype.h (2006 D)

4) Name the header file to which the following belong: (i) pow () (ii) random()
Ans:(i) abs() - math.h, stdlib.h, complex.h
(ii) random() - stdlib.h (2006 OD)

5) Name the header files to which the following belong: (i) abs() (ii) strcmp()
Ans (i) abs() - stdlib.h, math.h, complex.h
(ii) strcmp() - string.h (2005 D)

6) Name the header files to which the following belong: (i) puts() (ii) isalnum()
Ans(i) puts() - stdio.h
(ii) isalnum() - ctype.h (2005 OD)

7) Write the names of the header files to which the following belong:
(i) gets() (ii) strcmp() (iii) abs() (iv) isalnum()
Ans: (i) gets() - stdio.h
(ii) strcmp() - string.h
(iii) abs() - math.h, stdlib.h, complex.h
(iv) isalnum() - ctype.h (2004)

8) Name the header file, to which the following built-in function belongs: (i) strcmp() (ii) getc()
Ans: (i) strcmp() - string.h
(ii) getc() - stdio.h (2003)

9) Name the header files of C++ to which the following functions belong: 2
(i) get() (ii) open()
(iii) abs() (iv) strcat()
Ans: (i) get() - iostream.h
(ii) open() - fstream.h
(iii) abs() - math.h, stdlib.h
(iv) strcat() - string.h (2002)

10) Name the header file to be included for the use of the following built in functions:
(i) getc() (ii) strcat() 1
Ans: (i) getc() - stdio.h
(ii) strcat() - string.h (2001)

11) Name the header file, to which following built in function belong: 2
(i) isupper() (ii) setw()
(iii) exp() (iv) strcmp() (2000)
Ans (i) isupper() - ctype.h
(ii) setw() - iomanip.h (iii) exp() - math.h
(iv) strcmp() - string.h

12) Name the header file of C++ to which following functions belong. (i) strcat()
(ii) scanf() (iii) getchar() (iv) clrscr()
Ans: (i) strcat() - string.h
(ii) scanf() - stdio.h
(iii) getchar() - stdio.h
(iv) clrscr() - conio.h (1999)

13) Name the header files, to which the following built in functions belongs to:
(i) cos() (ii) setw() (iii) toupper() (iv) strcpy()
Ans: (i) cos() - math.h
(ii) setw() - iomanip.h
(iii) toupper() - ctype.h
(iv) strcpy() - string.h (1998)

14) Write the names of the header files to which the following belong: (2008-09 MP1)

(i) strcmp() (ii) fabs()

Answer: (i) string.h (ii) math.h

15) Write the names of the header files to which the following belong: (2008-09 MP2)

(i) frexp() (ii) isalnum()

Answer: (i) math.h (ii) ctype.h

16) Write the names of the header files to which the following belong: (2009-10 MP2)

(i) frexp() (ii) isalnum()

A) (i) math.h (ii) ctype.h

MODEL 3a): Observe the following C++ code very carefully and rewrite it after removing any/all syntactical errors with each correction underlined. Note: Assume all required header files are already being included in the program. 2 Marks

1. Rewrite the following C++ code after removing any/all Syntactical Error(s) with each correction underlined. 2019SP(2)

Note: Assume all required header files are already being included in the program.

```
#define float PI 3.14
void main( )
{
float R=4.5,H=1.5;
A=2*PI*R*H + 2*PI*pow(R,2);
cout<<"Area="<<A<<endl;
}
```

Ans:

```
#define PI 3.14 //Error 1
void main( )
{
float R=4.5,H=1.5;
float A=2*PI*R*H + 2*PI*pow(R,2); //Error 2, 3
cout<<"Area="<<A<<endl; //Error 4
}
```

2. Rewrite the following C++ code after removing any/all syntactical errors with each correction underlined. (2018)

Note: Assume all required header files already included in the program.

```
typedef Count int;
void main( )
{ Count C;
  Cout<<"Enter the count: ";
  cin>>C;
  for (K=1;K<=C;K++)
    cout<<C "*" K<<endl;
}
```

Ans:

```
typedef int Count ; //Error 1, Error 2
void main()
{
  Count C;
  int K; //OR Count K; //Error 3
  cout<<"Enter the count:";
  cin>>C;
  for (K = 1; K<=C; K++)
  // OR for ( int K = 1; K<=C; K++) //Error 3
  // OR for ( Count K = 1; K<=C; K++) //Error 3
  cout<< C << "*" << K <<endl; //Error 4
  // OR cout<< C * K <<endl; //Error 4
}
```

3) Rewrite the following C++ code after removing any/all syntactical errors with each correction underlined. Note: Assume all required header files are already being included in the program (2017)

```
void main()
{
  cout<<"Enter an Alphabet:";
  cin>>CH;
  switch(CH)
  case 'A' cout<<"Ant"; Break;
  case 'B' cout<<"Bear" ; Break;
}
Ans)
{cout<<"Enter an Alphabet:";
char CH; // Error 1
cin>>CH;
switch(CH)
{// Error 2(i)
case 'A': // Error 3(i)
cout<<"Ant"; break; // Error 4(i)
case 'B' : // Error 3(ii)
cout<<"Bear"; break; // Error 4(ii)
} // Error 2(ii)
}
```

4) Rewrite the following C++ code after removing any/all syntactical errors with each correction underlined. Note: Assume all required header files are already being included in the program. (2016)2

```
#define Formula(a,b) = 2*a+b
void main()
{
float X=3.2;Y=4.1;
Z=Formula(X,Y);
cout<<"Result="<<Z<<endl;
}
A)
#define Formula(a,b) 2*a+b
void main()
{
float X=3.2, Y=4.1;
float Z=Formula(X,Y);
cout<<"Result="<<Z<<endl;
}
```

5) Observe the following C++ code very carefully and rewrite it after removing any/all syntactical errors with each correction underlined. (2015)2

Note: Assume all required header files are already being included in the program.

```
#Define float MaxSpeed=60.5;
void main()
{
int MySpeed
char Alert='N' ;
cin>>MySpeed;
if MySpeed>MaxSpeed
Alert='Y' ;
cout<<Alert<<endl;
}
```

A)

```
#define float MaxSpeed 60.5 ; //Error 1,2,3
void main()
{
int MySpeed ; //Error 4
char Alert='N';
cin>>MySpeed;
if (MySpeed>MaxSpeed) //Error 5
Alert='Y';
cout<<Alert<< endl; //Error 6
}
```

6) Rewrite the following C++ code after removing all the syntax error(s), if present in the code. Make sure that you underline each correction done by you in the code. (2014)2

Important Note:

-Assume that all the required header files are already included, which are essential to run this code.

-The correctons made by you do not change the logic of the program.

```
Typedef char[80] STR;
void main( )
{
Ttxt STR;
gets(Ttxt);
cout<<Ttxt[0]<<"\t"<<Ttxt[2];
cout<<Ttxt<<endl;
}
```

A)

```
Typedef char[80] STR;
void main( )
{
STR Ttxt;
gets(Ttxt);
cout<<Ttxt[0]<<"\t"<<Ttxt[2];
cout<<Ttxt<<endl;
}
```

7) Observe the following C++ code carefully and rewrite the same after removing all the syntax error(s) present in the code. Ensure that you underline each correction in the code. (2013)2

Important Note:

-All the desired header files are already included, which are required to run the code.

-Correction should not change the logic of the program

```
#define Convert (P,Q) P+2*Q;
void main( )
{
Float A,B, Result;
cin>>A>>B;
Result=Convert [A,B];
cout<<"Output:"<<Result<<endl;
}
```

A)

```
#define Convert(P,Q) P+2*Q
//No semicolon, and space between Covert and (P,Q)
void main( )
{
float A, B, Result; //keywords should be in small case
cin>>A>>B;
Result=Convert(A,B); //(A,B) instead of [A,B]
cout<<"Output:"<<Result<<end;
//end instead of endl;
}
```

8) Rewrite the following program after removing the syntactical errors (if any). Underline each correction. 2

```
#include[iostream.h] (2011 D)
typedef char Text(80) ;
void main ( )
{
Text T= "Indian";
int Count=strlen(T) ;
cout<<T<<'has'<<Count<<'characters'<<endl;
}
```

Ans:

```
#include<iostream.h>
#include<string.h>
typedef char Text [80];
void main ( )
{
Text T= "Indian";
int Count=strlen(T);
cout<<T<<"has"<<Count<<"ccharacters"<<endl;
}
```

9) Rewrite the following program after removing the syntactical errors (if any). Underline each correction. 2 (2011 OD)

```
include<iostream.h>
typedef char [80] String;
void main ( )
{ String S= "Peace";
  int L=strlen(S) ;
  cout<<S<<'has'<<L<<'characters'<<endl;
}
```

Ans: #include<string.h>
#include<iostream.h>
typedef char String [80];
void main ()
{
String S = "Peace";
int L= strlen(S) ;
cout<<S<<"has"<<L <<"characters"<<endl;
}

10) Rewrite the following program after removing the syntactical error(s) if ny. Underline each correction. 2 (2007 D)

```
#include<iostream.h>
const int Max 10;
void main()
{ int Numbers[Max];
  Numbers = {20,50,10,30,40};
  for(Loc=Max-1;Loc>=10;Loc--)
    cout>>Numbers[Loc];
}
```

Ans)
#include<iostream.h>
const int Max=10;//Constant Variable 'Max' must be
be // initialized.Declaration

Syntax Error
void main()
{ int Numbers[Max]={20,50,10,30,40};
for(Loc=Max-1;Loc>=0;Loc--)
cout>>Numbers[Loc];
}

11) Rewrite the following program after removing the syntactical error(s), if any. Underline each correction. 2

```
#include<iostream.h>
const int Size 5;
void main( )
{ int Array[Size];
  Array={ 50,40,30,20,10};
  for(Ctr=0;Ctr<Size;Ctr++)
    cout>>Array[Ctr];
}
```

Ans) (2007 OD)
#include<iostream.h>
const int Size=5;
void main()
{ int Array[Size];
Array={ 50,40,30,20,10};
for(Ctr=0;Ctr<Size;Ctr++)
cout<<Array[Ctr];
}

12) Rewrite the following program after removing the syntactical error(s), if any.Underline each correction. 2

```
#include<iostream.h>
void main()
{ struct STUDENT
  {
    char stu_name[20];
    char stu_sex;
    int stu_age=17;
  }student;
  gets(stu_name);
  gets(stu_sex);
}
```

Ans:
#include<iostream.h>
#include<stdio.h>
void main()
{ struct STUDENT
{ char stu_name[20];
char stu_sex;
int stu_age;
//Initialization of variables inside a structure is not allowed.
}student;
gets(student.stu_name);
cin>>student.stu_sex;
//A single character cannot be read using gets
}

13) Rewrite the following program after removing the syntactical error(s), if any.Underline each correction .2 (2006 OD)

```
#include<iostream.h>
void main( )
{ struct movie
  { char movie_name[20];
    char movie_type;
    int ticket_cost=100;
  }MOVIE;
  gets(movie_name);
  gets(movie_type);
}
```

Ans: #include<iostream.h>
#include<stdio.h>
void main()
{ struct movie
{ char movie_name[20];
char movie_type;
int ticket_cost;
//Initialization of variables inside a structure is not allowed.
}MOVIE;
gets(MOVIE.movie_name);
cin>>MOVIE.movie_type;
//A single character cannot be read using gets
}

14) Rewrite the following program after removing the syntactical error(s), if any. Underline each correction. 2

```
#include<iostream.h>
const int Multiple 3;          (2005 D)
void main( )
{ value = 15;
for(int Counter = 1;Counter = <5;Counter ++,
Value -= 2)
    if(Value%Multiple == 0)
        cout<<Value * Multiple;
        cout<<endl;
    else
        cout<<Value + Multiple <<endl;
}
```

Answer:

```
#include<iostream.h>
const int Multiple=3;
void main( )
{intValue = 15;
for(int Counter = 1;Counter <=5;Counter ++,
Value -= 2)
    if(Value%Multiple == 0)
    { cout<<Value * Multiple;
      cout<<endl;
    }
    else
        cout<<Value + Multiple <<endl;
}
```

15) Rewrite the following program after removing the syntactical error(s), if any. Underline each correction.2

```
#include<iostream.h>
const int divisor 5;          (2005 OD)
void main( )
{ Number = 15;
for(int Count=1;Count<=5;Count++,Number -= 3)
    if(Number % divisor == 0)
        cout<<Number / Dividor;
        cout<<endl;
    else
        cout<<Number + Dividor <<endl;
```

Ans:

```
#include<iostream.h>
const int divisor=5;
void main( )
{ int Number = 15;
for(int Count=1;Count<=5;Count++,Number -= 3)
    if(Number % divisor == 0)
    { cout<<Number / Dividor;
      cout<<endl;
    }
    else
        cout<<Number + Dividor <<endl;
}
```

16) Rewrite the corrected code for the following program. Underline each correction if any.(2004)

```
#include<iostream.h>
```

```
structure Supergym
{ int member number;
  char membername[20];
  char membertype[4]="HIG";
};
void main( )
{ Supergym person1,person2;
  cin>>"Member Number: ";
  cin>>person1.membhernumber;
  cout<<"Member Name: ";
  cin>>person1.membername;
  person1.member type = "MIG";
  person2=person1;
  cin>>"Member Number;" <<person2.membernumber;
  cin<<"Member Name" <<person2.membername;
  cin<<"Member Number:" <<person2.membertype;
}
```

Ans:

```
#include<iostream.h>
#include<string.h>
struct Supergym
{ int membernumber;
  char membername[20];
  char membertype[4];
};
void main( )
{ Supergym person1,person2;
  cin>>"Member Number: ";
  cin>>person1.membernumber;
  cout<<"Member Name: ";
  cin>>person1.membername;
  strcpy(person1.membertype,"MIG");
  person2=person1;
  cin>>"Member Number;"
  >>person2.membernumber;
  cin>>"Member Name"
  >>person2.membername;
  cin>>"Member Number:"
  >>person2.membertype;
}
```

17) Rewrite the following program after removing all the syntax error(s) if any.2

```
#include<iostream.h>(2003)
void main( )
{ int P[ ]={90,10,24,15};Q,Number=4;
  Q=9;
  for[int I=Number-1;I>=0,I--]
  switch(I)
  { case 0;
    case 3:cout>>P[I]*Q<<endl;break;
    case 1:
    case 2: cout<<P[I]+Q;
  }}
}
```

Ans:

```
#include<iostream.h>
void main( )
{ int P[ ]={90,10,24,15},Q,Number=4;
  Q=9;
```

```

for(int I=Number-1;I>=0;I--)
switch(I)
{ case 0:
  case 3:cout<<P[I]*Q<<endl; break;
  case 1:
  case 2: cout<<P[I]+Q;
}
}

```

18) Find the syntax error(s), if any, in the following program. (2002)2

```

#include<iostream.h>
void main( )
{ int x;
  cin>>x;
  for( int y=0,y<10,y++)
    cout<<x+y;
}

```

Ans:

```

#include<iostream.h>
void main( )
{ int x;
  cin>>x;
  for( int y=0;y<10;y++)
    cout<<x+y;
}

```

19) Will the following program execute successfully? If not, state the reason(s) (2000) 2

```

#include<stdio.h>
void main( )
{ int s1,s2,num;
  s1=s2=0;
  for(x=0;x<11;x++)
  { cin<<num;
    if(num>0)s1+=num;else s2=/num;
  }
  cout<<s1<<s2;
}

```

Ans: The program will not execute successfully. Because some syntax errors are there in the program. They are (i) cin and cout, stream objects used but iostream.h header file is not included in the program.

(ii) x is not declared, it should be declared as int.

(iii) With cin, we should use >> instead of <<.

(iv) The shorthand operator /=, is given wrongly as =/.

So the corrected program is as follows:

```

#include<iostream.h>
void main( )
{ int s1,s2,num;
  s1=s2=0;
  for(int x=0;x<11;x++)
  { cin>>num;
    if(num>0)s1+=num;else s2/=num;
  }
  cout<<s1<<s2;
}

```

20) Find the syntax error(s), if any, in the following program: (1999)

```

#include<iostream.h>
main( )
{ int x[5],*y,z[5];
  for(i=0;i<5;i++)
  { x[i]=I;
    z[i]=i+3;
    y=z;
    x=y;
  }
}

```

Ans (i) Line No 5: Undefined symbol 'i'.

The variable 'i' is not declared in the program.

(ii) Line No 10: Assign the value of a pointer to an integer variable. I.e error in x=y.

21) Find the syntax error(s), if any, in the following program: (1998)

```

include<iostream.h>
void main( )
{ int R; W=90;
  while W>60
  { R=W-50;
    switch(W)
    { 20:cout<<"LowerRange"<<endl;
      30:cout<<"MiddleRange "<<endl;
      40:cout<<"HigherRange"<<endl;
    }
  }
}

```

Ans:

- (i) Line 1: It should be, #include<iostream.h>
- (ii) Line 4: Variables should be separated using commas. It should be int R,W=90;
- (iii) Line 5: Test expression should be in braces. It should be while (W>60)
- (iv) Line 10: It should be case 20;
- (v) Line 11: It should be case 30;
- (vi) Line 13: It should be case 40;

So the corrected version of the program is as follows:

```

#include<iostream.h>
void main( )
{ int R, W=90;
  while (W>60)
  { R=W-50;
    switch(W)
    { case 20:cout<<"LowerRange"<<endl;
      case 30:cout<<"MiddleRange "<<endl;
      case 40:cout<<"HigherRange"<<endl;
    }
  }
}

```

22) Rewrite the following program after removing the syntactical errors (if any). Underline each correction.

2

```
#include <iostream.h>
struct Pixels
{ int Color,Style;}
void ShowPoint(Pixels P)
{ cout<<P.Color,P.Style<<endl;}
void main()
{
Pixels Point1=(5,3);
ShowPoint(Point1);
Pixels Point2=Point1;
Color.Point1+=2;
ShowPoint(Point2);
}
```

Ans: (MP2 2009-10)

```
#include <iostream.h> 2
struct Pixels
{
int Color,Style;
};
void ShowPoint(Pixels P)
{
cout<<P.Color<<P.Style<<endl;
}
void main()
{
Pixels Point1={5,3};
ShowPoint(Point1);
Pixels Point2=Point1;
Point1.Color+=2;
ShowPoint(Point2);
}
```

23) Rewrite the following program after removing the syntactical error(s)

if any. Underline each correction. 2

```
#include<iostream.h>(2008 D)
void main( )
{ First = 10, Second = 20;
Jumpto(First;Second);
Jumpto(Second);
}
void Jumpto(int N1, int N2 = 20)
{ N1=N1+N2;
count<<N1>>N2;
}
```

Ans)

```
#include<iostream.h>
void Jumpto(int N1,int N2=20); //Prototype
missing
void main( )
{ int First = 10, Second = 20; //Data type missing
Jumpto(First,Second); //Comma to come
instead of ;
Jumpto(Second);
}
void Jumpto(int N1, int N2)
{ N1=N1+N2;
cout<<N1<<N2; //Output operator << required
}
```

24) Rewrite the following program after removing the syntax error(s) if any. Underline each correction. 2

```
#include<iostream.h>(2008 OD)
void main( )
{ One=10,Two=20;
Callme(One;Two);
Callme(Two);
}
void Callme(int Arg1,int Arg2)
{ Arg1=Arg1+Arg2;
Count<<Arg1>>Arg2;
}
```

Ans:

```
void Callme(int Arg1,int Arg2=20);
#include<iostream.h>
void main( )
{ int One=10,Two=20;
Callme(One,Two); //Given ; instead of ,
Callme(Two);
}
void Callme(int Arg1,int Arg2)
{
Arg1=Arg1+Arg2;
cout<<Arg1<<Arg2;
}
```

MODEL 3b): Rewrite the following program after removing the syntactical errors (if any). Underline each correction (Using Class) -2 Marks

REFER CLASSES CHAPTER

MODEL 4a): Write the **output** of the following C++ program code (2 Marks).

Note: Assume all required header files are already being included in the program (**using pointers**)

REFER IN POINTERS CHAPTER

MODEL 4b): Output(Using Class Concept)–3M

REFER IN CLASSES CHAPTER

MODEL 4c): Output (Converting a string)–3M

1. Find and write the output of the following C++ program code: 2019SP(2)

```
typedef char STRING[80];
void MIXNOW(STRING S)
{ int Size=strlen(S);
for(int I=0;I<Size;I+=2)
{ char WS=S[I];
S[I]=S[I+1];
S[I+1]=WS;
}
for (I=1;I<Size;I+=2)
if (S[I]>='M' && S[I]<='U')
S[I]='@';
}
```

```
void main()
{
STRING Word="CBSEEXAM2019";
MIXNOW(Word);
cout<<Word<<endl;
}
```

Ans:

BCE@XEMA0291

2) Find and write the output of the following C++ program code: (2016)

Note: Assume all required header files are already included in the program. 2

```
typedef char TEXT[80];
void JumbleUp(TEXT T)
{int L=strlen(T);
for (int C=0;C<L;C+=2)
{
char CT=T[C];
T[C]=T[C+1];
T[C+1]=CT;
}
for (C=1;C<L;C+=2)
if (T[C]>='M' && T[C]<='U')
T[C]='@';
}
```

```
void main()
{
TEXT Str="HARMONIOUS";
JumbleUp(Str);
cout<<Str<<endl;
}
```

A) AHM@N@OIS

3) Find the output of the following program :2

```
#include<iostream.h>(2010 D)
#include <ctype.h>
void ChangeIt(char Text[ ], char C)
{ for (int K=0;Text[K]!='\0';K++)
{ if (Text[K]>='F' && Text[K]<='L')
Text[K]=tolower (Text[K]);
else
if (Text[K]=='E' || Text[K]=='e')
Text[K]=C;
else
if (K%2==0)
Text[K]=toupper(Text[K]);
else
Text[K]=Text[K-1];
}
}
void main ( )
{ char OldText[ ]="pOwERALone";
ChangeIt(OldText,'%');
cout<<"New TEXT:"<<OldText<<endl;
}
```

Ans.New TEXT : PPW % RRIIN%

4) Find. The output of the following program: 2

```
#include <iostream.h> (2010 OD)
#include <ctype.h>
void MyCode (char Msg [ ], char CH)
{ for (int (Cnt=0;Msg[Cnt]!='\0';Cnt++)
{ if (Msg[Cnt]>='B' && Msg[Cnt]<='G')
Msg[Cnt]=tolower(Msg[Cnt]);
else
if (Msg[Cnt]=='A' || Msg[Cnt]=='a')
Msg[Cnt]=CH;
else
if (Cnt%2==0)
Msg[Cnt]=toupper(Msg[Cnt]);
else
Msg[Cnt]=Msg[Cnt-1];
}
}
void main ()
{ char MyText [ ] = "ApEACeDriVE";
MyCode(MyText,'@');
cout<<"NEW TEXT:"<<MyText<<endl;
}
```

Ans.NEW TEXT :@@e@ccddIIE

5) Find the output of the following program:2

```
#include <iostream.h>(2009 D)
#include <ctype.h>
void Encode (char Info [ ], int N) ;
void main ( )
{ char Memo [ ] = "Justnow" ;
Encode (Memo, 2) ;
cout<<Memo<<endl ;
}
void Encode (char Info [ ], int N)
{ for (int I = 0 ; Info[I] !='\0' ; I++)
if (I%2= =0)
Info[I] = Info[I] -N ;
else if (islower(Info[I]))
Info[I] = toupper(Info[I]) ;
else
Info[I] = Info[I] +N ;
}
```

Ans: HuqTlOu

6) Find the output of the following program:2

```
#include <iostream.h>(2009 OD)
#include <ctype.h>
void Secret (char Mig[ ], int N);
void main ( )
{ char SMS[ ] = "rEPorTmE" ;
Secret{SMS,2);
cout<<SMS<<endl;
}
void Secret(char Msg[ ], int N)
{ for (int C=0; Msg[C] !='\0' ;C++)
if (C%2==0)
Msg[C] = Msg[C]+N;
else if (isupper(Msg[C]))
Msg[C] = tolower(Msg[C]);
```

```

else
    Msg[C] = Msg[C]-N;
}

```

Ans: teRmttoe

7) Find the output of the following program;3

```

#include<iostream.h>(2008 D)
#include<ctype.h>
void main( )
{
    char Text[ ] = "Mind@work!";
    for(int I=0; Text[I]!='\0';I++)
    {
        if(!isalpha(Text[I]))
            Text[I]='*';
        else if(isupper(Text[I]))
            Text[I]=Text[I]+1;
        else
            Text[I] = Text[I+1];
    }
    cout<<Text;
}

```

Output: Nnd@*Xrk!*

8) Find the output of the following program:3

```

#include<iostream.h>(2008 OD)
#include<ctype.h>
void main( )
{
    char Mystring[ ] = "what@OUTPUT!";
    for(int I=0; Mystring[I]!='\0';I++)
    {
        if(!isalpha(Mystring[I]))
            Mystring[I]='*';
        else if(isupper(Mystring[I]))
            Mystring[I]=Mystring[I]+1;
        else
            Mystring[I] =Mystring[I+1];
    }
    cout<<Mystring;
}

```

Ans:

Output:hat@*PVUQVU*

9) Find the output of the following program 2

```

#include<iostream.h>(2005 D)
#include<string.h>
#include<ctype.h>
void Convert(char Str[ ],int Len)
{
    for(int Count=0;Count<Len;Count++)
    {
        if(isupper(Str[Count]))
            Str[Count]=tolower(Str[Count]);
        else if (islower(Str[Count]))
            Str[Count]=toupper(Str[Count]);
        else if(isdigit(Str[Count]))
            Str[Count]=Str[Count]+1;
        else Str[Count]='*';
    }
}
void main( )
{
    char Text[ ]="CBSE Exam 2005";
    int Size = strlen(Text);
    Convert(Text,Size);
}

```

```

cout<<Text<<endl;
for(int C=0,R=Size - 1;C<=Size/2;C++,R--)
{
    char Temp=Text[C];
    Text[C]=Text[R];
    Text[R]=Temp;
}
cout<<Text<<endl;
}

```

Ans: Output:

**cbse*eXAM*3116
6113*MXAe*esbc**

10) Find the output of the following program2

```

#include<iostream.h>(2005 OD)
#include<string.h>
#include<ctype.h>
void Change(char Msg[],int Len)
{
    for(int Count=0;Count<Len;Count++)
    {
        if(islower(Msg[Count]))
            Msg[Count] = toupper(Msg[Count]);
        else if(isupper(Msg[Count]))
            Msg[Count] = tolower(Msg[Count]);
        else if (isdigit(Msg[Count]))
            Msg[Count]=Msg[Count]+1;
        else Msg[Count] = '*';
    }
}
void main( )
{
    char Message[ ]="2005 Tests ahead";
    int Size=strlen(Message);
    Change(Message,Size);
    cout<<Message<<endl;
    for(int C=0,R=Size - 1; C<=Size/2;C++,R--)
    {
        char Temp=Message[C];
        Message[C]=Message[R];
        Message[R]=Temp;
    }
    cout<<Message<<endl;
}

```

Ans: Output:

**3116*tESTS*AHEAD
DAEHA*SSTEt*6113**

11) Give the output of the following program segment(Assuming all required header files are included in the program): (2000) 2

```

char *NAME="a ProFiLe";
for(int x=0;x<strlen(NAME);x++)
    if(islower(NAME[x]))
        NAME[x]=toupper(NAME[x]);
    else if(isupper(NAME[x]))
        if(x%2!=0)
            NAME[x]=tolower(NAME[x-1]);
        else
            NAME[x]--;
cout<<NAME<<endl;

```

Ans: Output: AOROoLiE

12) Give the **output** of the following program segment: char *NAME="IntRAnE";(1998)

```
for(int x=0;x<strlen(NAME); x++)
if(islower(NAME[x])
NAME[x]=toupper(NAME[x]));
else if(isupper(NAME[x]))
if(x%2==0)
NAME[x]=tolower(NAME[x]);
else
NAME[x]=NAME[x-1];
puts(NAME);
```

Ans: Output: **INTTaNEE**

13) Find the output of the following program: 2

```
#include <iostream.h>(MP1 2008-09)
#include <ctype.h>
void Encrypt(char T[])
{ for (int i=0;T[i]!='\0';i+=2)
if (T[i]=='A' || T[i]=='E')
T[i]='#';
else if (islower(T[i]))
T[i]=toupper(T[i]);
else
T[i]='@';
}
void main()
{ char Text[]="SaVE Earth";
//The two words in the string Text are separated by
single space
Encrypt(Text);
cout<<Text<<endl;
}
```

Answer: @a@E@E#rTH

14) Find the output of the following program: 2

```
#include <iostream.h>(MP1 2009-10)
void Secret(char Str[ ])
{ for (int L=0;Str[L]!='\0';L++);
for (int C=0;C<L/2;C++)
if (Str[C]=='A' || Str[C]=='E')
Str[C]='#';
else
{char Temp=Str[C];
Str[C]=Str[L-C-1];
Str[L-C-1]=Temp;
}
}
void main()
{ char Message[ ]="ArabSagar";
Secret(Message);
cout<<Message<<endl;
}
```

A) #agaSbarr

1) Find and write the output of the following C++ programs code: (2018)

Note: Assume all required header files are already included in the program.

```
void Revert(int &Num, int Last=2)
{ Last = (Last%2==0) ? Last + 1 : Last - 1;
for(int C=1; C<=Last; C++)
Num += C;
}
void main()
{ int A=20,B=4;
Revert (A,B);
cout<<A<<"&"<<B<<endl;
B - -;
Revert(A,B);
cout<<A<<"#"<<B<<endl;
Revert(B);
cout<<A<<"#"<<B<<endl;
}
```

Ans)

35&4

38#3

38#9

2) Write the output of the following C++ program code: Note: Assume all required header files are already being included in the program. (2015)2

```
void Location(int &X,int Y=4)
{ Y+=2;
X+=Y;
}
void main()
{ int PX=10,PY=2;
Location(PY);
cout<<PX<<"", "<<PY<<endl;
Location(PX,PY);
cout<<PX<<"", "<<PY<<endl;
}
```

A)

10, 8

20, 8

(3) Find the output of the following program: 3

```
#include<iostream.h>(2011 D)
void ChangeArray(int Number, int ARR[ ], int
Size)
{for (int L =0; L<Size; L++)
if (L<Number)
ARR [L] +=L;
else
ARR [L] *=L;
}
void Show (int ARR [ ], int Size)
{for (int L=0; L<Size; L++)
(L%2!=0)?cout<<ARR[L]<<"#":
cout<<ARR[L]<<endl;
}
```

```
void main ( )
{
int Array [ ] = {30, 20, 40, 10, 60, 50};
ChangeArray (3, Array, 6) ;
Show (Array, 6) ;
}
```

Ans: 30
21#42
30#240
250#

(4) Find the output of the following program:3

```
#include<iostream.h>(2011 OD)
void SwitchOver(int A [ ], int N, int Split)
{
for (int K=0 ; K<N; K++)
if (K<Split)
A[K]+ =K;
else
A [K]*=K;
}
void Display (int A [ ], int N)
{
for (int K=0 ; K<N ; K++)
(K%2==0)?
Cout<<A[K]<<"%":cout<<A(K)<<endl;
}
void main ( )
{
int H[ ]= {30,40,50,20,10,5};
SwitchOver (H, 6, 3);
Display (H, 6);
}
```

Ans: 30%41
52%60
40%25

5)Find the output of the following program. 3

```
#include<iostream.h>(2007 D)
void Withdef(int HisNum=30)
{ for(int I=20;I<=HisNum;I+=5)
cout<<I<<" ";
cout<<endl;
}
void Control(int &MyNum)
{ MyNum+=10;
Withdef(MyNum);
}
void main()
{ int YourNum=20;
Control(YourNum);
Withdef();
cout<<"Number="<<YourNum<<endl;
}
```

Ans: Output:
20,25,30,
20,25,30,
Number=30

6)Find the output of the following program3

```
#include<iostream.h>(2007 OD)
void Indirect(int Temp=20)
{ for(int I=10;I<=Temp;I+=5)
cout<<I<<" ";
cout<<endl;
}
void Direct(int &Num)
{ Num+=10;
Indirect(Num);
}
void main ( )
{ int Number=20;
Direct(Number);
Indirect ( );
cout<<"Number ="<<Number<<endl;
}
```

Ans: Output:
10,15,20,25,30,
10,15,20,
Number =30

7) Write the output of the following program:

```
#include<iostream.h>(2003)
int Execute(int M)
{ if(M%3==0)
return M*3;
else
return M+10;
}
void Output(int B=2)
{ for(int T=0;T<B;T++)
cout<<Execute(T)<<"*";
cout<<endl;
}
void main ( )
{ Output(4);
Output ( );
Output(3);
}
```

Output:
0*11*12*9*
0*11*
0*11*12*

8)Write the output of the following program 3

```
#include<iostream.h>(2002)
void X(int &A,int &B)
{ A=A+B;
B=A-B;
A=A-B;
}
void main ( )
{ int a=4,b=18;
X(a,b);
cout<<a<<" "<<b;
}
```

Ans: Output: **18,4**

9) Give the output of the following program:

```
#include<iostream.h>(2001)
#include<conio.h>
```

```

int g=20;
void func(int &x,int y)
{
    x=x-y;
    y=x*10;
    cout<<x<<','<<y<<'\n';
}
void main( )
{
    int g=7;
    func(g,::g);
    cout<<g<<','<<::g<<'\n';
    func(::g,g);
    cout<<g<<','<<::g<<'\n';
}

```

Ans: Output:

```

-13,-130
-13,20
33,330
-13,33

```

10) Write the output of the following program3

```

#include<iostream.h>(2000)
int func(int &x,int y=10)
{
    if(x%y==0) return ++x;else return y- -;
}
void main( )
{
    int p=20,q=23;
    q=func(p,q);
    cout<<p<<q<<endl;
    p=func(q);
    cout<<p<<q<<endl;
    q=func(p);
    cout<<p<<q<<endl;
}

```

Ans: Output: **2023**
 1023
 1111

11) Write the output of the following program.

```

#include<iostream.h>(1999)
static int i=100;
void abc( )
{
    static int i=8;
    cout<<"first ="<<i;
}
main( )
{
    static int i=2;
    abc( );
    cout<<"second ="<<i<<endl; }

```

Ans: Output: **First =8second =2**

12) Write the output of the following program:

```

#include<iostream.h>(1998)
void Execute(int &X,int Y=200)
{
    int TEMP=X+Y;
    X+=TEMP;
    if(Y!=200)
        cout<<TEMP<<X<<Y<<endl;
}

```

Output:
50240
290340240
340240

```

void main( )
{
    int A=50,B=20;
    Execute(B);
    cout<<A<<B<<endl;
    Execute(A,B);
    cout<<A<<B<<endl;
}

```

13) Find the output of the following program3

```

#include <iostream.h>(MP2 2008-09 )
void Changethecontent(int Arr[], int Count)
{
    for (int C=1;C<Count;C++)
        Arr[C-1]+=Arr[C];
}
void main()
{
    int A[ ]={3,4,5},B[ ]={10,20,30,40},C[ ] =
        {900,1200};
    Changethecontent(A,3);
    Changethecontent(B,4);
    Changethecontent(C,2);
    for (int L=0;L<3;L++)
        cout<<A[L]<<'#';
    cout<<endl;
    for (L=0;L<4;L++)
        cout<<B[L] <<'#';
    cout<<endl;
    for (L=0;L<2;L++)
        cout<<C[L] <<'#';
}

```

Answer:

```

7#9#5#
30#50#70#40#
2100#1200#

```

MODEL 4e): Output (Using functions & Structures) – 3M

(1) Find the output of the following program :3

```

#include <iostream.h>(2010 D)
struct POINT
{
    int X, Y, Z;
};
void StepIn(POINT & P, int Step=1)
{
    P.X+=Step;
    P.Y-=Step;
    P.Z+=Step;
}
void StepOut(POINT & P, int Step=1)
{
    P.X-=Step;
    P.Y+=Step;
    P.Z-=Step;
}
void main ( )
{
    POINT P1={ 15, 25, 5 }, P2={ 10, 30, 20 };
    StepIn(P1);
    StepOut(P2,4);
    cout<<P1.X<<" ";<<P1.Y<<" ";<<P1.Z<<endl;
    cout<<P2.X<<" ";<<P2.Y<<" ";<<P2.Z<<endl;
}

```

```

StepIn(P2,12);
cout<<P2.X<<" "<<P2.Y<<" "<<P2.Z<<endl;
}

```

**Ans. 16, 24, 6
6, 34, 16
18, 22, 28**

(2) Find the output of the following program: 3

```

#include <iostream.h>(2010 OD)
struct THREE_D
{ int X,Y,Z;};
void MoveIn(THREE_D &T, int Step=1)
{ T.X+=Step;
  T.Y-=Step;
  T.Z+=Step;
}
void MoveOut(THREE_D &T, int Step=1)
{ T.X-=Step;
  T.Y+=Step;
  T.Z-=Step;
}
void main ()
{ THREE_D T1={10,20,5},T2={30,10,40};
  MoveIn(T1);
  MoveOut(T2,5) ;
  cout<<T1.X<<" "<<T1.Y<<" "<<T1.Z<<endl;
  cout<<T2.X<<" "<<T2.Y<<" "<<T2.Z<<endl;
  MoveIn(T2,10);
  cout<<T2.X<<" "<<T2.y<<" "<<T2.Z<<endl;
}

```

**Ans. 11, 19, 6
25, 15, 35
35, 5, 45**

3) Find the output of the following program:

```

#include<iostream.h> (2005 D)
struct MyBox
{ int Length,Breadth,Height;
};
void Dimension(MyBox M)
{ cout<<M.Length<<"x"<<M.Breadth<<"x";
  cout<<M.Height<<endl;
}
void main( )
{ MyBox B1={10,15,5},B2,B3;
  ++B1.Height;
  Dimension(B1);
  B3=B1;
  ++B3.Length;
  B3.Breadth++;
  Dimension(B3);
  B2=B3;
  B2.Height+=5;
  B2.Length--;
  Dimension(B2);
}

```

**Output:
10x15x6
11x16x6
10x16x11**

4) Find the output of the following program:

```

#include<iostream.h>(2005 OD)
struct Package
{ int Length,Breadth,Height;
};
void Occupies(Package M)
{ cout<<M.Length<<"x"<<M.Breadth<<"x";
  cout<<M.Height<<endl;
}
void main( )
{ Package P1={100,150,50},P2,P3;
  ++P1.Height;
  Occupies(P1);
  P3=P1;
  ++P3.Length;
  P3.Breadth++;
  Occupies(P3);
  P2=P3;
  P2.Height+=50;
  P2.Length--;
  Occupies(P2);
}

```

**Output:
100x150x51
101x151x51
100x151x101**

5) Give the output of the following program:

```

#include<iostream.h>(2003)
struct Pixel
{ int C,R;
};
void Display(Pixel P)
{ cout<<"col"<<P.C<<"Row"<<P.R<<endl;
}
void main( )
{ Pixel X={40,50},Y,Z;
  Z=X;
  X.C+=10;
  Y=X;
  Y.R+=20;
  Z.C-=15;
  Display(X);
  Display(Y);
  Display(Z);
}

```

**Output:
col50Row50
col50Row70
col25Row50**

6) Find the output of the following program: 3

```

#include <iostream.h>(MP1 2008-09)
struct PLAY
{ int Score, Bonus;
};
void Calculate(PLAY &P, int N=10)
{ P.Score++;
  P.Bonus+=N;
}
void main()
{ PLAY PL={10,15};
  Calculate(PL,5);
  cout<<PL.Score<<": "<<PL.Bonus<<endl;
  Calculate(PL);
  cout<<PL.Score<<": "<<PL.Bonus<<endl;
  Calculate(PL,15);
  cout<<PL.Score<<": "<<PL.Bonus<<endl;
}

```

Answer:

11:20

12:30

13:45

7) Find the output of the following program:3

```
#include <iostream.h> (MP1 2009-10)
struct GAME
{
    int Score, Bonus;
};
void Play(GAME &g, int N=10)
{
    g.Score++;
    g.Bonus+=N;
}
void main()
{
    GAME G={110,50};
    Play(G,10);
    cout<<G.Score<<"<":<<G.Bonus<<endl;
    Play(G);
    cout<<G.Score<<"<":<<G.Bonus<<endl;
    Play(G,15);
    cout<<G.Score<<"<":<<G.Bonus<<endl;
}
```

Ans) **111:60**
 112:70
 113:85

MODEL 4f): Output (Miscellaneous) – 2M

1. Find and write the output of the following C++ program code: Note: Assume all required header files are already included in the program. (2017)2

```
#define Diff(N1,N2) ((N1>N2)?N1-N2:N2-N1)
void main()
{
    int A,B,NUM[] = {10,23,14,54,32};
    for(int CNT =4; CNT>0; CNT--)
    {A=NUM[CNT];
    B=NUM[CNT-1];
    cout<<Diff(A,B)<<"#";
    }
}
```

Ans) 22#40#9#13#

2. Find the output of the following program:2

```
#include <iostream.h>(2012)
#include <ctype.h>
typedef char str80 [80];
void main ( )
{
    char *Notes ;
    str80 str="vR2GooD";
    int L=6;
    Notes=Str;
    while (L>=3)
    {
    Str[L]=(isupper(Str[L])?tolower(Str[L]):
```

```
toupper(Str[L]));
    cout<<Notes<<endl;
    L--;
    Notes++;
    }
}
```

Ans)
vR2Good
R2GoOd
2GOOd
gOOd

3) Find the output of the following program: 2
#include<iostream.h> (2008 D)

```
void main( )
{ int U=10,V=20;
  for(int I=1;I<=2;I++)
  { cout<<"[1]"<<U++<<"&"<<V - 5 <<endl;
    cout<<"[2]"<<++V<<"&"<<U + 2 <<endl;
  }
}
```

Ans: Output: **[1]10&15**
 [2]21&13
 [1]11&16
 [2]22&14

4) Find the output of the following program: 2
#include<iostream.h>(2008OD)

```
void main( )
{ int A=5,B=10;
  for(int I=1;I<=2;I++)
  { cout<<"Line1"<<A++<<"&"<<B-2 <<endl;
    cout<<"Line2"<<++B<<"&"<<A +3 <<endl;
  }
}
```

Ans: Output:
Line15&8
Line211&9
Line16&9
Line212&10

5 Find the output of the following program 2
#include<iostream.h>(2006 D)

```
void main( )
{ long NUM=1234543;
  int F=0,S=0;
  do
  { int R=NUM % 10;
    if (R % 2 != 0)
      F += R;
    else
      S += R;
    NUM /= 10;
  } while (NUM>0);
  cout<<F-S;
}
```

Ans: Output: **2**

6) Find the output of the following program 2

#include<iostream.h (2006 OD)

```
void main( )
{ long Number=7583241;
  int First = 0, Second =0;
  do
  { int R=Number%10;
    if(R%2 ==0)
      First += R;
    else
      Second += R;
    Number /= 10;
  } while (Number > 0);
  cout<<First-Second;
}
```

Ans: Output -2

7) What will be the output of the following program

#include<iostream.h>(2004)

```
void main( )
{ int var1=5,var2=10;
  for(int i=1,i<=2;i++)
  { cout<<var1++<<'t'<< - - var2<<endl;
    cout<<var2- -<<'t'<<+ + var1<<endl;
  }
}
```

Ans: Output:

```
5 9
9 7
7 7
7 9
```

8) Write the output of the following program 2

void main()(2002)

```
{ int x=5,y=5;
  cout<<x- -;
  cout<<" ";
  cout<<- - x;
  cout<<" ";
  cout<<y- -<<" "<<- -y;
}
```

Ans: Output: 5,3,4,4

MODEL 5: Possible Output (Random)– 2M

1. Observe the following program and find out, which output(s) out of (i) to (iv) will be expected from the program? What will be the minimum and the maximum value assigned to the variable Alter? 2019SP(2)

Note: Assume all required header files are already being included in the program.

```
void main( )
{
  randomize();
  int Ar[]={10,7}, N;
  int Alter=random(2) + 10 ;
```

```
for (int C=0;C<2;C++)
```

```
{
  N=random(2) ;
  cout<<Ar[N] +Alter<<"#";
}
}
```

- (i) 21#20# (ii) 20#18#
- (iii) 20#17# (iv) 21#17#

Ans:

The output expected from the program is

(iii) 20#17#

Minimum Value of Alter = 10

Maximum Value of Alter = 11

2) Look at the following C++ code and find the possible output(s) from the options (i) to (iv) following it. Also, write the highest and lowest values that can be assigned in the array A.

Note:

2018

Assume all the required header files are already being included in the code. The function random(n) generates an integer between 0 and n-1.

```
void main( )
{ randomize( );
  int A[4], C;
  for (C=0;C<4;C++)
    A[C]=random(C+1) + 10;
  for(C=3;C>=0;C- - )
    cout<<A[C]<<"@";
}
```

- (i) 13@10@11@10@
- (ii) 15\$14\$12\$10\$
- (iii) 12@11@13@10@
- (iv) 12@11@10@10@

Ans) (i) 13@10@11@10@

(iv) 12@11@10@10@

Highest value that can be assigned in the array A = 13

Lowest value that can be assigned in the array A = 10

3. Look at the following C++ code and find the possible output(s) from the options (i) to (iv) following it. Also, write the maximum values that can be assigned to each of the variables N and M.

Note: • Assume all the required header files are already being included in the code. (2017)2

• The function random(n) generates an integer between 0 and n-1

```
void main()
{
  randomize();
  int N=random(3),M=random(4);
  int DOCK[3][3] = {{1,2,3},{2,3,4},{3,4,5}};
  for(int R=0; R<N; R++)
  {
    for(int C=0; C<M; C++)
      cout<<DOCK[R][C]<<" ";
    cout<<endl;
  }
}
```

(i)	(ii)
1 2 3 2 3 4 3 4 5	1 2 3 2 3 4
(iii)	(iv)
1 2 2 3	1 2 2 3 3 4

Ans)

Correct Options : (ii) and (iii)

Maximum value of N = 2

Maximum value M = 3

4) Observe the following program carefully and attempt the given questions: 2

#include<iostream.h> (2017 MP)

#include<conio.h>

#include<stdlib.h>

void main()

```
{
clrscr();
randomize();
char courses[][10]=
{"M.Tech","MCA","MBA","B.Tech"};
```

int ch;

```
for(int i=1;i<=3;i++)
```

```
{
ch=random(i)+1;
cout<<courses[ch]<<"\t";
}
```

```
getch();
}
```

I. Out of all the four courses stored in the variable courses, which course will never be displayed in the output and which course will always be displayed at first in the output?

Ans: M.Tech will never be displayed in the output. MCA will always be displayed at first in the output.

II. Mention the minimum and the maximum value assigned to the variable ch?

Ans:

Minimum value of ch=1
Maximum value of ch=3

5) Look at the following C++ code and find the possible output(s) from the options (i) to (iv) following it. Also, write the maximum and the minimum values that can be assigned to the variable PICKER. 2

Note:- Assume all the required header files are already being included in the code.

- The function random(n) generates an integer between 0 and n-1 (2016)

```
void main()
{
randomize();
int PICKER;
PICKER=1+random(3);
```

char

```
COLOR[][5]={"BLUE","PINK","GREEN","RED"};
};
for(int I=0;I<=PICKER;I++)
{
for(int J=0;J<=I;J++)
cout<<COLOR[J];
cout<<endl;
}
}
```

(i)	(ii)	(iii)	(iv)
PINK	BLUE	GREEN	BLUE
PINKGREEN	BLUEPINK	GREENRED	BLUEPINK
PINKGREENRED	BLUEPINKGREEN		BLUEPINKGREEN
	BLUEPINKGREENRED		

A)

(ii) BLUEPINK BLUE
BLUEPINKGREEN BLUEPINK
BLUEPINKGREENRED
BLUEPINKGREEN

Minimum Value of PICKER = 1

Maximum Value of PICKER = 3

6) Study the following program and select the possible output(s) from the option (i) to (iv) following it. Also, write the maximum and the minimum values that can be assigned to the variable VAL. 2

Note:- Assume all required header files are already being included in the program. (2015)

- random(n) function generates an integer between 0 and n-1.

```
void main()
{
randomize();
int VAL;
VAL=random(3)+2;
char GUESS[]="ABCDEFGHGIJK";
for (int I=1;I<=VAL;I++)
{
for(int J=VAL;J<=7;J++)
cout<<GUESS[J];
cout<<endl;
}
}
```

(i) BCDEFGH (ii) CDEFGH (iii) EFGH (iv) FGHI
BCDEFGH CDEFGH EFGH FGHI
BCDEFGH CDEFGH EFGH FGHI
EFGH FGHI
EFGH FGHI

A) (ii) and (iii)

Min Value of VAL = 2

Max Value of VAL = 4

7) Read the following C++ code carefully and find out, which out of the given option (i) to (iv) are expected correct output(s) of it. Also, write the maximum and minimum value that can be assigned to the variable Taker used in the code: (2014)

```
void main()
{
int GuessMe[4]={100,50,200,20};
```

```

Int Taker=random(2)+2;
For(int Change=0;Change<Taker;Change++)
  Cout<<GuessMe[Change]<<"#";
}
(i) 100#
(ii) 50#200#
(iii)100#50#200#
(iv)100#50#

```

Answer:(iii) and (iv)
Maximum Value = 3
Minimum Value = 2

8)Based on the following C++ code, find out the expected correct output(s) from the options (i) to (iv). Also, find out the minimum and the maximum value that can be assigned to the variable Trick used in the code at the time when value of Count is 3:

```

void main( ) (2013)
{ char Status[ ][10]={"EXCEL","GOOD","OK"};
int Turn=10, Trick;
for(int Count=1;Count<4;Count++)
{
  Trick=random(Count);
  cout<<Turn-Trick<<Status[Trick]<<"#";
}
}

```

- (i) 10EXCEL#10EXCEL#80K#
- (ii) 10EXCEL#80K#9GOOD#
- (iii) 10EXCEL#9GOOD#10EXCEL#
- (iv) 10EXCEL#10GOOD#80K#

A)
Minimum Value for Trick: 0
Maximum Value for Trick: 2

9) Observe the following program and find out, which output(s) out of (i) to (iv) **will not** be expected from the program? What will be the minimum and the maximum value assigned to the variable Chance? **(2012 D)**

```

#include<iostream.h>
#include<stdlib.h>
void main( )
{  randomize( );
  int Arr[ ]={9,6},N;
  int Chance=random(2)+10;
  for(int C=0;C<2;C++)
  {   N=random(2);
      cout<<Arr[N]+Chance<<"#";
  }
}

```

- (i) 9#6#
- (ii) 19#17#
- (iii) 19#16#
- (iv) 20#16#

Ans: (i) 9#6#
Minimum Value: 10
Maximum Value: 11

10) Go through the C++ code shown below, and find out the possible output or outputs from the

suggested Output Options (i) to (iv). Also, write the least value and highest value, which can be assigned to the variable Guess.2

```

#include <iostream.h>
#include <stdlib.h>
void main ( )(2011 D)
{randomize ( );
int Guess, High=4;
Guess=random{High)+ 50 ;
for{int C=Guess ; C<=55 ; C++}
cout<<C<<"#";
}

```

- (i) 50 # 51 # 52 # 53 # 54 # 55 #
- (ii) 52 # 53 # 54 # 55
- (iii) 53 # 54 #
- (iv) 51 # 52 # 53 # 54 # 55

Ans: (i) 50 # 51 # 52 # 53 # 54 # 55 #
Least value 50
Highest value 53

11) Go through the C++ code shown below, and find out the possible output or outputs from the suggested Output Options (i) to (iv). Also, write the minimum and maximum values, which can be assigned to the variable MyNum. 2

```

#include<iostream.h>(2011 OD)
#include <stdlib.h>
void main ( )
{randomize ( );
int MyNum, Max=5;
MyNum = 20 + random (Max) ;
for (int N=MyNum; N<=25;N++)
cout<N<"*";
}

```

- (i)20*21*22*23*24*25
- (ii) 22*23*24*25*
- (iii) 23*24*
- (iv)21*22*23*24*25

Ans (ii) 22*23*24*25*
Minimum value 20
Maximum value 24

12) The following code is from a game, which generates a set of 4 random numbers. Yallav is playing this game, help him to identify the correct option(s) out of the four choices given below as the possible set of such numbers generated from the program code so that he wins the game. Justify your answer. 2

```

#include<iostream.h>(2010 D)
#include <stdlib.h>
const int LOW=15;
void main ( )
{  randomize( );
  int POINT=5, Number;
  for (int I=1;I<=4;I++)
  {   Number=LOW+random(POINT) ;

```

```

        cout<<Number<<“.”;
        POINT--;
    }
}
(i)19:16:15:18:
(ii) 14:18:15:16:
(iii) 19:16:14:18
(iv)19:16:15:16:

```

Ans (iv) 19:16:15:16:

Justification is as follows:

I	POINT	random (POINT)	Minimum Number	Maximum Number
1	5	0 to 4	15	19
2	4	0 to 3	15	18
3	3	0 to 2	15	17
4	2	0 to 1	15	16

The only option that satisfies these values is option (iv).

13) The following code is from a game, which generates a set of 4 random numbers. Praful is playing this game, help him to identify the correct option(s) out of the four choices given below as the possible set of such numbers generated from the program code so that he wins the game. Justify your answer. 2

```

#include<iostream.h>(2010 OD)
#include <stdlib.h>
const int LOW=25;
void main ()
{
    randomize();
    int POINT=5,Number;
    for (int I=1;I<=4;I++)
    {
        Number=LOW+random(POINT);
        cout<<Number<<“.”;
        POINT--;
    }
}

```

- (i)29:26:25:28:
- (ii) 24:28:25:26:
- (iii) 29:26:24:28:
- (iv) 29:26:25:26:

Ans. (iv) 29:26:25:26:

Justification is as follows:

I	POINT	Minimum	Maximum
1	5	25	29
2	4	25	28
3	3	25	27
4	2	25	26

The only option that satisfies these values is option (iv).

14) Study the following program and select the possible output from it : 2

```

#include<iostream.h>(2009D)
#include <stdlib.h>
const int LIMIT = 4 ;

```

```

void main ()
{
    randomize( ) ;
    int Points;
    Points = 100 + random(LIMIT) ;
    for (int P=Points ; P>=100 ; P-- )
        cout<<P<<“#” ;
    cout<<endl;
}
(i)103#102#101#100#
(ii) 100#101#102#103#
(iii) 100#101#102#103#104#
(iv)104#103#102#101#100#

```

Ans 103#102#101#100#

15) Study the following program and select the possible output from it :2

```

#include<iostream.h>(2009 OD)
#include <stdlib.h>
const int MAX=3 ;
void main ()
{
    randomize( ) ;
    int Number ;
    Number = 50 + random{MAX} ;
    for (int P=Number; P>=50; P-- )
        cout<<p<< “ # ” ;
    cout<<endl;
}
(i)53#52#51#50#(ii) 50#51#52#
(iii) 50#51#(iv)51#50#

```

Ans(iv) 51#50#

(Solution: MAX value is 3. That’s why random(MAX)can produce 0 or 1 or 2. (random(N)will produce no.between 1 to n-1). The Number value may be 50 or 51 or 52. The P value starts from Number, upto50,each time decreases by 1.

So Possible outputs are as follows:

- 52#51#50#
- 51#50#
- 50#.

As the output 51#50# is available in given answers, so 51#50# is the answer.)

16) In the following program, find the correct possible output(s) from the options: 2

```

#include<stdlib.h>
#include<iostream.h>(2008 D)
void main( )
{
    randomize( ) ;
    char City[][10]=
    {“DEL”,“CHN”,“KOL”,“BOM”,“BNG”};
    int Fly;
    for(int I=0; I<3;I++)
    {
        Fly=random(2) + 1;
        cout<<City[Fly]<<“.”;
    }
}

```

Outputs:

- (i) DEL : CHN : KOL:
- (ii) CHN: KOL : CHN:
- (iii) KOL : BOM : BNG:
- (iv) KOL : CHN : KOL:

Ans)Since random(2) gives either 0 or 1, Fly value will be either 1 or 2. (random(n) gives you any number between 0 to n-1)

City[1] is "CHN". City[2] is "KOL".

Since I value from 0 to 2 (ie<3), 3 iterations will takes place. So the possible output consists 3 strings separated by :, each of them may be either "CHN" or "KOL".

So the possible output will be

- (ii) CHN : KOL : CHN:
- (iv) KOL :CHN : KOL:

17) In the following program, find the correct possible output(s) from the options: 2

```
#include<stdlib.h>      (2008 OD)
#include<iostream.h>
void main( )
{  randomize( );
char Area[
][10]={“NORTH”,“SOUTH”,“EAST”,“WEST”};
int ToGo;
for(int I=0; I<3;I++)
{  ToGo=random(2) + 1;
cout<<Area[ToGo]<<“:”;}
}
```

Ans: Outputs:

- (i) SOUTH : EAST : SOUTH :
- (ii) NORTH : SOUTH : EAST :
- (iii) SOUTH : EAST : WEST :
- (iv) SOUTH : EAST : EAST :

Ans)Since random(2) gives either 0 or 1, ToGo value will be either 1 or 2. (random(n) gives you any number between 0 to n-1)Area[1] is "SOUTH".Area[2] is "EAST". Since I value from 0 to 2 (ie<3), 3 iterations will takes place. So the possible output consists 3 strings separated by :, each of them may be either "SOUTH" or "EAST".

So the possible output will be

- (i) SOUTH : EAST : SOUTH :
- (iv) SOUTH : EAST : EAST :

18) In the following C++ program what is the expected value of MyMarks from options (i) to (iv)given below. Justify answer. 2

```
#include<stdlib.h>(2007 D)
#include<iostream.h>
void main( )
{  randomize( );
int Marks[]={99,92,94,96,93,95},MyMarks;
MyMarks = Marks [1+random(2)];
cout<<MyMarks<<endl;
} (i)99 (ii)94 (iii)96 (iv) None of the above.
```

Ans: Output: (ii) 94

19) In the following C++ program what is the expected value of Mysore from options (i) to (iv) given below.Justify your answer. 2

```
#include<stdlib.h>(2007 OD)
#include<iostream.h>
void main( )
{  randomize( );
int Score[] = {25,20,34,56,72,63},Mysore;
cout<<Mysore<<endl;
}
```

(i) 25 (ii) 34 (iii) 20 (iv) None of the above.

Ans: Expected Output:

- (i) None of the above.

20)Observe the following program SCORE.CPP carefully, if the value of Num entered by the user is 5, choose the correct possible output(s) from the options from (i) to (iv), and justify your option. 2

```
//Program: SCORE.CPP
#include<stdlib.h>(2005 D)
#include<iostream.h>
void main( )
{  randomize( );
int Num,Rndnum;
cin>>Num;
Rndnum = random(Num) + 5;
for(int N = 1;N<=Rndnum;N++)
cout<<N<<“ ”;
```

Output Options:

- (i) 1 2 3 4 (ii) 1 2
- (iii) 1 2 3 4 5 6 7 8 9
- (iv) 1 2 3

Ans: Expected Output:

- (iii) 1 2 3 4 5 6 7 8 9

21) Observe the following program GAME.CPP carefully, if the value of Num entered by the user is 14, choose the correct possible output(s) from the options from (i) to (iv),and justify your option.2

```
//Program:GAME.CPP
#include<stdlib.h>( 2005 OD)
#include<iostream.h>
void main( )
{  randomize( );
int Num,Rndnum;
cin>>Num;
Rndnum=random(Num)+7;
for(int N=1;N<=Rndnum;N++)
cout<<N<<“ ”;
```

Output Options:

- (i) 1 2 3 (ii) 1 2 3 4 5 6 7 8 9 10 11
- (iii) 1 2 3 4 5 (iv) 1 2 3 4

Ans: Expected Output

- (ii) 1 2 3 4 5 6 7 8 9 10 11

22) In the following program, if the value of N given by the user is 15, what maximum and minimum values the program could possibly display? 2

```
#include <iostream.h>
#include<stdlib.h>(2008-09 MP1)
void main()
{ int N,Guessme;
  randomize();
  cin>>N;
  Guessme=random(N)+10;
  cout<<Guessme<<endl;
}
```

Answer:

Maximum Value:24 Minimum Value:10

23) In the following program, if the value of N given by the user is 20, what maximum and minimum values the program could possibly display? 2

```
#include<iostream.h>(2008-09 MP2)
#include <stdlib.h>
void main()
{ int N,Guessnum;
  randomize();
  cin>>N;
  Guessnum=random(N-10)+10;
  cout<<Guessnum<<endl;
}
```

Answer:

Maximum Value:19 Minimum Value:10

24) In the following program, if the value of Guess entered by the user is 65, what will be the expected output(s) from the following options (i), (ii), (iii) and (iv)? 2

```
#include <iostream.h>
#include<stdlib.h>(2009-10 MP1)
void main()
{int Guess;
  randomize();
  cin>>Guess;
  for (int I=1;I<=4;I++)
  {
    New=Guess+random(I);
    cout<<(char)New;
  }
}
```

(i) ABBC (ii) ACBA (iii) BCDA (iv) CABD

A)(i) ABBC

(25) In the following program, if the value of N given by the user is 20, what maximum and minimum values the program could possibly display? 2

```
#include <iostream.h>
#include <stdlib.h>(2009-10 MP2)
void main()
{
  int N,Guessnum;
```

```
  randomize();
  cin>>N;
  Guessnum=random(N-10)+10;
  cout<<Guessnum<<endl;
}
```

A)

Maximum Value: 19 Minimum Value: 10

MODEL 6): Theory Question – 2M

1) Explain conditional operator with suitable example? 2

A) Conditional operator is also known as ternary operator because it requires three operands and can be used to replace simple if-else code. It is used to check the condition and execute first expression if condition is true else execute other. (2017 MP)

Syntax:

Conditional expression? Expression 1 : Expression 2;

Explanation:

If the conditional expression is true then expression 1 executes otherwise expression 2 executes.

Example:

```
int y=10,x;
x=y>10?1:0;
cout<<x;
```

Output: 0

2) What is the difference between call by reference and call by value with respect to memory allocation? Give a suitable example to illustrate using a C++ code. (2014 OD) 2

A) Refer 2010 Outside Delhi Paper

3) What is the benefit of using function prototype for a function? Give a suitable example to illustrate it using a C++ code. (2013D) 2

A) The benefit of using function prototype for a function is that, it tells the compiler that there is a some function defined somewhere in the program and we can access it.

Example:

```
void Add(int,int) //function prototype
void main()
{ Add(4,6);
}
void Add(int a, int b)
{
  cout<<a+b;
}
```

4) Give the difference between the type casting and automatic type conversion. Also, give a suitable C++ code to illustrate both. (2012D) 2

Ans. Automatic Type Conversion: It is an implicit process of conversion of a data from one data type to another. It is performed by the compiler. It is also called as type promotion.

For example:

```
int N = 65;
```

```
char C = N; // Automatic type conversion
cout<<C;
```

Output:A

Type Casting: It is an explicit process of conversion of a data from one type to another. (It is performed by the programmer.)

For example

```
int A=1, B=2;
float C = (float)A/B; //Type Casting
cout<<C;
```

Output: 0.5

5) What is the difference between Local Variable and Global Variable? Also, give a suitable C++ code to illustrate both. (2011D) 2

Ans:Local Variables: Local variables are those variables which are declared within a function or a compound statement and these variables can only be used within that function/scope.

Global Variables: Global variables are those variables which are not declared within any function or scope. So, these variables can be accessed by any function of the program.

Example:

```
#include<iostream.h>
#include<conio.h.>
int G; // Global variable declared
void Fun ( )
{
int L=25; // Local variable of function Fun ( ) assigned value 25
G=5; // Global Variable is accessed and assigned value 5
cout<<G<<endl; // Value of global variable is displayed as 5
cout<<L<<endl; // Value of local variable is displayed as 25
}
void main ( )
{
Fun ( ) ; // Function call
G = G + 5; // Global variable is incremented by 5
cout<<G<<endl; // Global variable is displayed as 10
}
```

6) What is the difference between Type Casting and Automatic Type conversion? Also, give a suitable C++ code to illustrate both. (2011 OD)

Ans: Refer 2012 Delhi

7) What is the difference between automatic type conversion and type casting? Also, give a suitable C++ code to illustrate both. (2010 D) 2

Ans: Refer 2012 Outside Delhi

8) What is the difference between call by value and call by reference? Also, give a suitable C++ code to illustrate both. (2010 OD) 2

Ans.Call by value: 1) The actual arguments will be copied into formal parameters.

2) If we done any modifications to the formal parameters, actual arguments will not be modified.

3) We should use call by value when we do not want to change the original values.

Call by reference: 1) The formal parameters are the reference to the actual arguments

2) If we done any modifications to the formal parameters, actual arguments will be modified.

3) We should use call by reference when we want to change the original values.

Formal parameters declaration will be preceded by & in the function definition.

```
void Calculator(int A,int & B )
{
A++;
B++;
}
```

Here in the above example, A is called by value and B is called by reference.

9) What is the difference between call by value and call by reference? Give an example in C++ to illustrate both. 2

Ans:Call by value is used to create a temporary copy of the data coming from the actual parameter into the formal parameter. The changes done in the function in formal parameter are not reflected back in the calling environment. It does not use '&' sign.

Call by reference is used to share the same memory location for actual and formal parameters and so changes done in the function are reflected back in the calling environment. It uses '&' sign.

(2009 D)

```
Void Compute(int A, int &B)
{A++;
B++;
cout<<"In the function"<<endl;
cout<<"A="<<A<<"&"<<"B="<<B<<endl;
}
void main ( )
{int I=50,J=25;
cout<<"Before function call "<<endl;
cout<<"I="<<I<<"&"<<"J="<<J <<endl;
Compute (I,J) ;
cout<<"After function call "<<endl;
cout<<I<<"&"<<"J="<<J <<endl;
}
```

OUTPUT

Before function call

I=50&J=25

In the function

A=51&B=26

After function call

I=50&J=26

10) What is the difference between Actual Parameter and Formal Parameter? Give an example in C++ to illustrate both types of parameters. (2009 OD) 2

Ans A parameter used in the function call is known as Actual Parameter. It is used to send the data to function. A parameter used in the function definition is known as Formal Parameter, It is used to accept the data from actual parameter.

```
Void Seventimes(int A)//A is formal parameter
{cout<<7*A;
}
```

```
void main ()
{int P=6;
    Seventimes(P);//p is actual parameter
}
```

Other answer for the same question:

Ans)The parameters in the function call statement (or calling function) are called as Actual Parameters.

The parameters in the function definition (or called function) are called as Formal Parameters.

Eg:

```
void manip(int x, int y)
{ ---
  ---
}
void main( )
{
  int a,b;
  ----
  manip(a,b);
}
```

Here a,b are Actual Parameters and
x,y are Formal Parameters.

11) What is the difference between #define and const? Explain with suitable example.(2008 D)2

Ans: While they both serve a similar purpose, #define and const act differently. When using #define the identifier gets replaced by the specified value by the compiler, before the code is turned into binary. This means that the compiler makes the substitution when you compile the application.

Eg: #define number 100

In this case every instance of “number” will be replaced by the actual number 100 in your code, and this means the final compiled program will have the number 100 (in binary).

#define with different types of data:

*The #define preprocessor allows us to define symbolic names and constants.

Eg: #define PI 3.14159

*The #define allows you to make text substitutions before compiling the program.

Eg: #define MAX 70

* Before compilation, if the C++ preprocessor finds MAX as one word, in the source code, it replaces it with the number 70.

* The #define preprocessor can be used in the creation of macros (code substitution).

Eg: #define SQUARE(x) x*x

Before compilation, if the C++ preprocessor finds SQUARE(x), where x is any value in the source code, it replaces it with its square (ie x*x). Here a macro substitutes text only; It does not check for data types.

On the other hand, when we use **const** and the application runs, memory is allocated for the constant and the value gets replaced when the application is run.

Syntax: const type variable_name=value;

Eg: const int a=10;

The value of a constant is fixed and in the above example, the value for a in entire program is 10 only. You cannot change the value of a, since it is declared as constant.

Difference between #define and const in declaration:.

1.#define: #define symbolic_constant value.

Eg: #define number 100 //No semicolon ,no equal to symbol.

2.const: const type variable_name=value;

Eg: const number=100; //Semicolon, equal to symbol.

12) What is the purpose of using a typedef command in C++? Explain with suitable example (2008 OD) 2

Ans: C++ allows you to define explicitly new data type names by using the keyword typedef. Using typedef does not actually create a new data class, rather it defines a new name for an existing type. This can increase the portability of a program as only the typedef statements would have to be changed. Typedef makes your code easier to read and understand. Using typedef can also aid in self documenting your code by allowing descriptive names for the standard data types.

The syntax of the typedef statement is

typedef type name;

Where type is any C++ data type and name is the new name for this type. This defines another name for the standard type of C++. For example, you could create a new name for float values by using the following statement:

typedef float amount;

This statement tells the compiler to recognize amount as an alternative name for float. Now you could create float variables using amount.

Amount loan, saving, installment;

Using typedef does not replace the standard C++ data type name with the new name, rather the new name is in addition to the existing name. You still can create float variables using float. Once a new name has been defined by typedef, it can be used as a type for another typedef also.

Eg: typedef amount money;

Now, this statement tells the compiler to recognize money as another name for amount, which itself is another name for float. Typedef does not create any new data types rather provides an alternative name for standard types. Reference provides an alias name for a variable and typedef provides an alias name for a data type.

13) Differentiate between a Run Time Error and Syntax Error. Also give suitable examples of each in c++.2

Ans:Run Time Errors: Errors that occur during the execution of a program are called as run time errors. It is caused of some illegal operation taking place or inavailability of desired or required

conditions for the execution of the program. For instance, if a program is trying to open a file which does not exist or it could not be opened, it results into an execution error. Similarly, if enough memory is not available or an expression is trying to divide a number by zero are run-time errors.

Eg: Division by zero. `C=a/b` ;(2007 D)

User will give the values of a and b at the time of program execution. If he give the value of b as '0', then division by zero, ie a run time error occurs.

Syntax Errors: Syntax errors occur when rules of a programming languages (syntax) is misused. Ie when a grammatical rule of C++ is violated.

Eg (i) `c=a+b` In this statement, since there is no semicolon at the end of the statement, there will occurs a syntax error.

(ii) `cin<<a;` In this statement, since stream insertion operator (<<) has given instead of stream extraction operation(>>), there will occurs a syntax error.

14) Differentiate between a Logical Error and Syntax Error. Also give suitable examples of each in C++. 2

Ans: Logical Error: A logical error is that error which causes a program to produce incorrect or undesired output.

An incorrectly implemented algorithm or use of a variable before its initialization, or unmarked end for a loop, or wrong parameters passed are causes logical errors. These must be handled carefully.

For instance, if we are trying to print the table of a number 5 and if we say(2007 OD)

```
counter=1;
while(counter>8)
{ cout<<n*counter;
counter=counter+1;
}
```

Here the loop would not be executed even once as the condition (counter>8) is not fulfilled at all. Therefore, no output will be produced. Such an error is logical error.

Syntax Error: Syntax errors occur when rules of a programming languages (syntax) is misused. Ie when a grammatical rule of C++ is violated.

Eg (i) `c=a+b`

In this statement, since there is no semicolon at the end of the statement, there will occurs a syntax error.

(ii) `cin<<a;` In this statement, since stream insertion operator (<<) has given instead of stream extraction operation(>>), there will occurs a syntax error.

15) Illustrate the use of #define in C++ to define a macro. 2

Ans: The #define preprocessor can be used in the creation of macros (code substitution).(2006 D)

Eg: #define SQUARE(x) x*x

Before compilation, if the C++ preprocessor finds SQUARE(x), where x is any value in the source code, it replaces it with its square (ie x*x). Here a macro substitutes text only; It does not check for data types.

16) What are Nested Structures? Give an example. (2006D)

Ans: Nested structures are structures as member of another structure. For example, the date of birth is a structure within the structure of a student as shown below. These types of structures are known as nested structures.

Name	Roll	DOB			Marks
		DD	MM	YY	

Eg1:

```
struct date
{ int dd;
int mm;
int yy;
};
struct student
{ char name[20];
int roll;
date dob;
int marks;
};
```

The member of a nested structure is referenced from the outermost to innermost with the help of dot operators.

Student stud;

Then the members of the nested structure can be accessed as **stud.dob.mm=10;**

Eg2:

```
struct addr
{ int houseno;
char area[26];
char city[26];
char state[26];
};
struct emp
{ int empno;
char name[26];
char design[16];
addr address;
float basic;
}worker;
```

17) Differentiate between a Call by Value and Call by Reference, giving suitable examples of each.(2005D)2

Ans: Call by value: In call by value method, the called function creates a new set of variables and copies the values of arguments into them. The function does not have access to the original variables (actual parameters) and can only work on the copies of values it created. Passing arguments by value is useful when the original values are not to be modified.

In call by reference method, a reference to the actual argument (original variable) is passed

to the called function. (Reference is an alias for a predefined variable. Ie the same variable value can be accessed by any of the two names: the original variable's name and the reference name.) Thus, in call by reference method, the changes are reflected back to the original values. The call by reference method is useful in situations where the values of the original variables are to be changed using a function.

Example:

```
void Calculator(int A,int & B )
{
A++;
a+=A;
}
```

Here A is called by value and B is called by reference.

18) What is the difference between global variables and local variables? Give an example to illustrate the same.2

Ans: The local variables are the variables defined within any function (or block) and are hence accessible only within the block in which they are declared. In contrast to local variables, variables declared outside of all the functions in a program are called global variables. These variables are defined outside of any function, so they are accessible to all functions. These functions perform various operations on the data. They are also known as External Variables.

Eg: #include<iostream.h>(2003)

```
int a,b;
void main()
{ float f;
---;
---;
}
```

In the above program segment, a and b are global variables, we can access a and b from any function. F is local variable to function main(), we can access f from main() only.

19) Why main()function is so special. Give two reasons?1

Ans: Execution of the program starts and ends at main(). The main() is the driver function of the program. If it is not present in a program,no execution can take place.(1999)

20) What is the difference between Global Variable and Local Variable? (2008-09 MP1)2

Answer:

Global Variable	Local Variable
<ul style="list-style-type: none"> It is a variable, which is declared outside all the functions 	<ul style="list-style-type: none"> It is a variable, which is declared with in a function or with in a compound statement

<ul style="list-style-type: none"> It is accessible throughout the program 	<ul style="list-style-type: none"> It is accessible only within a function/compound statement in which it is declared
<pre>#include <iostream.h> float NUM=900; //NUM is a global variable void LOCAL(int T) { int Total=0; //Total is a local variable for (int I=0;I<T;I++) Total+=I; cout<<NUM+Total; } void main() { LOCAL(45); }</pre>	

21)What is the difference between Global Variable and Local Variable? Also, give a suitable C++ code to illustrate both. (2009-10 MP1) 2

Ans) Global Variable:

- * It is a variable which is declared outside all the functions
- * It is accessible throughout the program

Local Variable:

- * It is a variable which is declared with in a function or with in a compound statement
- * It is accessible only within a function/compound statement in which it is declared

```
#include <iostream.h>
float NUM=900; //NUM is a global variable
void LOCAL(int T)
{
int Total=0; //Total is a local variable
for (int I=0;I<T;I++)
Total+=I;
cout<<NUM+Total;
}
void main()
{LOCAL(45);
}
```

22) What is the difference between Actual Parameter and Formal Parameters? Also, give a suitable C++ code to illustrate both.

(2009-10 MP2)2

A)Actual Parameter Formal Parameter 2

- * It is a parameter, which is used in function call to send the value from calling environment
- * It is a parameter, which is used in function header, to receive the value from actual parameter

```
#include <iostream.h>
void Calc(int T) //T is formal parameter
{cout<<5*T;
}
void main()
{int A=45;
Calc(A);//A is actual parameter
}
```

23) Differentiate between the post increment and pre increment operators. Also, give a suitable C++ code to illustrate both. (2011-12 MP1)2

Post Increment: ++ is an increment operator to increment the value of a variable by one. When used after the operand it is known as post increment operator.

Pre Increment: When ++ is used before an operand to increment its value by one, it is called a pre-increment operator.

Example:

```
#include<iostream.h>
void main( )
{ int NUM=9;
  cout<<++NUM; //10 will be displayed
  cout<<NUM++; //10 will be displayed
  cout<<NUM; //11 will be displayed
}
```

MODEL 7): Write a function definition for the following sequence

1) Write definition for a function SumSequence() in C++ with two arguments/ parameters – double X and int n. The function should return a value of type double and it should perform sum of the following series. (2004)

$1/x - 3!/x^2 + 5!/x^3 - 7!/x^4 + 9!/x^5 - \dots$ upto n terms.

Note: The symbol ! represents Factorial of a number ie $5! = 1 \times 2 \times 3 \times 4 \times 5$.

```
#include<iostream.h>
#include<math.h>
#include<conio.h>
double SumSequence(int x1,int n1);
void main()
{ int x;
  int n;
  clrscr();
  cout<<"Enter the vaue of X and N";
  cin>>x>>n;
  cout<<"\nThe sum of the series =
  "<<<SumSequence(x,n);
  getch();
}
double SumSequence(int x1,int n1)
{ double sum=0;
  int c=0;
  for(int i=1;i<=(2*n1);i=i+2)
  { int f=1;
    for(int j=1;j<=I;j++)
    { f=f*j;
    }
    c=c+1;
    if(c%2==1)
    { sum=sum+f/(pow(x1,c));
    }
    else
    { sum=sum-f/(pow(x1,c));
    }
  }
}
```

```
return sum;
}
```

2) Write a C++ function SUMFUN() having two parameters Y(of type double) and m(of type integer) with a result type as double to find the sum of the series given below: (2003) $Y + Y^3 / 2! + Y^5 / 3! + \dots + Y^{2m-1} / m!$

```
#include<iostream.h>
#include<math.h>
#include<conio.h>
double SUMFUN(int y1,int m1);
void main()
{ int y;
  int m;
  clrscr();
  cout<<"Enter the vaue of Y and M";
  cin>>y>>m;
  cout<<"\nThe sum of the series =
  "<<<SUMFUN(y,m);
  getch();
}
double SUMFUN(int y1,int m1)
{ double sum=0;
  double upper;
  for(int i=1;i<=m1;i++)
  { int f=1;
    for(int j=1;j<=I;j++)
    { f=f*j;
    }
    upper=pow(y1,(i*2-1));
    sum=sum+upper/f;
  }
  return sum;
}
```

3) Write a function named SUMFIN(), with arguments x, N, which returns the sum of N terms of the following series.: (2001)4

$x - x^3/3 + x^5/5 - x^7/7 + x^9/9$

```
#include<iostream.h>
#include<math.h>
#include<conio.h>
double SUMFIN(int x1,int n1);
void main()
{ int x;
  int n;
  clrscr();
  cout<<"Enter the vaue of X and N";
  cin>>x>>n;
  cout<<"\nThe sum of Series = "<<<SUMFIN(x,n);
  getch();
}
double SUMFIN(int x1,int n1)
{ double sum=0;
  int c=0;
  for(int i=1;i<=(2*n1);i=i+2)
  { c=c+1;
    if(c%2==1)
    { sum=sum+(pow(x1,i))/I;
    }
  }
}
```

```

        else
        {
            sum=sum-(pow(x1,i))/I;
        }
    }
    return sum;
}

```

4) Write a function seqsum() in C++ with two arguments, double x and int n. The function should return a value of type double and it should find the sum of the following series. (2000)

$$1 + \frac{x}{2!} + \frac{x^2}{4!} + \frac{x^3}{6!} + \frac{x^4}{8!} + \frac{x^5}{10!} + \dots + \frac{x^n}{(2n)!}$$

```

#include<iostream.h>
#include<math.h>
#include<conio.h>
double seqsum(int x1,int m1);
void main()
{
    int x;
    int m;
    clrscr();
    cout<<"Enter the vaue of X and M";
    cin>>x>>m;
    cout<<"\nThe sum of the series = "
        <<seqsum(x,m);
    getch();
}
double seqsum(int x1,int m1)
{
    double sum=1;
    for(int i=1;i<=m1;i++)
    {
        int f=1;
        for(int j=1;j<=2*I;j++)
        {
            f=f*j;
        }
        sum=sum+pow(x1,i)/f;
    }
    return sum;
}

```

5) Write a C++ function having two value parameters X and N with result type float to find the sum of series given below: (1998)

$$1 + \frac{x^1}{2!} + \frac{x^2}{3!} + \frac{x^3}{4!} + \frac{x^4}{5!} + \dots + \frac{x^n}{(n+1)!}$$

```

#include<iostream.h>
#include<conio.h>
#include<math.h>
float sum_series(float X,int N) //function being
declared
{
    float sum=0,term;
    int fact,f;
    sum+=1;
    for(int i=1;i<=N;i++)
    {
        fact=1;
        for(f=1;f<=(i+1);f++)
        fact*=f;
        term=pow(X,i)/fact;
        sum+=term;
    }
    return(sum);
}

```

```

void main()
{
    float x1;
    int n1;
    cout<<"\nEnter the value of X and N";
    cin>>x1>>n1;
    cout<<"\nThe Sum of the Series
    sum_series(x1,n1);
}

```

MODEL 8: Mislleneous

1)Write a function called zero_Small() that has two integer arguments being passed by reference and sets the smaller of the two numbers to 0. Write the main program to access this function. (2002)

```

#include<iostream.h>
#include<conio.h>
void zero_Small(int &A,int &B)
{
    if(A<B)
        A=0;
    else
        B=0;
}
void main()
{
    clrscr();
    int a,b;
    cout<<"Enter any two values...";
    cin>>a>>b;
    cout<<"Initial values of a and b are ";
    cout<<a<<" "<<b<<endl;
    zero_Small(a,b);
    cout<<endl<<"The final values of a and b are ";
    cout<<a<<" "<<b;
    cout<<endl;
    cout<<"\nPress any key to continue...";
    getch();
}

```

2) Write a C++ function that converts a 2-digit octal number into binary number and prints the binary equivalent.

```

#include<iostream.h>(1999)
#include<conio.h>
void binary(int a)
//member function for conversion
{
    int I,b[5]; //integer array 6
    for(i=3;i>=1;i--)
    {
        b[i]=a%2;
        a=a/2;
    }
    for(i=1;i<=3;i++)
        cout<<b[i];
}
void main()
{
    int n,x,y;
    cout<<"Enter a two digit octal number: ";
    cin>>n;
    x=n/10;
    y=n%10;
    binary(x);
    binary(y);
}

```

IMPORTANT HEADER FILES & ITS FUNCTIONS

ctype.h (Character functions)

isalnum(), isalpha(), isdigit(), islower(),
isupper(), tolower(), toupper()

string.h (Generally starts with str)

strcat(), strcmp(), strcpy(), strlen(), strchr(),
stricmp(), strlwr(), strew(),strupr()

io manip.h

setw(), setprecision(), endl, flush().

Stdlib.h

abs(), labs(), free(), random(), atof(), atoi(),
atol(), strtol(), strtod(), calloc(), malloc(), realloc()

iostream.h

(cout, cin – these are streams available in
iostream.h)

get() getline() read() write() put()
open() close() flush()
seekg() seekp() tellg() tellp()
bad() eof() fail() good() clear()

stdio.h (Many of the functions starting with f)

printf() scanf()
fflush() fgetc() fgetchar() fgets() fopen()
fprintf() fputc() putchar()
fputs() fread() freopen() fscanf() fseek()
fsetpos() fwrite() ftell()
fwrite() getc() getchar() gets() getw() putc()
putchar() puts() putw()
remove() rename()

conio.h

clrscr() getch() gotoxy() cprintf()

dos.h

sound() nosound() delay()

process.h

exit(0)

math.h

acos() acosl(), etc, etc div() exp() ceil()
ceill() fabs() floor() fmod() log() pow()
modf() poly() sqrt()

2.OBJECT ORIENTED PROGRAMMING

&

3. FUNCTION OVERLOADING

1. Write the output of the following C++ code. Also, write the name of feature of Object Oriented Programming used in the following program jointly illustrated by the Function 1 to Function 4. 2019SP2

```
void My_fun ( ) // Function 1
{
for (int I=1 ; I<=50 ; I++) cout<< "-" ;
cout<<endl ;
}
void My_fun (int N) // Function 2
{
for (int I=1 ; I<=N ; I++) cout<<"*" ;
cout<<endl ;
}
void My_fun (int A, int B) // Function 3
{
for (int I=1. ;I<=B ;I++) cout <<A*I ;
cout<<endl ;
}
void My_fun (char T, int N) // Function 4
{
for (int I=1 ; I<=N ; I++) cout<<T ;
cout<<endl;
}
void main ( )
{
int X=7, Y=4, Z=3;
char C='#' ;
My_fun (C,Y) ;
My_fun (X,Z) ;
}
```

Ans:

```
####
71421
Polymorphism
OR
Function Overloading
```

2.Which function(s) out of the following can be considered as overloaded function(s) in the same program? Also, write the reason for not considering the other(s) as overloaded function(s). 2018

```
void Execute(char A,int B); //Function 1
void Execute(int A,char B); //Function 2
void Execute(int P=10); //Function 3
void Execute(); //Function 4
int Execute(int A); //Function 5
void Execute(int &K); //Function 6
```

Ans:

Option [i]
Functions 1,2,3 are overloaded

Reason: Function 4,5,6 would give ambiguity for Function 3

OR Any equivalent valid reason

OR

Option [ii]

Functions 1,2,4,5 are overloaded

Reason: Function 3 and 6 not considered in this case because it would give redeclaration error for Function 5

OR Any equivalent valid reason

OR

Option [iii]

Functions 1,2,4,6 are overloaded

Reason: Function 3 and 5 not considered in this case because it would give redeclaration error for Function 6

OR Any equivalent valid reason

3)What do you understand by Function overloading or Functionalpolymorphism? Explain with suitable example. 2 2017 CBSE Model Paper:

A)It is a method of using the same function or method to work usingdifferent sets of input. Function overloading is one of the example ofpolymorphism, where more than one function carrying same namebehave differently with different set of parameters passed to them.

```
void show()
{cout<<"\n Hello World!";
}
void show(char na[])
{cout<<"\n Hello World! Its "<<na;
}
```

4) Write any four important characteristics of Object Oriented Programming? Giveexample of any one of the characteristics using C++. 2016 2 A)

Encapsulation

- Data Hiding
- Polymorphism
- Inheritance

Example of Encapsulation:

```
class student
{
int rno;
char name[20];
public:
void input()
{
cin>>rno;
gets(name);
}
void output()
{
cout<<rno<<" "<<name<<endl;
}
};
```

The data members and member functions are wrapped up together(encapsulated) into a single unit called class.

5) What is function overloading? Write an example using C++ to illustrate the concept of function overloading. (2014 OD) 2

6) What do you understand by Polymorphism? Also, give an example in C++ to illustrate the same. (2010 D)2

Ans. The process of using an -operator or a function in different ways for different set of inputs given is known- as polymorphism. Function overloading is- an example of polymorphism, where the functions having same name with different set of parameters perform different operations.

Example:

```
void Disp ( ) //Function 1
{
    cout<<"Hello"<<endl;
}
void Disp(int N) //Function 2
{
    for(int I=1;I<=N;I++)
        cout<<I<<endl;
}
void Disp (int N,int M) //Function 3
{
    for (int I=N;I<=M; I++)
        cout<<N<<"x"<<I<<"="<<N*I<<endl;
}
void main ( )
{int x=5, y=10;
Disp(x); //Function 2 called-Prints numbers from 1 to 5
Disp(x,y) ; //Function 3 called- Prints from multiples of 5
//ranging from 5 to 10
Disp ( ) ; //Function 1 called- Prints Hello
}
)
```

7. What do you understand by Data Encapsulation and Data Hiding ?' Also, give an example in C++ to illustrate both. (2010 OD)2

Ans. Data Encapsulation: Wrapping up of data and functions together in a single unit is known as Data Encapsulation. In a class, we wrap up the data and functions together in a single unit.

Data Hiding: Keeping the data in private/protected visibility mode of the class to prevent it from accidental change is known as Data Hiding.

```
class Computer
{
    char CPU[10] ;int RNM; //Data Hiding
public:
    //Data Encapsulation
    void STOCK();
    void SHOW();
};
```

8) What is function overloading? Give an example in C++ to illustrate function overloading.(2009OD)

Ans Function overloading is an example of polymorphism, where the functions having same name with different set of parameters perform different operations. **OR**

When a function is having more than one definition and differentiable by the number/type of parameters is known as function overloading

Example:

```
void Disp() //Function 1
{
    cout<<"Hello"<<endl;
}
void Disp(int N) // Function 2
{
    for (int I=1;I<=N;I++)
        cout<<I<<endl;
}
void main ( )
{
    int x=5;
    Disp(x); //call for Function 2 - Prints numbers from 1 to 5
    Disp(); //call for Function 1 - Prints Hello
}
```

9) Define the term Data Hiding in the context of Object Oriented Programming. Give a suitable example using a C++ code to illustrate the same. (2015 D) 2

Ans: A class groups its members into three sections: private, protected and public. The private and protected members remain hidden from outside world. Thus through private and protected members, a class enforces data – hiding. (The outside world is given only the essential and necessary information through public members, rest of the things remain hidden, which is nothing but abstraction. The act of representing only essential features without including background details is known as abstraction.)

Eg: class ABC

```
{
    private: int a,b;
    protected: int c,d;
    public: int e,f;
    void disp()
    {
        ----
        ----
    }
    ----
}
```

In the above class public members (ie e,f and disp()) only will be available to outside the class.. The other private members (a,b), protected members (c,d) will not be available to outside the class. This concept is called data hiding.

10) Define the term Data Encapsulation in the context of Object Oriented Programming. Give a suitable example using a C++ code to illustrate the same. (2005 OD) 2

Ans: Encapsulation is wrapping up of characteristics and behavior into one unit. While implementing encapsulation, following things are taken care:

- Anything that an object does not know or cannot do is excluded from the objects.
- Encapsulation is used to hide unimportant implementation details from other objects.

c)Packaging an object's variables within the protective custody of its methods is called encapsulation and this task is accomplished through classes. In the data and associated functions are wrapped up in one unit called class.

A class binds together data and its associated functions under one unit thereby enforcing encapsulation.

Eg: class Rectangle

```
{ private: float len,bre,area;
public: void readData()
{ cout<<"\nEnter the length and
breadth..";
cin>>len>>bre;
}
void calculate( )
{ area=len*bre;
}
void display( )
{ cout<<"\nThe area of the rectangle =
"<<<area;
}
};
```

Eg: Here in the above class the data members ie len,bre,area and the member functions ie readData(), calculate(), display() are bind together in a class named as Rectangle. In The member functions can access any data member in the class.

Benefits with encapsulation:

- (i) Modularity.
- (ii) Information hiding.

11) What is polymorphism? Give an example in C++ to show its implementation in C++.(2004)

Ans:Polymorphism is the attribute that allows one interface to be used with different situation.C++ implements polymorphism through virtual functions, through overloaded functions and overloaded operators.

A virtual function is used to specify the interface in abstract class, but its implementation details are made available by the concrete class(es).

An overloaded function refers to a function having (one name and) more than one distinct meanings. Similarly, when two or more distinct meanings are defined for an operator, it is said to be an 'overloaded operator'. It is the compiler's job to select the specific action as it applies to each situation.

Eg: The program in the next answer.

12) What do you understand by function overloading? Give an example illustrating its use in a c++ program.(2003)

Ans: A function name having several definitions that are differentiable by the number or types of their arguments, is known as an overloaded function and this process is known as function overloading.

Function overloading not only implements polymorphism but also reduces number of comparisons in a program and thereby makes the program run faster.

Example program illustrating function overloading:

```
//Program to find out area of a circle or area of
//rectangle using function overloading.
#include<iostream.h>
#include<conio.h>
void area(float r)
{ cout<<"\nThe area of the circle ="<<<3.1415*r*r;
}
void area(float l,float b)
{ cout<<"\nThe area of the rectangle = "<<<l*b;
}
void main( )
{ float rad,len,bre;
int n;
clrscr( );
cout<<"\n1. Area of a Circle...";
cout<<"\n2. Area of a Rectangle...";
cout<<"\n\nEnter your choice: ";
cin>>n;
switch(n)
{case 1: cout<<"\nEnter the radius: ";
cin>>rad;
area(rad);
break;
case 2: cout<<"\nEnter the length
and breadth: ";
cin>>len>>bre;
area(len,bre);
break;
default: cout<<"\nYou have to enter
either 1 or 2";
} //end of switch
getch( ); }
```

11) Illustrate the concept of function overloading with the help of an example. (2000)1

Ans: The above answer.

13) Define the following terms: (1998)

- (i) Inheritance
- (ii) Encapsulation.

Ans:a) Inheritance: The capability of one class to inherit properties from another class is called as inheritance. The class inheritance, lets you generate a model that is closer to the real world. The class inheritance lets you derive new classes (derived class) from old ones (base class), with the derived class inheriting the properties, including the methods of the old class.

Uses of Inheritance:

- i) Capability to express the inheritance relationship which ensures the closeness with the real world models.
- ii) Reusability.
- iii) Transitive nature of inheritance.

b) Encapsulation: The wrapping up of data and functions into a single unit (class) is called as encapsulation.

14) What do you understand by Data Encapsulation and Data Hiding? 2

Model Paper 1 for 2008-09 Batch:

Answer: Data Encapsulation: Wrapping up of data and function together in a single unit is known as Data Encapsulation. In a class, we wrap up the data and function together in a single unit.

Data Hiding: Keeping the data in private visibility mode of the class to prevent it from accidental change is known as Data Hiding.

```
class Computer
{
    char CPU[10];
    int RAM;
public:
    void STOCK();
    void SHOW();
};
```

15) What is the difference between Object Oriented Programming and Procedural Programming? 2

Model Paper 2 for 2008-09 Batch:

Object Oriented Programming	Procedural Programming
<ul style="list-style-type: none"> • Emphasis on Data • Follows Bottom-Up approach in program design • Data hiding feature prevents accidental change in data • Features like data encapsulation, polymorphism, inheritance are present 	<ul style="list-style-type: none"> • Emphasis on doing things (functions) • Follows Top-down approach in program design • Presence of Global variables increase chances of accidental change in data • Such features are not available

16) What do you understand by Polymorphism? Give a suitable example of the same. 2

Answer: Polymorphism: It is a method of using the same operator or function (method) to work using different sets of input. Function overloading is one of the example of polymorphism, where more than one function carrying same name behave differently with different set of parameters passed to them.

```
void Display()
{
    cout<<"Hello!"<<endl;
}
void Display(int N)
{
    cout<<2*N+5<<endl;
}
```

17) What do you understand by Data Encapsulation and Data Hiding? Also, give a suitable C++ code to illustrate both. 2

Sample Paper 1 for 2009-10 Batch:

A) Data Encapsulation: Wrapping up of data and functions together in a single unit is known as Data Encapsulation. In a class, we wrap up the data and functions together in a single unit.

Data Hiding: Keeping the data in private visibility mode of the class to prevent it from accidental change is known as Data Hiding.

```
class Computer
{
    char CPU[10];int RAM; //Data Hiding
public:
    void STOCK();
    void SHOW();
};
```

18) What do you understand by Polymorphism? Give a suitable example of the same. 2

Sample Paper for 2009-10 Batch:

Ans) Polymorphism: It is a method of using the same operator or function (method) to work using different set of inputs. Function overloading is one of the examples of polymorphism, where more than one function carrying same name behave differently with different set of parameters passed to them.

```
void Display()
{cout<<"Hello!"<<endl;
}
void Display(int N)
{cout<<2*N+5<<endl;
}
```

Important Questions from old questions

1. What do you understand by Polymorphism? Also, give an example in C++ to illustrate the same.
2. What is function overloading? Give an example in C++ to illustrate function overloading.
3. Define the term Data Hiding in the context of Object Oriented Programming. Give a suitable example using a C++ code to illustrate the same
4. What do you understand by Data Encapsulation and Data Hiding ?' Also, give an example in C++ to illustrate both.

**4. CLASSES, 5.CONSTRUCTORS &
MODEL WISE QUESTION & ANSWERS**

MODEL 1A: Define a class (without strings) 4 Marks

1. Define a class Ele_Bill in C++ with the following descriptions: 2019SP4

Private members:

Cname of type character array
 Pnumber of type long
 No_of_units of type integer
 Amount of type float.
 Calc_Amount() This member function should calculate the amount as $No_of_units * Cost$.
 Amount can be calculated according to the following conditions:

No_of_units	Cost
First 50 units	Free
Next 100 units	0.80 @ unit
Next 200 units	1.00 @ unit
Remaining units	1.20 @ unit

Public members:

* A function Accept() which allows user to enter Cname, Pnumber, No_of_units and invoke function Calc_Amount().
 * A function Display() to display the values of all the data members on the screen.

Answer:

```
class Ele_Bill
{
char Cname[20];
long Pnumber;
int No_of_units;
float Amount;
void Calc_Amount( );
public:
void Accept();
void Display();
};
void Ele_Bill :: Calc_Amount( )
{
if(No_of_units<=50)
{
Amount=0;
}
else if(No_of_units<=150)
{
Amount=(No_of_units-50)*0.80;
}
else if(No_of_units<=350)
{
Amount=80+(No_of_units-150)*1.00;
}
else
{
Amount=80+200+(No_of_units-350)*1.20;
}
}
```

```
}
void Ele_Bill :: Accept( )
{
gets(Cname);
cin>Pnumber>>No_of_units;
Calc_Amount( );
}
void Ele_Bill :: Display( )
{
cout<<Cname<<Pnumber<<No_of_units<<Amount;
}
}
```

2. Write the definition of a class CONTAINER in C++ with the following description: (2018)

Private Members:

-Radius, Height //float
 - Type // int (1 for cone, 2 for cylinder)
 - Volume // float
 - CalVolume() //Member function to calculate volume as per the type

Type	Formula to calculate volume
1	$3.14 * Radius * Height$
2	$3.14 * Radius * Height/3$

Public Members:

-GetValues() /*A function to allow user to enter value of Radius, Height and Type. Also, call function CalVolume() from it */
 -ShowAll() /*A function to display Radius, Height, Type and volume of Container */

Ans)

```
class CONTAINER
{ float Radius, Height, Volume;
int Type;
void CalVolume( );
public:
void GetValues();
void ShowAll( );
};
void CONTAINER ::CalVolume( )
{ if (type= =1)
Volume=3.14*Radius*Height;
else if (type= =2)
Volume=3.14*Radius*Height/3;
}
/* OR
void CONTAINER::CalVolume()
{ switch (Type)
{ case 1: Volume =3.14*Radius*Height;
break;
case 2: Volume=3.14*Radius*Height/3;
}
}
*/
void CONTAINER ::GetValues( )
{ cout<<"Enter value of Radius, Height and Type";
cin>>Radius>>Height>>Type;
CalVolume( );
}
void CONTAINER ::ShowAll( )
{ cout<<"\nRadius = "<<Radius;
cout<<"\nHeight = "<<Height;
cout<<"\nType = "<<Type;
cout<<"\nVolume = "<<Volume;
}
}
```

3) Write the definition of a class CITY in C++ with following description: (2016)

Private Members

Ccode //Data member for City Code (an integer)
CName //Data member for City Name (a string)
Pop //Data member for Population (a long int)
KM //Data member for Area Coverage (a float)
Density //Data member for Population Density (a float)
DenCal() //A member function to calculate Density as PopKM

Public Members

Record() /*A function to allow user to enter values of Acode,Name,Pop,KM and call DenCal() function */
View() /*A function to display all the data members also display a message "Highly Populated City" if the Density is more than 10000*/

Ans)

```
class CITY
{
    int Ccode;
    char CName[20];
    long int Pop;
    float KM;
    float Density;
    void DenCal();
public:
    void Record();
    void View();
};
void CITY::Record()
{cin>>Ccode;
gets(CName); // OR cin>>CName;
cin>>Pop;
cin>>KM;
DenCal();
}
void CITY::View()
{cout<<Ccode<<CName<<Pop<<KM<<Density; //Ignore endl
if(Density>10000)
cout<<"Highly Populated City"; //Ignore endl
}
void CITY::DenCal()
{
Density= Pop/KM;
}
```

4) Define a class Applicant in C++ with following description: (2011)

Private Members

_ A data member ANo (Admission Number) of type long
_ A data member Name of type string
_ A data member Agg (Aggregate Marks) of type float
_ A data member Grade of type char
_ A member function GradeMe() to find the Grade as per the AggregateMarks obtained by a student. Equivalent Aggregate Marks range and the respective Grades are shown as follows:

Aggregate Marks Grade

>=80 A
less than 80 and >=65 B
less than 65 and >=50 C
less than 50 D

Public Members

_ A function ENTER() to allow user to enter values for ANo, Name, Agg& call function GradeMe() to find the Grade.
_ A function_RESULT() to allow user to view the content of all the dataMembers

A)

```
class Applicant
{
    long ANo;
```

```
char Name [20] ;
float Agg;
char Grade;
void Grademe ( ) ;
public:
void Enter ( ) ;
void Result ( ) ;
};
void Applicant: :GradeMe( )
{
if (Agg>=80)
Grade=' A ' ;
else if(Agg>=65)
Grade=' B ' ;
else if(Agg>=50)
Grade=' C ' ;
else
Grade=' D ' ;
}
void Applicant: :Enter ( )
{
cin>>ANo;
gets (Name) ;
cin>>Agg;
GradeMe( ) ;
}
void Applicant: :Result ( )
{
cout<<ANo<<Name<<Agg<<Grade<<endl;
}
```

5) Define a class ITEM in C++ with following description: (2010D)

Private Members

_ Code of type integer (Item Code)
_ Iname of type string (Item Name)
_ Price of type float (Price of each item)
_ Qty of type integer (Quantity of item in stock)
_ Offer of type float (Offer percentage on the item)
_ A member function GetOffer() to calculate Offer percentage as per the following rule:
If Qty<=50 Offer is 0
If 50<Qty<=100 Offer is 5
If Qty>100 Offer is 10

Public Members

_ A function GetStock() to allow user to enter values for Code, Iname, Price, Qty and call function GetOffer() to calculate the offer
_ A function ShowItem() to allow user to view the content of all the data members

Ans.

```
class ITEM
{
    int Code;
    char Iname [20] ;
    float Price;
    int Qty;
    float Offer;
    void GetOffer() ;
public:
    void GetStock ( )
    {
    cin>>Code;
    gets (Iname) ;
    // OR cin.getline (Iname, 80) ; OR cin>>Iname;
    cin>>Price>>Qty;
    GetOffer() ;
}
```

```

void ShowItem ( )
{   cout<<Code<<Iname<<Price<<Qty<<Offer;
};
void ITEM: : GetOffer ( )
{   if (Qty<=50)
        Offer = 0;
    else if (Qty <=100)
        Offer = 5; //OR Offer = 0.05;
    else
        Offer = 10; //OR Offer = 0.1;
}

```

6) Define a class STOCK in C++ with following description: (2010 OD)

Private Members

_ ICode of type integer (Item Code)
 _ Item of type string (Item Name)
 _ Price of type float (Price of each item)
 _ Qty of type integer (Quantity in stock)
 _ Discount of type float (Discount percentage on the item)
 _ A member function FindDisc() to calculate discount as per the following rule:

If Qty<=50 Discount is 0
 If 50<Qty<=100 Discount is 5
 If Qty>100 Discount is 10

Public Members

_ A function Buy() to allow user to enter values for ICode, Item, Price, Qty and call function FindDisc() to calculate the Discount.
 _ A function ShowAll() to allow user to view the content of all the data members.

Ans.

```

class STOCK
{   int ICode,Qty;
    char Item[20];
    float Price,Discount;
    void FindDisc();
public:
    void Buy();
    void ShowAll();
};
void STOCK::Buy()
{   cin>>ICode;
    gets(Item);
    cin>>Price;
    cin>>Qty;
    FindDisc();
}
void STOCK::FindDisc()
{   if (Qty<=50)
        Discount=0;
    else if (Qty<=100)
        Discount=5; // =0.05;
    Else
        Discount=10; // =0.1;
}
void STOCK::ShowAll()
{   cout<<ICode<<'\t'<<Item<<'\t'<<Price<<'\t'<<Qty
<<'\t'<<Discount<<endl;
}

```

7) Define a class RESORT in C++ with following description: (2009D)

Private Members

_ Rno //Data member to store Room No
 _ Name //Data member to store customer name
 _ Charges //Data member to store per day charges

_ Days //Data member to store number of days of stay
 _ COMPUTE() /*A function to calculate' and return Amount as Days*Charges and if the value of Days*Charges is more than 11000 then as 1.02*Days*Charges*/
Public Members
 _ Getinfo () //A function to enter the content Rno, Name ,Charges and Days
 _ Dispinfo () /*A function to display Rno, Name, Charges,Days and Amount (Amount to be displayed by calling function COMPUTE ()) */

Ans

```

class RESORT
{   int Rno;
    char Name [20];
    float Charges;
    int Days;
    float COMPUTE();
public:
    void Getinfo() ;
    void Dispinfo();
};
void RESORT::Getinfo()
{   cin>>Rno;
    gets (Name);
    cin>>Charges;
    cin>>Days;
}
void RESORT::Dispinfo()
{   cout<<Rno<<" "<<Name<<" "<<Charges<<"
    "<<Days<< COMPUTE()<<endl;
}
float RESORT::COMPUTE()
{
    float Amount = Charges*Days;
    if (Amount>11000)
        Amount = 1.02*Days*Charges;
    return Amount;
}

```

8) Define a class HOTEL in C++ with the following description: (2009 OD)

Private Members:

_ Rno //Data member to store Room No
 _ Name //Data member to store customer name
 _ Tariff //Data member to store per day charges
 _ NOD //Data member to store number of days of stay
 _ CALC() /*A function to calculate and return Amount as NOD*Tariff and if the value of NOD*Tariff is more than 10000 then as 1.05*NOD*Tariff */

Public Members

_ Checkin () // A function to enter the content Rno, Name, Tariff and NOD
 _ Checkout () // A function to display Rno, Name, Tariff,NOD and Amount (Amount to be displayed by calling function CALC())

Ans

```

class HOTEL
{   int Rno;
    char Name[20];
    float Tariff;
    int NOD;
    float CALC() ;
}

```

```

public:
    void Checkin() ;
    void Checkout() ;
};
float HOTEL::CALC()
{ float Amount = Tariff*NOD;
  if (Amount>10000)
      Amount = 1.05*NOD*Tariff;
  return Amount;
}
void HOTEL::Checkin()
{ cin>>Rno;
  gets (Name);
  cin>>Tariff;
  cin>>NOD;
}

void HOTEL::Checkout()
{ cout<<Rno<<" "<<Name<<" "<<Tariff<<"
  "<<NOD<<CALC ( )<<endl;
}

```

9) Define a class named ADMISSION in C++ with the following descriptions:(2006D)

Private Members:

```

AD_NO    integer(Ranges 10 – 2000)
NAME     Array of characters(String)
CLASS    Character
FEES     Float

```

Public Members:

Function Read_Data() to read an object of ADMISSION type. Function Display() to display the details of an object. Function Draw-Nos.() to choose 2 students randomly. And display the details. Use random function to generate admission nos. to match with AD_NO.

Ans:

```

class ADMISSION
{ int AD_NO;
  char NAME[31];
  char CLASS;
  float FEES;
public:
  void Read_Data( )
  { cout<<"\nEnter the Admission Number: ";
    cin>>AD_NO;
    cout<<"\nEnter the Student Name: ";
    gets(NAME);
    cout<<"\nEnter the Class: ";
    cin>>CLASS;
    cout<<"\nEnter the Fees: ";
    cin>>FEES;
  }
  void Display()
  { cout<<"\nThe Admission Number of the
    student: "<<AD_NO;
    cout<<"\nThe name of the Student: "<<NAME;
    cout<<"\nThe Class of the Student:" <<CLASS;
    cout<<"\nThe Fees of the Student: " <<FEES;
  }
  void Draw_Nos();
};
void ADMISSION::Draw_Nos( )
{ //Dear Students, a test for you. Complete this member
function.

}

```

10) Define a class named HOUSING in C++ with the following descriptions: (2006 OD)

Private Members:

```

REG_NO    integer(Ranges 10-1000)
NAME      Array of characters(String)
TYPE      Character
COST      Float

```

Public Members:

Function Read_Data() to read an object of HOUSING type.
Function Display() to display the details of an object.
Function Draw_Nos() to choose and display the details of 2 houses selected randomly from an array of 10 objects of type HOUSING. Use random function to generate the registration nos. to match with REG_NO from the array.

Ans:

```

class HOUSING
{ int REG_NO;
  char NAME[31];
  char TYPE;
  float COST;
public:
  void Read_Data( )
  { cout<<"\nEnter the House Registration Number: ";
    cin>>REG_NO;
    cout<<"\nEnter the House Name: ";
    gets(NAME);
    cout<<"\nEnter the House Type: ";
    cin>>TYPE;
    cout<<"\nEnter the House Cost: ";
    cin>>COST;
  }
  void Display()
  { cout<<"\nThe Registration Number of the
    House: "<<REG_NO;
    cout<<"\nThe name of the House: "<<NAME;
    cout<<"\nThe Type of the House: "<<TYPE;
    cout<<"\nThe Cost of the House: "<<COST;
  }
  void Draw_Nos();
};
void HOUSING::Draw_Nos( )
{ //Dear Students, a test for you. Complete this member
function.

}

```

11) Declare a class myfolder with the following specifications: (2004)

Private members of the class:

```

Filenames    an array of strig of size[10][25]
(to represent all the names of files inside myfolder)
Availspace   long
(to represent total number of bytes available in myfolder)
Usedspace    long
(to represent total number of bytes used in myfolder)

```

Public members of the class:

Newfileentry() : A function to accept values of Filenames, Availspace and Usedspace from user.
Retavailspace(): A function that returns the value of total kilobytes available (1 kilobyte=1024 bytes)
Showfiles(): A function that displays the names of all the files in myfolder

Ans:

```
class myfolder
{ char Filenames[10][25];
  long Availspace;
  long Usedspace;
public:
void Newfileentry( )
{ cout<<"\nEnter any 10 file names: ";
  for(int i=0;i<=9;i++)
  {cout<<"\nEnter the "<<i+1<<" file name: ";
   gets(Filenames[i]);
  }
cout<<"\nEnter the Available Space (In
      Kilobytes): ";
cin>>Availspace;
cout<<"\nEnter the Used Space (In
      Kilobytes): ";
cin>>Usedspace;
}

long RetavailSpace( )
{  ret Availspace;
}

void Showfiles( )
{ cout<<"\nThe names of the files in
  myfolder object....";
  for(i=0;i<=9;i++)
  {  puts(Filenames[i]);
   cout<<endl;
  }
}
```

12) Define a class Student for the following specifications. (2002)

Private members of the Student are:

roll_no integer
name array of characters of size 20
class_st array of characters of size 8
marks array of integers of size 5
Percentage float

Calculate() that calculates overall percentage marks and returns the percentage

Public Members of the Student are:

Readmarks reads mark and invoke the calculate function

Displaymarks prints the data.

Ans:

```
class Student
{ int roll_no;
  char name[20];
  char class_st[8];
  int marks[5];
  float percentage;
  float calculate( )
  { percentage=(marks[0]+marks[1]+marks[2]+
    marks[3]+marks[4])/5;
    return percentage;
  }
public:
void Readmarks( )
{ cout<<"\nEnter any 5 subject marks;
  cin>>marks[0]>>marks[1]>>marks[2]>>
    marks[3]>>marks[4];
  calculate( );
}
void Displaymarks( )
```

```
{ cout<<"\nThe Roll Number of the
      Student: "<<<roll_no;
  cout<<"\nThe Name of the Student:" <<<name;
  cout<<"\nThe class of the Student: " <<<class_st;
  cout<<"\n5 subject marks of the student...\n";
  cout<<marks[0]<<"\t"<<marks[1]<<"\t"<<marks[2]<<"\t";
  cout<<marks[3]<<"\t"<<marks[4]<<"\n";
  cout<<"Percentage ="<<percentage;
}
};
```

13) Declare a class to represent bank account of 10 customers with the following data members. Name of the depositor, account number, type of account (S for Savings and C for Current), Balance amount. The class also contains member functions to do the following:

(i) To initialize data members. (2001)

(ii) To deposit money

(iii) To withdraw money after checking the balance (minimum balance is Rs.1000)

(iv) To display the data members.

[Note: You are also required to give detailed function definitions.]

class Bank

```
{  char name[15];
  int acc_no;
  char acc_type;
  float bal_amount;
public:
void readData( )
{  cout<<"\nEnter the name: ";
  gets(name);
  cout<<"\nEnter the account number: ";
  cin>>acc_no;
  cout<<"\nEnter the account type: ";
  cin>>acc_type;
  cout<<"\nEnter the amount to deposit: ";
  cin>>bal_amount;
}

void deposit( )
{ float deposit;
  cout<<"\nEnter your account number: ";
  cin>>acc_no;
  cout<<"\nEnter the amount to deposit: ";
  cin>>deposit;
  bal_amount=bal_amount + deposit;
}

void withdraw( )
{ float w_amount;
  cout<<"\nEnter your account number: ";
  cin>>acc_no;
  cout<<"\nEnter amount to withdraw";
  cin>>w_amount;
  if((bal_amount-w_amount)<1000)
    cout<<"\nWithdraw is not possible";
  else
  { bal_amount=bal_amount-w_amount;
    cout<<"\nThe balance is
      "<<<bal_amount-w_amount;
  }
}

void display( )
{ cout<<"\nName of the depositor:"<<<name;
  cout<<"\nAccount Number: "<<<acc_no;
  cout<<"\nAccount Type: "<<<acc_type;
  cout<<"\nThe balance amount is "<<<bal_amount;
}
};
```

14) Define a class worker with the following specification. (2000)

Private member of class worker:

wname 25characters
hrwrk,wgrate float (hours worked and
wagerate per hour)
totwage float(hrwrk*wgrate)
cakcwg() A function to find hrwrk*wgrate
with float return type

Public members of class worker:

In_data(): A function to accept values for wno, wname, hrwrk, wgrate and invoke calcwg() to calculate totpay.
Out_data(): A function to display all the data members on the screen you should give definitions of functions.

```
class worker
{
    char wname[25];
    float hrwrk,wgrate;
    float totwage;
    float cakcwg()
    {
        return hrwrk*wgrate;
    }
public:
    void In_data()
    {
        cout<<"\nEnter Worker number,name,
            hours worked and wage rate";
        cin>>wno;
        gets(wname);
        cin>>hrwrk>>wgrate;
        calcwg();
    }
    void Out_data()
    {
        cout<<"\nThe Worker Number: "<<wno;
        cout<<"\nThe Name of the worker "<<wname;
        cout<<"\nNumber of hours worked by the worker:
            "<<hrwrk;
        cout<<"\nThe Wage Rate of the Worker:"<<wgrate;
        cout<<"\nThe total wages of the worker:"<<totwage;
    }
}
```

15) Define a class Teacher with the following class specification: (1999)

Private members:

Name 20 characters
Subject 10 characters
Basic, DA, HRA float
Salary float

Calculate() function computes the salary and returns it. Salary is sum of Basic, DA and HRA

Public members:

ReadData(): Function accepts the data values and invoke the calculate function.

DisplayData():Function prints the data on the screen.

```
class Teacher
{
    char Name[20];
    char subject[10];
    float Basic,DA,HRA,Salary;
    float Calculate()
    {
        Salary=Basic+DA+HRA;
        return Salary;
    }
public:
    void ReadData()
    {
        cout<<"\nEnter Basic, Dearness Allowance and "
        cout<<" House Rent Allowance: ";
        cin>>Basic>>DA>>HRA;
        Calculate();
    }
}
```

```
void DisplayData()
{
    cout<<"\nThe Basic : "<<Basic;
    cout<<"\nThe Dearness Allowance: "<<DA;
    cout<<"\nThe House Rent Allowance: "<<HRA;
    cout<<"\nThe Salary: "<<Salary;
}
};
```

16) Define a class student with the following specifications: (1998)

Private members of class student:

Admno integer
Sname 20 character
English float
Math float
Science float
Total float
Ctotal() A function to calculate

English + math + science with float return type

Public member functions of class student:

Takedata():Function to accept values for admno,sname, English, math, science and invoke ctotal to calculate total.
Showdata():Function to display all the data members on the screen.

```
class student
{
    int Admno;
    char Sname[20];
    float English,Math,Science,Total;
    float Ctotal()
    {
        Total=English+math+science;
        return Total;
    }
public:
    void Takedata()
    {
        cout<<"\nEnter the admission
            number,name of the student: ";
        cin>>Admno;
        gets(sname);
        cout<<"\nEnter English, Maths,
            Science Marks: ";
        cin>>English>>Math>>Science;
        Ctotal();
    }
    void Showdata()
    {
        cout<<"\nThe admission number of
            the student: "<<Admno;
        cout<<"\nThe name of the student: "<<Sname;
        cout<<"\nEnglish , Maths and Science Marks are...";
        cout<<english<<"\t"<<math<<"\t"<<science<<"\n";
        cout<<"\nTotal marks of the student: "<<Total;
    }
};
```

17)Define a class TEST in C++ with following description: (2008-09MP1)

Private Members

- TestCode of type integer
- Description of type string
- NoCandidate of type integer
- CenterReqd (number of centers required) of type integer
- A member function CALCNTR() to calculate and return the number of centers as (NoCandidates/100+1)

Public Members

- A function SCHEDULE() to allow user to enter values for TestCode, Description,

NoCandidate & call function CALCNTR() to calculate the number of Centres

- A function DISPTEST() to allow user to view the content of all the data members

Answer:

```
class TEST
{
    int TestCode;
    char Description[20];
    int NoCandidate,CenterReqd;
    void CALCNTR();

public:
    void SCHEDULE();
    void DISPTEST();
};

void TEST::CALCNTR()
{
    CenterReqd=NoCandidate/100 + 1;
}

void TEST::SCHEDULE()
{cout<<"Test Code  :";
  cin>>TestCode;
  cout<<"Description :";
  gets(Description);
  cout<<"Number   :";
  cin>>NoCandidate;
  CALCNTR();
}

void TEST::DISPTEST()
{ cout<<"Test Code  :"<<TestCode<<endl;
  cout<<"Description :"<<Description<<endl;
  cout<<"Number   :"<<NoCandidate<<endl;;
  cout<<"Centres   :"<<CenterReqd<<endl;;
}
```

18)Define a class in C++ with following description: (2008-09MP2)

Private Members

- *A data member Flight number of type integer
- *A data member Destination of type string
- *A data member Distance of type float
- *A data member Fuel of type float
- *A member function CALFUEL() to calculate the value of Fuel as per the following criteria

Distance	Fuel
<=1000	500
more than 1000 and <=2000	1100
more than 2000	2200

Public Members

- *A function FEEDINFO() to allow user to enter values for Flight Number, Destination, Distance & call function CALFUEL() to calculate the quantity of Fuel
- *A function SHOWINFO() to allow user to view the content of all the data members

Answer:

```
class FLIGHT
{
    int Fno;
    char Destination[20];
    float Distance, Fuel;
    void CALFUEL();

public:
    void FEEDINFO();
    void SHOWINFO();
};

void FLIGHT::CALFUEL()
{
    if (Distance<1000)
        Fuel=500;
    else
```

```
if (Distance<2000)
    Fuel=1100;
else
    Fuel=2200;
```

```
}
void FLIGHT::FEEDINFO()
{cout<<"Flight No  :";cin>>Fno;
  cout<<"Destination :";gets(Destination);
  cout<<"Distance   :";cin>>Distance;
  CALFUEL();
}

void FLIGHT::SHOWINFO()
{
  cout<<"Flight No  :"<<Fno<<endl;
  cout<<"Destination :"<<Destination<<endl;
  cout<<"Distance   :"<<Distance<<endl;;
  cout<<"Fuel     :"<<Fuel<<endl;;
}
```

19) Define a class TEST in C++ with following description: (2009-10 MP1)

Private Members

- TestCode of type integer
- Description of type string
- NoCandidate of type integer
- CenterReqd (number of centers required) of type integer
- A member function CALCNTR() to calculate and return the number of centers as (NoCandidates/100+1)

Public Members

- A function SCHEDULE() to allow user to enter values for TestCode, Description, NoCandidate & call function CALCNTR() to calculate the number of Centres
- A function DISPTEST() to allow user to view the content of all the data members

A)

```
class TEST
{
    int TestCode;
    char Description[20];
    int NoCandidate,CenterReqd;
    void CALCNTR();

public:
    void SCHEDULE();
    void DISPTEST();
};

void TEST::CALCNTR()
{
    CenterReqd=NoCandidate/100 + 1;
}

void TEST::SCHEDULE()
{
  cout<<"Test Code :";cin>>TestCode;
  cout<<"Description :";gets(Description);
  cout<<"Number   :";cin>>NoCandidate;
  CALCNTR();
}

{ cout<<"Test Code :"<<TestCode<<endl;
  cout<<"Description :"<<Description<<endl;
  cout<<"Number   :"<<NoCandidate<<endl;;
  cout<<"Centres   :"<<CenterReqd<<endl;;
}
```

**20) Define a class in C++ with following description:
(2009-10 MP2)**

Private Members

- A data member Flight number of type integer
- A data member Destination of type string
- A data member Distance of type float
- A data member Fuel of type float
- A member function CALFUEL() to calculate the value of Fuel as per the following criteria

Distance	Fuel
<=1000	500
more than 1000 and <=2000	1100
more than 2000	2200

Public Members

" A function FEEDINFO() to allow user to enter values for Flight Number, Destination, Distance & call function CALFUEL() to calculate the quantity of Fuel
" A function SHOWINFO() to allow user to view the content of all the data members

```

A)
class FLIGHT
{
    int Fno;
    char Destination[20];
    float Distance, Fuel;
    void CALFUEL();
public:
    void FEEDINFO();
    void SHOWINFO();
};
void FLIGHT::CALFUEL()
{
    if (Distance<=1000)
        Fuel=500;
    else
        if (Distance<=2000)
            Fuel=1100;
    else
        Fuel=2200;
}
void FLIGHT::FEEDINFO()
{
    cout<<"Flight No :";cin>>Fno;
    cout<<"Destination :";gets(Destination);
    cout<<"Distance :";cin>>Distance;
    CALFUEL();
}
void FLIGHT::SHOWINFO()
{
    cout<<"Flight No :"<<Fno<<endl;
    cout<<"Destination :"<<Destination<<endl;
    cout<<"Distance :"<<Distance<<endl;
    cout<<"Fuel :"<<Fuel<<endl;
}
    
```

MODEL 1B: Define a class (with strings) 4 Marks

**1. Define a class DanceAcademy in C++ with following description:
(2017 MP)**

Private Members

- Enrollno of type in
- Name of type string
- Style of type string
- Fee of type float
- A member function chkfee() to assign the value of fee variable according to the style entered by the user according to the criteria as given below:

Style	Fee
Classical	10000
Western	8000
Freestyle	11000

Public Members:

*A function enrollment() to allow users to enter values for Enrollno, Name, Style and call function chkfee() to assign value of fee variable according to the Style entered by the user.
*A function display() to allow users to view the details of all the data members.

Ans)

```

class DanceAcademy
{
    int Enrollno;
    char Name[20];
    char Style[20];
    float Fee;
    void chkfee()
    {
        if(strcmpi(Style, "Classical")= =0)
            Fee=10000;
        else if(strcmpi(Style, "Western")= =0)
            Fee=8000;
        else if(strcmpi(Style, "Freestyle")= =0)
            Fee=11000;
    }
public:
    void enrollment()
    {
        cout<<"Please enter Enrollno,Name,Style";
        cin>>Enrollno;
        gets(Name);
        gets(Style);
        chkfee();
    }
    void display()
    {
        cout<<"\n Entered Enrollno, Name, Style and Fee is:
        "<<<Enrollno<<"\t"<<Name<<"\t"<<Style<<"\t"<<Fee;
    }
};
    
```

2) Write the definition of a class Photo in C++ with following description: (2015)

Private Members

- Pno //Data member for Photo Number(an integer)
- Category //Data member for Photo Category(a string)
- Exhibit //Data member for Exhibition Gallery(a string)
- FixExhibit //A member function to assign Exhibition //Gallery as per Categoryas shown in the following table

Category	Exhibit
Antique	Zaveri
Modern	Johnsen
Classic	Terenida

Public Members

Register()//A function to allow user to entervalues //Pno,Category and call FixExhibit()function
ViewAll()//A function to display all the datamembers

Ans)

```

class Photo
{
    int Pno;
    char Category[20];
    char Exhibit[20];
    void FixExhibit();
public:
    void Register();
    void ViewAll();
};
    
```

```

void Photo::FixExhibit()
{
if(strcmpi(Category,"Antique")==0)
strcpy(Exhibit,"Zaveri");
else if(strcmpi(Category,"Modern")==0)
strcpy(Exhibit,"Johnsen");
else if strcmpi(Category,"Classic")==0)
strcpy(Exhibit,"Terenida");
}
void Photo::Register()
{
cin>>Pno;
gets(Category);
FixExhibit();
}
void Photo:: ViewAll()
{
cout<<Pno<<Category<<Exhibit<<endl;
}

```

3) Define a class RESTRA in C++ with following description : 2012

Private Members

- FoodCode of type int
- Food of type string
- FType of type string
- Sticker of type string

A member function GetSticker () to assign the following value for Sticker as per the given FType:

FType	Sticker
Vegetarian	GREEN
Contains Egg	YELLOW
Non-Vegetarian	RED

Public Members

- A function GetFood () to allow user to enter values for FoodCode.
- Food, FType and call function GetSticker() to assign Sticker.
- A function ShowFood() to allow user to view the content of all the datamembers.

Ans

```

class RESTRA
{int FoodCode;
char Food[20], FType [20],Sticker[20];
void GetSticker () ;
public:
void GetFood () ;
void ShowFood () ;
};
void RESTRA::GetSticker() {
if (strcmp (FType, "Vegetarian") = =0)
strcpy (Sticker,"GREEN");
else if (strcmp (FType,"Contains Egg")= =0)
strcpy (Sticker, "YELLOW");
else if (strcmp (FType,'Non-Vegetarian')= =0)
strcpy(Sticker,"RED");
}
void RESTRA::GetFood()
{
cin>>FoodCode;
gets (Food);
gets (FType) ;
GetSticker () ;
}

```

```

void RESTRA::ShowFood ()
{
cout<<FoodCode<<": "<<Food<<FType<<": "<<Sticker<<endl;
}

```

MODEL 1C: Define a class (Using Constructors) 4 Marks

1. Write the definition of a class BOX in C++ with following description: (2017)

Private Members

- BoxNumber // data member of integer type
- Side // data member of float type
- Area // data member of float type
- ExecArea() // Member function to calculate and assign // Area as Side * Side

Public Members

- GetBox() // A function to allow user to enter values of // BoxNumber and Side. Also, this // function should call ExecArea() to calculate // Area
- ShowBox()// A function to display BoxNumber, //Side and Area

Ans)

```

class BOX
{ int BoxNumber ;
float Side ;
float Area ;
void ExecArea(){ Area=Side*Side;}
public:
void GetBox();
void ShowBox();
};
void BOX::GetBox()
{
cin>>BoxNumber>>Side;
ExecArea();
}
void BOX::ShowBox()
{
cout<<BoxNumber<<" " <<Side<<" " <<Area<<endl;
}

```

2) Define a class Tourist in C++ with the following specification: (2014)

Data members:

- CNO – to store Cab no
- CType – to store a character ‘A’, ‘B’ or ‘C’ as City type
- PerKM – to store per kilometer charges
- Distance – to store distance travelled (in km)

Member functions:

- A constructor function to initialize CType as ‘A’ and CNo as ‘0000’
- A function CityCharges () to assign PerKM as per the following table.

Type	PKM
A	20
B	18
C	15

- A function RegisterCab () to allow administration to enter the values for CNo and CType. Also, this

function should call CityCharges() to assign PerKM Charges.

- A function Display() to allow user to enter the value of Distance and display CNo, CType, PerKM, PerKM*Distance(as Amount) on screen.

Answer:

```
class Tourist
{ int CNo;
  char CType;
  int PerKM;
  int Distance;
public:
  Tourist( )
  { CType='A';
    CNo=0; }
  void CityCharges( )
  { if(CType=='A')
    PerKM=20;
    else if(CType=='B')
    PerKM=18;
    else if(CType=='C')
    PerKM=15;
  }
  void RegisterCab( )
  { cout<<"Enter the CabNo";
    cin>>CNo;
    cout<<"Enter Cab Type";
    cin>>CType;
    cityCharges( );
  }
  void Display( )
  {
  cout<<"Enter the distance";
  cin>>Distance;
  cout<<"Cab No is: "<<CNo<<endl;
  cout<<"Cab Type is : "<<CType<<endl;
  cout<<"Per Kilometer charges is :"<<PerKM<<endl;
  cout<<"Amount is: "<<PerKM*Distance;
  }
};
```

3) Define a class Bus in C++ with the following specifications: (2013)

Date Members:

- Busno – to store Bus No
- From – to store Place name of origin
- To – to store place name of destination
- Type – to store Bus Type such as 'O' for ordinary
- Distance – to store the Distance in Kilometers
- Fare – to store the Bus Fare

Member Functions:

- A constructor function to initialize Type as 'O' and Fare as 500
- A function CalcFare() to calculate Fare as per the following criteria:

TYPE	FARE
'O'	15*Distance
'E'	20*Distance
'L'	24*Distance
- A function Allocate() to allow user to enter values for Busno, From, To, Type and Distance. Also, this function should call CalcFare() to calculate Fare.
- A function Show() to display the content of all the data members on screen.

Answer:

```
#include<iostream.h>
#include<conio.h>
class Bus
{
private:
char From[20],To[20];
int fare,busno,distance;
char Type;
public:
Bus();//Constructor
~Bus();//Destructor
int CalcFare( );
void Allocate( );
void Show( );
};
Bus::Bus( )
{ Fare=500;
Type='O';
}
void Bus::Allocate( )
{
cout<<"Enter the Bus no: ";
cin>>busno;
cout<<"From: ";
cin>>From;
cout<<"To: ";
cin>>To;
cout<<"Enter the Type: ";
cin>>Type;
cout<<"Enter the distance: ";
cin>>distance;
CalcFare( );
}
int Bus::CalcFare( )
{ if(Type='O')
fare=15*distance;
else if(Type='E')
fare=20*distance;
else if(Type='L')
fare=24*distance;
else
cout<<"Wrong Type";
return fare;
}
void Bus::Show( )
{
cout<<"Bus no: "<<busno<<endl;
cout<<"From: "<<From<<endl;
cout<<"To: "<<To<<endl;
cout<<"Type: "<<Type<<endl;
cout<<"Distance: "<<distance<<endl;
cout<<"Total Fare: "<<fare<<endl;
}
Bus::~Bus( )
{ cout<<"Bus Object is Deleted";
}
```

4) Define a class Garments in c++ with following descriptions. (2008 D)

private members :

- GCode of type string
- GType of type string
- Gsize of type integer
- Gfabric of type istring
- Gprice of type float

A function Assign() which calculate and the value of GPrice as follows.

For the value of GFabric "COTTON" ,

GType	GPrice(RS)
TROUSER	1300
SHIRT	1100

For GFabric other than "COTTON", the above mentioned GPrice gets reduced by 10%

public members:

A constructor to assign initial values of GCode, GType and GFabric with the a word "NOT ALLOTTED" and Gsize and Gprice with 0.

A function Input () to the values of the data members GCode, GType, Gsize and GFabric and invoke the Assign() function.

A function Display () which displays the content of all the data members for a garment.

```
#include<iostream.h>
#include<string.h>
#include<conio.h>
#include<stdio.h>
class Garments
{ char GCode[21],GType[21];
  int Gsize;
  char Gfabric[21];
  float Gprice;
  void Assign( )
  { if(strcmp(strupr(Gfabric),"COTTON")==0)
  { if(strcmp(strupr(GType),"TROUSER")==0)
      Gprice=1300;
    if(strcmp(strupr(GType),"SHIRT")==0)
      Gprice=1100;
  }
  else
  { if(strcmp(strupr(GType),"TROUSER")==0)
      Gprice=1300*0.90;
    if(strcmp(strupr(GType),"SHIRT")==0)
      Gprice=1100*0.90;
  }
}
public:
  Garments( )
  { strcpy(GCode,"NOT ALLOTTED");
    strcpy(GType,"NOT ALLOTTED");
    Gsize=0;
    strcpy(Gfabric,"NOT ALLOTTED");
    Gprice=0;
  }
  void Input( )
  { cout<<"\nEnter the Gragment Code: ";
    gets(GCode);
    cout<<"\nEnter the Garment Type: ";
    gets(GType);
    cout<<"\nEnter the Garment Size: ";
    cin>>Gsize;
    cout<<"\nEnter the Garment Fabric: ";
    gets(Gfabric);
    Assign( );
  }
  void display( )
  { cout<<"\nThe Garment Code: "<<GCode;
    cout<<"\nThe Garment Type: "<<GType;
    cout<<"\nThe Garment Size: "<<Gsize;
    cout<<"\nThe Garment Fabric: "<<Gfabric;
    cout<<"\nThe Garment Price: "<<Gprice;
  }
};
void main( )
{ Garments G;
  G.Input( );
```

```
G.display( );
}
```

5) Define a class clothing in c++ with the following descriptions : (2008OD)

private members :

code	of type string
type	of type string
size	of type intiger
material	of type string
price	of type float

A function **calc_price()** which calculates and assigns the value of GPrice as follows ;

For the value of material as "COTTON" :

Type	price (Rs)
TROUSER	1500.
SHIRT	1200.

for material other than "COTTON", the above mentioned GPprice price gets reduced by 25%

public members :

* A constructor to assign initial values of code ,type and material with the word "NOT ASSIGNED "and size and price with 0.

* A function enter() to input the values of the data members code, type, size and material and invoke the caclPrice () function.

* A function show which displays the content of all the data members for a clothing.

```
#include<iostream.h>
#include<string.h>
#include<conio.h>
#include<stdio.h>
class clothing
{ char Code[21],Type[21];
  int size;
  char material[21];
  float price;
  void calc_price( )
  { if(strcmp(strupr(material),"COTTON")==0)
  { if(strcmp(strupr(Type),"TROUSER")==0)
      price=1500;
    if(strcmp(strupr(Type),"SHIRT")==0)
      price=1200;
  }
  else
  { if(strcmp(strupr(Type),"TROUSER")==0)
      price=1500*0.75;
    if(strcmp(strupr(Type),"SHIRT")==0)
      price=1200*0.75;
  }
}
public:
  clothing( )
  { strcpy(Code,"NOT ALLOTTED");
    strcpy(Type,"NOT ALLOTTED");
    size=0;
    strcpy(material,"NOT ALLOTTED");
    price=0;
  }
  void enter( )
  { cout<<"\nEnter the Cloth Code: ";
    gets(Code);
    cout<<"\nEnter the Cloth Type: ";
    gets(Type);
    cout<<"\nEnter the Cloth Size: ";
    cin>>size;
    cout<<"\nEnter the cloth material: ";
```

```

    gets(material);
    calc_price();
}
void show()
{ cout<<"\nThe Cloth Code: "<<Code;
  cout<<"\nThe Cloth Type: "<<Type;
  cout<<"\nThe Cloth Size: "<<size;
  cout<<"\nThe Cloth Material: "
<<material;
  cout<<"\nThe Cloth Price: "<<price;
}
};
void main()
{
    clothing C;
    C.enter();
    C.show();
}

```

6) Define a class Tour in C++ with the description given below. (2007 D)

Private Members:

TCode of type string
 No of Adults of type integer
 No of Kids of type integer
 Kilometers of type integer
 TotalFare of type float

Public Members:

- A constructor to assign initial values as follows:
 TCode with the word "NULL"
 No of Adults as 0
 No of Kids as 0
 Kilometers as 0
 TotalFare as 0
- A function AssignFare() which calculates and assigns the value of the data member Totalfare as follows

For each Adult

<i>Fare (Rs)</i>	<i>For Kilometers</i>
500	>=1000
300	<1000 &>=500
200	<500

For each Kid the above Fare will be 50% of the Fare mentioned in the above table

For Example:

If Kilometers is 850, Noofadults =2 and NoofKids =3 Then TotalFare should be calculated as Numof Adults *300+ NoofKids *150
 i.e., 2*300+ 3 *150 =1050

- A function EnterTour() to input the values of the data members TCode, NoofAdults, NoofKids and Kilometers ; and invoke the AssignFare() function.
- A function ShowTour() which displays the content of all the data members for a Tour.

Ans:

```

#include<conio.h>
#include<stdio.h>
#include<string.h>
#include<iostream.h>
class Tour
{ char TCode[21];
  int NoofAdults,NoofKids,Kilometres;
  float TotalFare;
public:
  Tour()
  { strcpy(TCode,"NULL");

```

```

NoofAdults=NoofKids=Kilometres=TotalFare=0;
}
void AssignFare()
{ if(Kilometres>=1000)
TotalFare=NoofAdults*500+NoofKids*250;
else if(Kilometres>=500)
TotalFare=NoofAdults*300+NoofKids*150;
else
TotalFare=NoofAdults*200+NoofKids*100;
}
void EnterTour()
{ cout<<"\nEnter the Tour Code: ";
  gets(TCode);
  cout<<"\nEnter the Number of Adults: ";
  cin>>NoofAdults;
  cout<<"\nEnter the Number of Kids: ";
  cin>>NoofKids;
  cout<<"\nEnter the Number of Kilometres: ";
  cin>>Kilometres;
  AssignFare();
}
void ShowTour()
{ cout<<"\nThe Tour Code: "<<TCode;
  cout<<"\nThe Number of Adults:"
<<NoofAdults;
  cout<<"\nThe Number of Kids:
"<<NoofKids;
  cout<<"\nThe Number of Kilometres: "
<<Kilometres;
  cout<<"\n\nThe Total Fare: "<<TotalFare;
}
};
void main()
{ clrscr();
  Tour T;
  T.EnterTour();
  T.ShowTour();
  getch();
}

```

7) Define a class Travel in C++ with the description given below : (2007 OD)

Private Members:

T_Code of type string
 No_of_Adults of type integer
 No_of_Children of type integer
 Distance of type integer
 TotalFare of type float

Public Members:

- A constructor to assign initial values as follows:
 TCode with the word "NULL"
 No_of_Adults as 0
 No_of_Children as 0
 Distance as 0
 TotalFare as 0
- A function AssignFare() which calculates and assigns the value of the data member Totalfare as follows

For each Adult

<i>Fare (Rs)</i>	<i>For Kilometers</i>
500	>=1000
300	<1000 &>=500
200	<500

For each Child the above Fare will be 50% of the Fare mentioned in the above table

* A constructor to assign initial values of TravelCode as 201,

Place as "Nainital", Number_of_travellers as 10, Number_of_buses as 1

* A function NewTravel() which allows user to enter TravelCode, Place and Number_of travelers. Also, assign the value of Number_of_buses as per the following conditions:

Number_of_travellers	Number_of_buses
less than 20	1
Equal to or more than 20 and less than 40	2
Equal to 40 or more than 40	3

* A function ShowTravel() to display the content of all the data members on the screen.

Ans:

```
#include<iostream.h>
#include<conio.h>
#include<stdio.h>
#include<string.h>
class Travel
{ long TravelCode;
  char Place[21];
  int No_of_travellers,No_of_buses;
public:
  Travel()
  { TravelCode=201;
    strcpy(Place,"Nainital");
    No_of_travellers=5;
    No_of_buses=1;
  }
  void NewTravel()
  { cout<<"\nEnter the Travel Code: ";
    cin>>TravelCode;
    cout<<"\nEnter the Place to Travel: ";
    gets(Place);
    cout<<"\nEnter the Number of Travellers: ";
    cin>>No_of_travellers;
    if(No_of_travellers>=40)
      No_of_buses=3;
    else if(No_of_travellers>=20)
      No_of_buses=2;
    else
      No_of_buses=1;
  }
  void ShowTravel()
  { cout<<"\nThe Plan Code: "<<TravelCode;
    cout<<"\nThe Place of Travel: "<<Place;
    cout<<"\nNumber of Travellers: "<<No_of_travellers;
    cout<<"\nNumber of Buses: "<<No_of_buses;
  }
};
void main()
{ clrscr();
  Travel T;
  T.NewTravel();
  T.ShowTravel();
  getch();
}
```

10) Define a class Play in C++ with the following specifications: (2003 D)

Private members of class **Play**

*Play code integer
 *Playtime 25 character
 *Duration float
 *Noofscenes integer

Public member function of class **Play**

*A constructor function to initialize Duration as 45 and Noofscenes as

*Newplay() function to values for Playcode and Playtitle.

*Moreinfor() to assign the values of assign the values of Duration and Noofscenes with the of corresponding values passed as parameters to this function.

*Shoplay() function to display all the dataq members on the screen.

```
Ans:1#include<iostream.h>
#include<conio.h>
#include<string.h>
#include<stdio.h>
class Play
{ int Playcode;
  char Playtitle[25];
  float Duration;
  int Noofscenes;
public:
  Play()
  { Duration=45;
    Noofscenes=5;
  }
  void Newplay()
  { cout<<"\nEnter the Play Code: ";
    cin>>Playcode;
    cout<<"\nEnter the Play Title: ";
    gets(Playtitle);
  }
  void Moreinfor(float D,int N)
  { Duration = D;
    Noofscenes = N;
  }
  void Showplay()
  { cout<<"\nThe Play Code : "<<Playcode;
    cout<<"\nThe Play Title : "<<Playtitle;
    cout<<"\nThe Duration : "<<Duration;
    cout<<"\nThe No of Scenes:"
      <<Noofscenes;
  }
};
void main()
{ clrscr();
  Play P;
  P.Newplay();
  float Dur;
  int NS;
  cout<<"\nEnter the Duration and
    Number of Scenes: ";
  cin>>Dur>>NS;
  P.Moreinfor(Dur,NS);
  P.Showplay();
  getch();
}
```

MODEL 2: Answer the questions (i) and (ii) after going through the following class 2Marks

1. Observe the following C++ code and answer the questions (i) and (ii). (2017)

Note: Assume all necessary files are included.

```
class TEST
{
  long TCode;
  char TTitle[20];
  float Score;
public:
```

```

TEST() //Member Function 1
{
TCode=100;
strcpy(TTitle,"FIRST Test");
Score=0;
}
TEST(TEST &T) //Member Function 2
{
TCode=E.TCode+1;
strcpy(TTitle,T.TTitle);
Score=T.Score;
};
void main()
{
_____ //Statement 1
_____ //Statement 2
}

```

i) Which Object Oriented Programming feature is illustrated by the Member Function 1 and Member Function 2 together in the class TEST?

A) Polymorphism OR Constructor overloading OR Function Overloading

ii) Write Statement 1 and Statement 2 to execute Member Function 1 and Member Function 2 respectively.

A) TEST T1;
TEST T2(T1); //Statement 2
OR
TEST T2=T1; //Statement 2

2. Answer the questions(i) and (ii) after going through the following class: (2017 MP)

```

class planet
{
char name[20];char distance[20];
public:
planet() //Function 1
{
strcpy(name, "Venus");
strcpy(distance, "38 million km");
}
void display(char na[],char d[]) //Function 2
{
cout<<na<<"has"<<d<<"distancefromEarth"<<endl;
}
planet(char na[], char d[]) //Function 3
{ strcpy(name,na);
strcpy(distance,d);
}
~planet() //Function 4
{ cout<<"Planetarium time over!!!"<<endl;
}
};

```

I. What is Function 1 referred as? When will it be executed?

II. Write suitable C++ statement to invoke Function 2.

Ans I. Constructor. It will be executed at the time of object creation.

II. planet p;
p.display("Pluto", "7.5 Billion Km");

3) Observe the following C++ code and answer the questions (i) and (ii). Assume all necessary files are included: (2016)

```

class BOOK
{
long Code ;
char Title[20];
float Price;
public:
BOOK() //Member Function 1
{
cout<<"Bought"<<endl;
Code=10;strcpy(Title,"NoTitle");Price=100;
}
BOOK(int C,char T[],float P) //Member Function 2
{ Code=C;
strcpy(Title,T);
Price=P; }
void Update(float P) //Member Function 3
{ Price+=P;
}
void Display() //Member Function 4
{
cout<<Code<<": "<<Title<<": "<<Price<<endl;
}
~BOOK() //Member Function 5
{
cout<<"Book Discarded!"<<endl;
}
};
void main() //Line 1
{ //Line 2
BOOK B,C(101,"Truth",350); //Line 3
for (int I=0;I<4;I++) //Line 4
{ //Line 5
B.Update(50);C.Update(20); //Line 6
B.Display();C.Display(); //Line 7
} //Line 8
} //Line 9

```

(i) Which specific concept of object oriented programming out of the following is illustrated by Member Function 1 and Member Function 2 combined together?

- Data Encapsulation
- Polymorphism
- Inheritance
- Data Hiding

Ans Polymorphism

(ii) How many times the message "Book Discarded!" will be displayed after executing the above C++ code? Out of Line 1 to Line 9, which line is responsible to display the message "Book Discarded!"

Ans 2 times

Line 9

4) Observe the following C++ code and answer the questions (i) and (ii) : (2015)

```

class Passenger
{
long PNR;
char Name [20] ;
public:
Passenger() //Function 1
{ cout<<"Ready"<<endl; }
void Book(long P,char N[]) //Function 2
{ PNR = P; strcpy(Name, N); }
void Print() //Function 3
{ cout<<PNR << Name <<endl; }
~Passenger() //Function 4
{ cout<<"Booking cancelled!"<<endl; }
};

```

(i) Fill in the blank statements in Line 1 and Line 2 to execute Function 2 and Function 3 respectively in the following code:

```
void main()
{
    Passenger P;
    _____ //Line 1
    _____ //Line 2
} //Ends here
```

Ans P.Book(1234567,"Ravi"); //Line 1
P.Print(); //Line 2

(ii) Which function will be executed at } //Ends here? What is this function referred as?

Ans Function 4 OR ~Passenger(). It is a Destructor function.

5) Answer the questions (i) and (ii) after going through the following class: (2014)

```
class Hospital
{ int Pno,Dno;
public:
    Hospital(int PN); //Function 1
    Hospital(); //Function 2
    Hospital (Hospital &H); //Function 3
    void In(); //Function 4
    void Disp (); //Function 5
};
```

```
void main()
{ Hospital H(20); //Statement 1
}
```

(i) Which of the function out of function 1,2,3,4 or 5 will get executed when the statement 1 is executed in the above code?

A) Function 1 will be executed when the statement 1 is executed.

(ii) Write a statement to declare a new object G with reference to already existing object H using Function 3.

A) Hospital G(H);

6) Answer the questions (i) and (ii) after going through the following class: (2013)

```
class Race
{
    int CarNo,Track;
public:
    Race(); //Function 1
    Race(int CN); //Function 2
    Race(Race &R); //Function 3
    void Register(); //Function 4
    void Drive(); //Function 5
};
void main()
{
    Race R;
    ----
    ----
}
```

(i) Out of the following, which of the option is correct for calling Function 2?

- (a) Option 1 – Race T(30);
(b) Option 2 – Race U(R);

Ans) (a) Option 1 – Race T(30);

(ii) Name the feature of Object Oriented Programming which is illustrated by Function 1, Function 2 and Function 3 combined together.

Answer) Constructor Overloading.

7) Answer the questions (i) and (ii) after going through the following class (2012)

```
class Travel
{
    int PlaceCode; char Place[20]; float Charges;
public:
    Travel () //Function 1
    {
        PlaceCode=1; strcpy (Place, "DELHJ"); Charges = 1000;
    }
    void TravelPlan (float C) //Function 2
    {
        cout<<PlaceCode<<":"<<Place<<":"<<Charges<<endl;
    }
    ~Travel () //Function 3
    {
        Cout<<"Travel Plan Cancelled"<<endl;
    }
    Travel (int PC, char P[], float C) //Function 4
    {
        PlaceCode=PC; strcpy(Place,P); Charges=C;
    }
};
```

(i) In Object Oriented Programming, what are Function 1 and Function 4 combined together referred as?

Ans (i) Polymorphism OR Constructor Overloading OR Overloaded Constructor OR Function Overloading OR Overloaded Functions OR

Default Constructor and Parameterized Constructor

(ii) In Object Oriented Programming, which concept is illustrated by Function 3? When is this function called/invoked?

Ans. (ii) Destructor. It is called / Invoked when an object of the class goes out of scope.

Note: (Full 1 Mark to be given if only the correct invocation is written)

8) Write the output of the following C++ code. Also, write the name of feature of Object Oriented Programming used in the following program jointly illustrated by the function [I] to [IV]. 2011

```
#include<iostream.h>
void Line () //Function [I]
{
    for (int L=1;L<=80;L++) cout<<"-";
    cout<<endl;
}
void Line (int N) //Function [II]
{
    for (int L=1;L<=N;L++) Cout<<"*";
    cout<<endl;
}
void Line (char C, int N) //Function [III]
{
    for (int L=1;L<=N;L++) cout<<C;
    cout<<endl;
}
void Line (int M, int, N) //Function [IV]
{
    for (int L=1;L<=N;L++) cout<<M*L;
    cout<<endl;
}
void main ()
{
    int A=9, B=4, C=3;
    char K= '#';
    Line (K,B);
```

Line (A,C);

}

Ans

####

91827

Polymorphism OR Function Overloading

9) Answer the questions (i) and (ii) after going through the following class: (2010D)

class TEST

```
{ int Regno, Max, Min, Score;
public:
    TEST() //Function 1
    {
        Regno= 101;
        Max=100;
        Min=40;
        Score=75;
    }
    TEST(int Prgno,int Pscore) //Function 2
    {
        Regno=Prgno;
        Max=100;
        Min=40;
        Score=Pscore;
    }
    ~TEST() //Function 3
    {
        cout<<"TEST Over"<<endl;
    }
void Display() //Function 4
{
    cout<<Regno<<":"<<Max<<":"<<Min<<endl;
    cout<<"[Score]"<<Score<<endl;
}
};
```

(i) As per Object Oriented Programming, which concept is illustrated by **Function 1 and Function 2** together?

Ans.

Polymorphism (OR) Function Overloading
(OR) Constructor Overloading

(ii) What is **Function 3** specifically referred as? When do you think, **Function 3** will be invoked/called?

Ans.

Destructor, invoked or called when scope of an Object

10) Answer the questions (i) and (ii) after going through the following class: (2010OD)

class Exam

```
{
    int Rno,MaxMarks,MinMarks,Marks;
public:
    Exam () //Module 1
    {
        Rno=101;
        MaxMarks=100;
        MinMarks=40;
        Marks=75;
    }
    Exam (int Prno, int Pmarks) //Module 2
    { Rno=Prno;
        MaxMarks=100;
        MinMarks=40;
        Marks=Pmarks;
    }
    ~Exam () //Module 3
```

```
{
    cout<<"Exam Over"<<endl;
}
void Show () //Module 4
{
    cout<<Rno<<":"<<MaxMarks<<":"<<MinMarks<<endl;
    cout<<"[Marks Got]"<<Marks<<endl;
}
};
```

(i) As per Object Oriented Programming, which concept is illustrated by **Module 1 and Module 2** together?

Ans.

Polymorphism (OR) Constructor Overloading
(OR) Function Overloading

(ii) What is **Module 3** referred as? When do you think, **Module 3** will be invoked/called?

Ans.

Destructor. It is invoked as soon as the scope of the object gets over.

11) Answer the questions (i) and (ii) after going through the following class: (2009D)

class WORK 2

```
{
    int WorkId;char WorkType ;
public:
    -WORK () //Function 1
    {
        cout<<"Un-Allocated"<<endl ;
    }
    void status () //Function 2
    {
        cout<<WorkId<<":"<<WorkType<<endl ;
    }
    WORK () //Function 3
    {
        WorkId = 10;
        WorkType='T' ;
    }
    WORK(WORK &W) //Function 4
    {
        WorkId=W. WorkId+12;
        WorkType=W. WorkType+1
    }
};
```

(i) Which member function out of Function 1, Function 2, Function 3 and Function 4 shown in the above definition of class WORK is called automatically, when the scope of an object gets over? Is it known as Constructor OR Destructor OR Overloaded Function OR Copy Constructor?

Ans Function 1

Destructor.

(ii) WORK W; // Statement 1

WORK Y(W); // Statement 2

Which member function out of Function 1, Function 2, Function 3 and Function 4 shown in the above definition of class WORK will be called on execution of statement written as statement 2? What is this function specifically known as

out of Destructor or Copy Constructor or Default Constructor?

Ans Function 4

Copy Constructor.

12) Answer the questions (i) and (ii) after going through the following class: (2009 OD)

```
class Job
{
    int JobId;
    char JobType;
public:
    ~Job () //Function 1
    {
        cout<< "Resigned" <<endl;
    }
    Job () //Function 2
    {
        JobId=10 ;
        JobType ="T" ;
    }
    void TellMe() //Function 3
    {
        cout<<JobId<< " : " <<JobType<<endl;
    }
    Job (Job &J) //Function 4
    {
        JobId=J.JobId+10;
        JobType=J.JobType+1;
    }
};
```

(i) Which member function out of Function 1, Function 2, Function 3 and Function 4 shown in the above definition of class Job is called automatically, when the scope of an object gets over? Is it known as Constructor OR Destructor OR Overloaded Function OR Copy Constructor?

Ans Function 1.

Destructor.

(ii) Job P ; //Line 1
Job Q(P) ; //Line 2

Which member function out of Function 1, Function 2, Function 3 and Function 4 shown in the above definition of class Job will be called on execution of statement written as Line 2 ? What is this function specifically known as out of Destructor or Copy Constructor or Default Constructor?

Ans Function 4. Copy Constructor.

13) Answer the questions (i) and (ii) after going through the following program: (2008D)

```
#include <iostream.h>
#include<string.h>
class bazaar
{
    char Type[20] ;
    char product [20];
    int qty ;
    float price ;
    bazaar() //function 1
    {
        strcpy (type , "Electronic") ;
        strcpy (product , "calculator");
        qty=10;
        price=225;
    }
public :
    void Disp() //function 2
    {
        cout<< type <<"-"<<product<<" : "
        <<qty<< "@" << price << endl ;
    }
};
void main ()
{
    Bazaar B ; //statement 1
    B. disp() ; //statement 2
}
```

(i) Will statement 1 initialize all the data members for object B with the values given in the function 1 ? (YES OR NO).

Justify your answer suggesting the correction(s) to be made in the above code.

Ans: No. The reason is the constructor should be defined under the public visibility label.

(ii) What shall be the possible output when the program gets executed ? (Assuming, if required _ the suggested correction(s) are made in the program).

Ans: Possible Output:

Electronic-Calculator:10@225

14) Answer the questions (i) and (ii) after going through the following program: (2008OD)

```
#include<iostream.h>
#include<string.h>
class Retail
{
    char category[20];
    char item[20];
    int qty;
    float price;
    retail () //function 1
    {
        strcpy (category, "cerial");
        strcpy (Item, "Rice");
        qty =100 ;
        price =25 ;
    }
public;
    void show() //function 2
    {
        cout << category <<"-"<< Item << "
        :"<<Qty<<"@"<< price<<endl;
    }
};
void main()
{
    Retail R; //statement 1
    R. show (); //statement 2
}
```

(i) will statement 1 initialize all the data members for objects R with the given in the function 1 ? (YES OR NO). Justify your Answer suggesting the corrections(s) to be made in the above code.

Ans:No. The reason is the constructor should be defined under the public visibility label.

(ii) What shall be the possible out put when the program gets executed ? (Assuming, if required the suggested correction(s) are made in the program)

Ans: Possible Output:

cerial-Rice:100@25

15) Answer the question (i) and (ii) after going through the following class: (2007D)

```
class Maths
{
    char Chapter[20]
    int Marks;
public:
    Maths() //Member Function 1
    {
        strcpy (Chapter, "Geometry");
        Marks=10;
        cout <<"Chapter Initialised ";
    }
    -Maths() //Member Functions 2
    {
        cout<<"Chapter Over";
    }
};
```

(i) Name the specific features of class shown by member Function 1 and Member Function 2 in the above example.

Ans: Member function 1 is a (non-parameterized or default) constructor (, which will be executed automatically at the time of creation of an object of class Maths). Member function 2 is a destructor (,which will be executed automatically at the time of destruction of an object of class Maths).

(ii) How would Member Function 1 and Member Function 2 get executed ?

Ans: They will be executed automatically.

Member function 1 will be executed at the time of creation of an object of class Maths. Member function 2 will be executed at the time of destruction of an object of class Maths.

16) Answer the questions (i) and (ii) after going through the following class : (2007OD)

```
class Science
{
    char Topic[20];
    int Weightage;
public:
    Science() //Function 1
    {
        strcpy(Topic, "Optics");
        Weightage =30
        cout<<"Topic Activated";
    }
    ~Science() //Function 2
    {
        cout<<"Topic Deactivated"; }
};
```

(i) Name the specific features of class shown by Function 1 and Function 2 in the above example.

Ans: Member function 1 is a (non-parameterized or default) constructor

(, which will be executed automatically at the time of creation of an object of class Science). Member function 2 is a destructor (,which will be executed automatically at the time of destruction of an object of class Science).

(ii) How would Function 1 and Function 2 get executed ?

Ans: They will be executed automatically.

Member function 1 will be executed at the time of creation of an object of class Science. Member function 2 will be executed at the time of destruction of an object of class Science.

17) Answer the following questions (i) and (ii) after going through the following class. (2006D)

```
class Interview
{
    int Month;
public:
    interview(int y) {Month=y;} //constructor 1
    interview(Interview&t); //constructor 2
};
```

(i) create an object, such that it invokes Constructor 1.

Ans: Interview A(10); //invoking constructor 1 by passing a number.

(ii) write complete definition for Constructor 2.

Ans: Interview(Interview &t)
//This is a copy constructor.
{
 Month=t.Month;
}

18) Answer the following questions (i) and (ii) after going through the following class. (2006 OD)

```
class Exam
{
    int Year;
```

```
public:
    Exam(int y) //Constructor 1
    {
        Year=y;
    }
    Exam(Exam &t);
        //Constructor 2
};
```

(i) Create an object, such that it invokes Constructor 1

Ans: Exam E((2008);

(ii) Write complete definition for constructor 2.

Ans: Exam(Exam &t)

//Copy Constructor.

```
{
    Year=t.Year;
}
```

19) Answer the following questions (i) and (ii) after going through the following class. (2005D)

```
class Test
{
    char Paper[20];
    int Marks
public:
    Test() //Function 1
    {
        strcpy(Paper,"Computer");
        Marks=0;
    }
    Test(char P[])
    {
        strcpy(Paper,P);
        Marks=0;
    }
    Test(int M)
    {
        strcpy(Paper,"Computer");
        Marks=M;
    }
    Test(char P[],int M)
    {
        strcpy(Paper,P);
        Marks=M;
    }
};
```

(i) Which feature Object Oriented programming is demonstrated using Function 1, Function 2, Function 3 and Function 4 in the above class text?

Ans: Function overloading (here it is constructor overloading).

(ii) Write statements in C++ that would execute Function 2 and Function 4 of class Text.

Ans: (let char name[20];
int X=60;
strcpy(name,"COMPUTERSCIENCE");
are declared in the program)

(i) Test A(name);

//Will execute Function 2

(ii) Test B(name,X);

//Will execute Function 4

20) Answer the following questions (i) and (ii) after going through the following class. (2005 OD)

```
class Exam
{
    int Marks;
    char Subject[20];
public:
    Exam() //Function 1
    {
        strcpy(Subject,"Computer");
        Marks=0;
    }
    Exam(char S[]) //Function 2
```

```

    { strcpy(Subject,S);
      Marks=0; }
Exam(int M) //Function 3
{ strcpy(Subject,"Computer");
  Marks=M;
}
Exam(char S[],int M) //Function4
{ Strcpy(Subject,P);
  Marks=M;
}
};

```

(i) Write statements in C++ that would execute Function 3 and Function 4 of class Exam.

```

(let char name[20];
      int X=60;
strcpy(name,"COMPUTERSCIENCE");
are declared in the program)

```

- (i) Exam A(X);
//Will execute Function 3
(ii) Exam B(name,X);
//Will execute Function 4

(ii) Which feature of Object Oriented Programming is demonstrated using Function 1, Function 2, Function 3 and Function 4 in the above class text?

Ans: Function overloading (here it is constructor overloading).

21) Given the following C++ code, answer the questions

(i) and (ii) (2004 D)

```

class TestMeOut
{ public:
  ~TestMeOut() //Function 1
  {
cout<<"Leaving the examination hall"<<endl;
}
  TestMeOut() //Function 2
  {
cout<<"Appearing for examination"<<endl;
}
  void MyWork()
  {
cout<<"Attempting Questions"<<endl;
}
};

```

- (i) In Object Oriented programming, what is Function 1 referred as and when does it get invoked/called?

Ans: Function 1 is called as Destructor, It will automatically be executed at the time of destruction of the object of class TestMeOut.

- (ii) In Object Oriented Programming, what is Function 2 referred as and when does it get invoked/called?

Ans: Function 2 is called as constructor (Non-parameterized or default constructor), it will automatically be executed at the time of creation of the object of class TestMeOut.

22) Answer the questions (i) and (ii) after going through the following class: (2008-09 MP1)

```

class Seminar
{
int Time;
public:
Seminar() //Function 1
{
Time=30;cout<<"Seminar starts now"<<endl;
}
}

```

```

}
void Lecture() //Function 2
{
cout<<"Lectures in the seminar on"<<endl;
}
Seminar(int Duration) //Function 3
{
Time=Duration;cout<<"Seminar starts
now"<<endl;
}
~Seminar() //Function 4
{
cout<<"Vote of thanks"<<endl;
}
};

```

i) In Object Oriented Programming, what is Function 4 referred as and when does it get invoked/called?

Answer:

Destructor, it is invoked as soon as the scope of the object gets over.

ii) In Object Oriented Programming, which concept is illustrated by Function 1 and Function 3 together? Write an example illustrating the calls for these functions.

Answer:

Constructor Overloading (Polymorphism)
Seminar S1,S2(90);

23) Answer the questions (i) and (ii) after going through the following program (2008-09 MP2)

```

class Match
{ int Time;
public:
Match() //Function 1
{ Time=0;
cout<<"Match commences"<<endl;
}
void Details() //Function 2
{
cout<<"Inter Section Basketball Match"<<endl;
}
Match(int Duration) //Function 3
{
Time=Duration;
cout<<"Another Match begins now"<<endl;
}
Match(Match &M) //Function 4
{
Time=M.Duration;
cout<<"Like Previous Match "<<endl;
}
};

```

i) Which category of constructor - Function 4 belongs to and what is the purpose of using it?

Answer:

Copy Constructor, it is invoked when an object is created and initialised with values of an already existing object.

ii) Write statements that would call the member Functions 1 and 3

Answer:

```

Match M1; //for Function 1
Match M2(90); //for Function 3

```

24) Answer the questions (i) and (ii) after going through the following class: (2009-10 MP1)

```

class Seminar
{ int Time;
public:
Seminar() //Function 1

```

```

{
    Time=30;
    cout<<"Seminar starts now"<<endl;
}
void Lecture() //Function 2
{
    cout<<"Lectures in the seminar on"<<endl;
}
Seminar(int Duration) //Function 3
{
    Time=Duration;
    cout<<"Seminar starts now"<<endl;
}
~Seminar()//Function 4
{
    cout<<"Vote of thanks"<<endl;
}
};

```

i) In Object Oriented Programming, what is Function 4 referred as and when does it get invoked/called?

A) Destructor, it is invoked as soon as the scope of the object gets over.

ii) In Object Oriented Programming, which concept is illustrated by Function 1 and Function 3 together? Write an example illustrating the calls for these functions.

A) Constructor Overloading (or Function Overloading or Polymorphism)

```

Seminar S1;           //Function 1
Seminar S2(90);      //Function 3

```

25) Answer the questions (i) and (ii) after going through the following program: (2009-10 MP2)

```

class Match
{
    int Time;
public:
    Match() //Function 1
    {
        Time=0;
        cout<<"Match commences"<<endl;
    }
    void Details() //Function 2
    {
        cout<<"Inter Section Basketball
                Match"<<endl;
    }
    Match(int Duration) //Function 3
    {
        Time=Duration;
        cout<<"Another Match begins
                now"<<endl;
    }
    Match(Match &M) //Function 4
    {
        Time=M.Duration;
        cout<<"Like Previous Match "<<endl;
    }
};

```

i) Which category of constructor - Function 4 belongs to and what is the purpose of using it?

A) Copy constructor, It will help to copy the data from one object to another

ii) Write statements that would call the member Functions 1 and 3

```

A) Match M;           //Function 1
   Match N(10);       //Function 3

```

1. Write the output of the following C++ program code: Note: Assume all required header files are already being included in the program.

```

class seminar(2017 MP)
{
    char topic[30];
    int charges;
public:
    seminar()
    {
        strcpy(topic, "Registration");
        charges=5000;
    }
    seminar(char t[])
    {
        strcpy(topic,t);
        charges=5000;
    }
    seminar(int c)
    {
        strcpy(topic, "Registration with Discount");
        charges=5000-c;
    }
    void regis(char t[],int c)
    {
        strcpy(topic,t);
        charges=charges+c;
    }
    void regis(int c=2000)
    {
        charges=charges+c;
    }
    void subject(char t[],int c)
    {
        strcpy(topic,t);
        charges=charges+c;
    }
    void show()
    {
        cout<<topic<<"@"<<charges<<endl;
    }
};
void main()
{
    seminar s1,s2(1000),s3("Genetic Mutation"),s4;
    s1.show();
    s2.show();
    s3.regis();
    s3.show();
    s4=s2;
    s4.show();
    getch();
}

```

A)
 Registration@5000
 Registration with Discount@4000
 ICT@7000
 Cyber Crime@6500
 Genetic Mutation@7000
 Cyber Crime@6500

2) Find and write the output of the following C++ program code: (2016)

Note: Assume all required header files are already being included in the program. 3

```
class Share
{
long int Code;
float Rate;
int DD;
public:
Share(){Code=1000;Rate=100;DD=1;}
void GetCode(long int C,float R)
{
Code=C;
Rate=R;
}
void Update(int Change,int D)
{
Rate+=Change;
DD=D;
}
void Status()
{
cout<<"Date:"<<DD<<endl;
cout<<Code<<"#"<<Rate<<endl;
}
};
void main()
{
Share S,T,U;
S.GetCode(1324,350);
T.GetCode(1435,250);
S.Update(50,28);
U.Update(25,26);
S.Status();
T.Status();
U.Status();
}
```

A)
 Date:28
 1324#400
 Date:1
 1435#250
 Date:26
 1000#75

3) Write the output of the following C++ program code:

Note: Assume all required header files are already being included in the program. (2015) 3

```
class Eval
{
char Level;
int Point;
public:
Eval() {Level='E';Point=0;}
void Sink(int L)
{
Level=
L;
}
void Float(int L)
{
Level += L;
Point++;
}
void Show()
{
cout<<Level<<"#"<<Point<<endl;
}
};
void main()
{ Eval E;
E.Sink(3);
E.Show();
E.Float(7);
E.Show();
E.Sink(2);
E.Show();
}
```

A B#0
 I#1
 G#1

4) Obtain the output of the following C++ Program, which will appear on the screen after its execution 3

Important Note: (2014)

-All the desired header files are already included in the code, which are required to run the code.

```
class Game
{ int Level, Score;
char Type;
public:
Game(char GType='P')
{ Level=1;Score=01;Type=GType; }
void play(int GS);
void Change( );
void Show( );
{
cout<<Type<<"@"<<Level<<endl;
cout<<Score<<endl;
}
};
void main( )
{
Game A('G'),B;
B.Show( );
A.Play(11);
A.Change( );
B.Play(25);
}
```

```

A.Show( );
B.Show( );
}
void Player:: Change( )
{ Type=(Type=='P')?'G':'P';
}
void Game::Play(int GS)
{ Score+=GS;
  if(Score>=30)
    Level=3;
  else if(Score>=20)
    Level=2;
  else
    Level=1;
}

```

A)
P@1
0
P@1
11
P@2
25

5) Obser the following C++ code carefully and obtain the output,which will appear on the screen after execution of it3

```

#include<iostream.h>(2013)
class Aroundus
{ int Place, Humidity, Temp;
public:
  Aroundus(int P=2)
  { Place=P; Humidity=60; Temp=20; }
  void Hot(int T)
  { Temp+=T; }
  void Humid(int H)
  { Humidity+=H; }
  void JustSee( )
  { cout<<"Place<<":<<Temp<<"&"<<Humidity<<"%"
    <<endl;
  }
};
void main( )
{ Aroundus A,B(5);
  A.Hot(10);
  A.JustSee( );
  B.Humid(15);
  B.Hot(2);
  B.JustSee( );
  A.Humid(5);
  A.JustSee( );
}

```

A)
2:30&60%
5:22&75%
2.30&65%

6.Find the output of the following program: 3

```

#include <iostream.h>(2012)
class METRO
{
int Mno,TripNo,PassengerCount;
public:
METRO(int Tmno=1)
{Mno=Tmno;TripNo=0;PassengerCount=0;}
void Trip(int PC=20)
{TripNo++;PassengerCount+=PC; }
void status Show ( )
{cout<<Mno<<": "<<TripNO<<": "<<PassengerCount<
<endl;}
};
void main ( )
{ METRO M(5), T;
M. Trip ( ) ;
M. StatusShow() ;
T. StatusShow() ;
M. Status Show ( ) ;
}

```

Ans: 5:1:20
1:1:50
5:2:50

7)Write the **output** of the following program.

```

Ans: #include<iostream.h>
class Counter
{ private:
  unsigned int count;
public:
  Counter()
  { count=0;
  }
  void inc_Count()
  { count++;
  }
  int get_Count()
  { return count;
  }
};
void main()(2002)
{ Counter C1,C2;
  cout<<"\nC1="<<C1.get_Count();
  cout<<"\nC2="<<C2.get_Count();
  C1.inc_Count();
  C2.inc_Count();
  C2.inc_Count();
  cout<<"\nC1="<<C1.get_Count();
  cout<<"\nC2="<<C2.get_Count();
}

```

Output:

C1=0
C2=0
C1=1
C2=2

MODEL 4): Rewrite the following program after removing the syntactical errors (if any). Underline each correction (Using Class) -2 Marks

1) Rewrite the following program after removing the syntactical errors (if any). Underline each correction. 2

```
#include<conio.h>(2017 MP)
#include<iostream.h>
#include<string.h>
#include<stdio.h>
class product
{
int product_code,qty,price;
char name[20];
public:
product(){
product_code=0;qty=0;price=0;
name=NULL;
}
void entry()
{cout<<"\n Enter code,qty,price";
cin>>product_code>>qty>>price;
gets(name);
}
void tot_price() {return qty*price;}
};
void main()
{
p product;
p.entry();
cout<<tot_price();
}
```

```
A)#include<conio.h>
#include<iostream.h>
#include<string.h>
#include<stdio.h>
class product
{
int product_code,qty,price;
char name[20];
public:
product(){
product_code=0;qty=0;price=0;
strcpy(name,NULL);
}
void entry()
{cout<<"\n Enter code,qty,price";
cin>>product_code>>qty>>price;
gets(name);
}
int tot_price() {return qty*price;}
};
void main()
{
product p;
p.entry();
cout<<p.tot_price();
}
```

2) Rewrite the following c++ program code after removing the syntax error(s) (if any). Underline each correction. 2

```
include<iostream.h>(2010 D)
class TRAIN
{
long TrainNo;
char Description[25];
public
void Entry ()
{
cin >>TrainNo; gets(Description);
}
Void Display ()
{
cout<<TrainNo<<":"<<Description<<endl;
}
};
void main()
{
TRAIN T;
Entry. T(); Display. T();
}
```

Ans.

```
#include<iostream.h>
#include<stdio.h>
class TRAIN
{long TrainNo;
char Description [25];
public:
void Entry ()
{
cin>>TrainNo; gets (Description);
}
void Display ()
{
cout<<TrainNo<<":"<<Description<<endl;
}
};
void main ()
{
TRAIN T;
T.Entry();
T.Display();
}
```

3) Rewrite the following C++ program code after removing the syntax error(s) (if any). Underline each correction. 2

```
include<iostream.h>(2010 OD)
class FLIGHT
{
long FlightCode;
char Description[25];
public
void AddInfo ()
{
cin>>FlightCode; gets (Description) ;
}
void ShowInfo ()
(
```

```

cout<<FlightCode<<“:”<<Description<<endl;
}
};
void main()
{
FLIGHT F;
AddInfo.F(); ShowInfo.F();
}

```

Ans.

```

#include <iostream.h> // Error 1
#include <stdio.h> // Error 2
class FLIGHT
{
long FlightCode;
//not required if gets() is re-placed with
//cin.getline() or cin
char Description[25];
public : // Error 3
void AddInfo ()
{ cin>>FlightCode; gets (Description) ;
}
void ShowInfo ()
{ cout<<FlightCode<<“:”<<Description<<endl;
}
};
void main ()
{
FLIGHT F;
F.AddInfo();
F. ShowInfo (); // Error 4
}

```

4) Rewrite the following program after removing the syntactical errors (if any). (2009 OD)

Underline each correction. 2

```

include <iostream.h>
include <stdio.h>
class MyStudent
{
int StudentId = 1001;
char Name [20] ;
public
MyStudent() { }
void Register () {cin>>StudentId; gets (Name) ;}
void Display () {cout<<StudentId<< “:”
<<Name<<endl;}
};
void main ()
{
MyStudent MS ;
Register.MS() ;
MS.Display() ;
}

```

Ans

```

# include <iostream.h>
# include <stdio.h>
class MyStudent
{ int StudentId;
char Name[20];

```

```

public :
MyStudent()
{
StudentId = 1001;
}
void Register()
{
cin>>StudentId;
gets (Name);
}
void Display ()
{
cout<<StudentId<<“:”<<Name<<endl;
}
};
void main ()
{MyStudent MS;
MS. Register ();
MS. Display () ;
}

```

5) Rewrite the following program after removing the syntactical errors (if any). Underline each correction. 2

```

#include [iostream.h](2008-09 MP1)
class PAYITNOW
{ int Charge;
PUBLIC:
void Raise(){cin>>Charge;}
void Show{cout<<Charge;}
};
void main()
{
PAYITNOW P;
P.Raise();
Show();
}

```

Answer:

```

#include <iostream.h>
class PAYITNOW
{ int Charge;
public:
void Raise(){cin>>Charge;}
void Show(){cout<<Charge;}
};
void main()
{ PAYITNOW P;
P.Raise();
P.Show();
}

```

6) Rewrite the following program after removing the syntactical errors (if any). (2009-10 MP1)

Underline each correction. 2

```

#include [iostream.h]
class MEMBER
{
int Mno;float Fees;
PUBLIC:
void Register(){cin>>Mno>>Fees;}

```

```

void Display{cout<<Mno<<" : "<<Fees<<endl;}
};
void main()
{
MEMBER M;
Register();
M.Display();
}

```

A)

```

#include <iostream.h>
class MEMBER
{ int Mno;float Fees;
public:
void Register()
{ cin>>Mno>>Fees;
}
void Display()
{ cout<<Mno<<": "<<Fees<<endl;
}
};
void main()
{ MEMBER M;
M.Register();
M.Display();
}

```

7) Rewrite the following program after removing the syntactical errors (if any).(2009 D)

Underline each correction.2

```

#include [iostream.h]
#include [stdio.h]
class Employee
{
int EmpId=901;
char EName [20] ;
public
Employee(){ }
void Joining() {cin>>EmpId; gets (EName);}
void List () {cout<<EmpId<<" : "<<EName<<endl;}
};
void main ()
{
Employee E;
Joining.E();
E.List()
}

```

Ans

```

#include <iostream.h>
#include <stdio.h>
class Employee
{ int EmpId;
char EName[20];
public :
Employee()
{ EmpId=901;
}
void Joining()
{

```

```

cin>>EmpId;
gets (EName);
}
void List ()
{
cout<<EmpId<<": "<<EName<<endl;
}
};
void main ()
{
Employee E;
E.Joining ();
E.List ();
}

```

8) Rewrite the following program after removing the syntactical errors (if any). (2012 OD)

Underline each correction. 2

```

#include <iostream.h>
Class Item
{
long IId, Qty;
public :
void Purchase{cin>>IId>>Qty;}
void Sale ()
{
cout<<setw(5)<<IId<<"Old:"<<Qty<<endl;
cout<<"New: "<<Qty<<endl;
}
};
void main ()
{
Item I ;
Purchase () ;
I.Sale () ;
I.Sale ()
}

```

Ans

```

#include<iosteam.h>
class Item // C Capital
{
long IId,Qty;
public:
void Purchase () {cin>>IId>>Qty;}
void Sale ()
{
cout<<setw(5)<<IId<<" Old: "<<Qty<<endl;
//Either the statement setw(5) is removed
//or header file included as#include<iomanip.h>
cout<<"New:"<<Qty<<endl;
}
};
void main ()
{
Item I;
I.Purchase( );// Object missing
I. Sale () ;
I. Sale () ; // ; is missing
}

```

MODEL 5: Theory Questions (Classes)

1. Differentiate between protected and private members of a class in context of Object Oriented Programming. Also give a suitable example illustrating accessibility/non-accessibility of each using a class and an object in C++. (2017)

a)

Private	protected
Implicit Visibility Mode Not accessible to member functions of derived class	Explicit Visibility Mode Accessible to member functions of derived class

Example:

```
class A
{
int X;
protected:
int Y;
public:
void Z( );
};
```

OR

Any other correct example demonstrating difference between private and protected members of a class.

2) What is the difference between the members in private visibility mode and the members in protected visibility mode inside a class? Also, give a suitable C++ code to illustrate both. 2

Ans

Private Visibility: Members in private visibility mode are not accessible to the objects of class (They are only accessible inside the class to the member functions of the class).

Protected Visibility: Members in protected visibility mode of the class are accessible to the member functions of the same as well as that of its derived class.

Example:

```
#include <iostream.h> #include<stdio.h>
const int Max=20;
class Hospital
{
int Pno;
//Members in Private Visibility Mode, accessible
//only to the member functions of same class
protected:
char Name [20];
//Members in Protected Visibility Mode, accessible
//to the member functions of same class as well as
//in member functions of derived class
public:
void Register () {cin>>Pno; gets (Name) ;}
void ShowStatus () {cout<<Pno<<N&me<<WardnO<<endl
; }
};
```

(Members are private by default inside a class Protected visibility must be specified for a member to be declared as protected)

(No difference in accessibility of the members of the two visibility modes inside a class without inheritance)

3) What is the difference between the members in private visibility mode and the members in public visibility mode inside a class? Also, give a suitable C++ code to illustrate both. (2012 Delhi)

A)

Private visibility: Members in private visibility mode are not accessible to the objects of class (They are only accessible inside the class to the member functions of the class).

Public Visibility: Members in public visibility mode of the class are accessible to the objects of the class.

Example:

```
#include <iostream.h>
#include<stdio.h>
const int Max=20;
class Hospital
{int Pno,Wardno;
char Name [20] ;
// Members in Private Visibility Mode,accessible only to the
//member functions of same class
public:
void Register() {cin>>Pno; gets(Neme);cin>>Wardno;}
//Public members can be accessed by Objects of the
//class from outside the class
void ShowStatus(){ cout<<Pno<<Name<<Wardno<<endl;}
};
void main ( )
{
Hospital P1, P2;
P1.Register() ; P2.Register();
P1.Showstatus(); P2.Showstatus();
cin>>P1.Wardno;
//NOT ACCESSIBLE as Wardno a a private member
cin>>P2.Pno;
//NOT ACCESSIBLE as Pno is is a private member
}
```

4) Differentiate between public and private visibility modes in context of Object Oriented Programming using a suitable example illustrating each. (2008D)

Ans:public and private visibility modes in context of OOP:

The visibility mode (private or public or protected) in the definition of the derived class specifies whether the features of the base class are privately derived or publicly derived or protected derived. The visibility modes basically control the access specifier to be for inheritable members of base class, in the derived class.

Public visibility mode: The public derivation means that the derived class can access the public and protected members of the base class but not the private members of the base class. With publicly derived class, the public members of the base class become the public members of the derived class, and the protected members of the base class become the protected members of the derived class.

Private visibility mode: The private derivation means, the derived class can access the public and private members of the base class privately. With privately derived class, the public and protected members of the base class become private members of the derived class. That means the inherited members can be accessed only through member functions of the derived class.

Visibility Mode	Inheritable public member becomes (in derived class)	Inheritable protected member becomes (in derived class)	Private member of base class are not directly accessible to derived class.
public	Public	protected	
private	Private	private	

public and private access specifiers in context of OOP:

public access specifier is used to define any method or a variable which may be accessed by any member function of the same class and also from outside the class. Private access specifier is used to make any variable or a method which has a limited access within the class only. The concept of data hiding is implemented through the private access specifier only.

Eg:

```
class student
{
    private:
        int rno;
        char name[21];
    public:
        int age;
        void input();
        void display();
}
```

Here, since rno and name are declared in private, they can be accessed only inside the class. Since age, input() and display() are declared in public, they can be accessed from outside class also.

5) Differentiate between private and protected visibility modes in context of object oriented programming using a suitable example illustrating each. (2008OD)

Ans: private and protected visibility modes in context of OOP:

The visibility mode (private or public or protected) in the definition of the derived class specifies whether the features of the base class are privately derived or publicly derived or protected derived. The visibility modes basically control the access specifier to be for inheritable members of base class, in the derived class.

Private visibility mode: The private derivation means, the derived class can access the public and private members of the base class privately. With privately derived class, the public and protected members of the base class become private members of the derived class. That means the inherited members can be accessed only through member functions of the derived class.

Protected visibility mode: The protected derivation means that the derived class can access the public and private members of the base class protectedly. With protectedly derived class, the public and protected members of the base class become protected members of the derived class. That means the inherited members are now not available to the outside world and can be accessed only through the member functions of the derived class and the classes based upon the derived classes. These members can be inherited further if any classes are inheriting from the derived class.

Visibility Mode	Inheritable public member becomes (in derived class)	Inheritable protected member becomes (in derived class)	Private member of base class are not directly accessible to derived class.
protected	Protected	protected	
private	Private	private	

private and protected access specifiers in context of OOP:

private access specifier is used to make any variable or a method which has a limited access within the class only.

At the time of inheritance, these variables cannot be accessed (inherited) to the derived class.

protected access specifier is used to make any variable or a method which has a limited access within the class only (here like private). But at the time of inheritance, these variables can be inherited to the derived class.

Except regarding inheritance, both access specifiers ie private and protected will work same.

Eg:

```
class student
{
    private:
        int rno;
        char name[21];
    protected:
        int age;
        void input();
        void display();
}
```

Here, since rno and name are declared in private, they can be accessed only inside the class. Since age, input() and display() are declared in protected, they also can be accessed only inside the class but they can be inherited, where as private members (rno and name) cannot be inherited.

6) Illustrate the use of Inline function in C++ with the help of an example. (2006 OD)

Ans: INLINE FUNCTIONS: The inline functions are a C++ enhancement designed to speed up programs. The coding of normal functions and inline functions is similar except that inline functions definitions start with the keyword inline.

The working of inline functions:

After writing any program, it is first compiled to get an executable code, which consists of a set of machine language instructions. When this executable code is executed, the operating system loads these instructions into the computer's memory, so that each instruction is stored in a specific memory location. Thus, each instruction has a particular memory address.

After loading the executable program in the computer memory, these instructions are executed step by step. When a function call instruction is encountered, the program stores the memory address of the instruction immediately following the function call statement, loads the function being called into the memory, copies argument values, jumps to the memory location of the called function, executes the function code, stores the return value of the function, and then jumps back to the address of the instruction that was saved just before executing the called function.

With inline code, the compiler replaces the function call statement with the function code itself (this

process is called expansion) and then compiles the entire code. Thus, with inline functions, the compiler does not have to jump to another location to execute the function, and then jump back as the code of the called function is already available to the calling program.

Inline functions run a little faster than the normal functions as function calling overheads are saved, however there is a memory penalty. If 10 times an inline function is called, there will be 10 copies of the function inserted into the code.

A function can be declared inline by placing the keyword inline before it. An inline function definition should be placed above all the functions that call it. The functions should be inlined only when they are small. Since for large functions, they will become memory penalty.

The inlining does not work for following situations:

- a. For functions that return values and are having a loop or a switch or a goto.
- b. For functions not returning values, if a return statement exists.
- c. If functions contain static variables.
- d. If the function is recursive(a function that calls itself).

Inlining and the member functions:

The member function of a class, if defined within the class definition, are inlined by default. Therefore, only very small member functions should be defined within the class definition.

The member functions defined outside the class definition can be made explicitly inline by placing the keyword inline before their definition.

Inline functions are best for small functions that are called often. The compiler may even ignore your attempt to inline a function if it consists more than 50 lines of code.

7) What do you understand about a member function? How does a member function differ from an ordinary function? (2002)

Ans: A member function is a function declared within a class. It is said to be defined in two ways. Ie Outside the class and inside the class. When a member function is defined outside the class, the name of the function must be the full name including the class name as well. When a member function is defined inside the class, the name of the function is similar to an ordinary function but it will become an **inline** function.

8) What is a default constructor? How does it differ from destructor? (2006 OD)

a) Default constructor: A constructor that accepts no parameter is called the default constructor. With a default constructor, objects are created just the same way as variables of other data types are created.

```
class X
{
    int i;
public:
    int j, k;
    ----- //Members Functions
    -----
};
Eg: X ob1;
Student s1;
```

If a class has no explicit constructor defined, the compiler will supply a default constructor. This implicitly declared default constructor is an **inline public** members of its class. Declaring a constructor with arguments hides the default constructor.

There can be a default constructor as well as another constructor with arguments for a class, having multiple constructors is called as constructor overloading.

MODEL 6: Theory Questions (Constructors)

1. What is a copy constructor? Illustrate with a suitable C++ example. 2019SP(2)

A copy constructor is an overloaded constructor in which an object of the same class is passed as reference parameter.

```
class X
{
    int a;
public:
    X()
    {
        a=0;
    }
    X(X &ob) //copy constructor
    {
        a=ob.a;
    }
};
```

2. Write any four differences between Constructor and Destructor function with respect to object oriented programming 2019SP2

Constructor	Destructor
Name of the constructor function is same as that of class	Name of the destructor function is same as that of class preceded by ~
Constructor functions are called automatically at the time of creation of the object	Destructor functions are called automatically when the scope of the object gets over
Constructor can be overloaded	Destructor ca not be overloaded
Constructor is used to initialize the data members of the class	Destructor is used to de- initialize the data members of the class

3) What is a copy constructor? Give a suitable example in C++ to illustrate with its definition within a class and a declaration of an object with the help of it. (2015)

A) A copy constructor is an overloaded constructor in which an object of the same class is passed as reference parameter.

```
class Point
{
    int x;
public:
    Point()
    {
        x=0;
    }
    Point(Point &p) // Copy constructor
    {
        x = p.x;
    }
};
void main()
{
    Point p1;
    Point p2(p1); //Copy constructor is called here
                //OR Point p3=p1;
```

}

4) Write any two similarities between constructor and destructor. Write the function headers for constructor and destructor of a class Flight. (2013)

Answer: Similarities:

(i) Constructors and destructors have the name of the class (destructor name will be prefixed by ~), do not have any return type not even void, they will be called automatically.

(ii) Pointers and references cannot be used on constructors and destructors because their addresses cannot be taken.

Example:

```
class Student
{ char name[30];
  float m1,m2,m3;
public:
  Student();           //Constructor for class Student
  ~Student();         //Destructor for class Student
};
```

5) Differentiate between Constructor and Destructor function with respect to Object Oriented Programming.

A) Refer next questions (in 2007) (2011)

4)What is copy constructor?Give ane example in C++ to illustrate copy con-structor. (2009D)

Ans A copy constructor is an overloaded constructor function in which (an) object(s) of the same class is/are passed as a reference parameter(s). It is used when an object's data value is related to or is initialised using another object's data value of the same class. In the example below the values of data members of object Q are dependent on the values of data members of object P and Data members of object R dependent on Q.

```
class Play //Example of Copy Constructor
{ int Count, Number;
public:
  Play(); //constructor
  Play(Play &); //copy constructor
  void Disp();
  void Change(int,int);
};
Play::Play () //constructor
{ Count=0;
  Number=0;
}
Play:: Play (Play &P) //copy constructor
{ Count=P.Count+10;
  Number=P.Number+20;
}
void Play::Disp()
{ cout<<Count;
  cout<<Number<<endl;
}
void Play::Change(int C,int N)
{ Count=C;
  Number=N;
}
void main ()
{ Play P; //Call for constructor
  P.Disp ();
  P.Change(90,80) ;
  Play Q(P); //Copy constructor call
  Q.Disp();
  Play R=Q; //Copy constructor ca11
             [same as P1ay R(Q);]
  R. Disp();
}
```

6) Differentiate between Constructor and Destructor function in context of Classes and Objects Using C++? (2007 D)

Ans: **Constructor:** A constructor is used to initialize the objects of that class type with a legal initial value.If a class has a constructor, each object of that class will be initialized before any use is made of the object.

(A member function with the same name as its class is called Constructor and it is used to initialize the objects of that class type with a legal initial value.)

Destructor: A destructor is used to destroy the objects that have been created by a constructor. A destructor destroys the values of the object being destroyed.

Constructor	Destructor
Purpose: Is used to initialize the objects of that class type with a legal initial value	Purpose: Is used to destroy the objects that have been created by a constructor
Name: The name of the class	Name: The name of the class preceded by a ~.
Calling: It will be called automatically at the time of creation or declaration of the object. Ie Implicite calling	Calling: It is automatically called and executed when scope of an object gets over. Ie Implicite calling
Return Type: No return type not even void ----- Constructor can be overloaded ----- It is defined in public visibility mode	Return Type: No return type not even void ----- Destructors cannot be overloaded ----- It is defined in public visibility mode
Pointers and references cannot be used on constructors and destructors because their addresses cannot be taken.	Pointers and references cannot be used on constructors and destructors because their addresses cannot be taken.
Example: class Area { float l,b,a; public: Area() { l=b=a=0.0; } ----- ----- };	Example: class Area { float l,b,a; public: ----- ----- ~Area() { cout<<"One Object destroyed"; } ----- ----- };

7) Differentiate between a default constructor and copy constructor, giving suitable examples of each.(2005 OD)

Ans: A default constructor also called as non-parameterized constructor will take no argument and initialize the object with the predefined values in that constructor,

Where as a copy constructor will take an already created object of that class and stores that object values into

the newly created object of that class. A copy constructor takes a reference to an object of the same class as an argument.

8) Why is destructor function required in classes?

Illustrate with the function with an example. (2000 D)

Ans: A destructor is a function which de-allocates/frees the memory which was reserved by the constructor.

Eg:

```
class Sample
{
    Int i,j;
Public:
    Sample(int a, int b)          //Constructor
    {   i=a; j=b;   }
    ~Sample()
    {   cout<<"Destructor at work\n";   }
    -----
};
void main( )
{
    Sample s1(3,4); //Local object s1 constructed with values 3
                  // and 4 using Sample ( )
    -----
    ---//Automatically s1 is destructed at the end of the block
    //using destructor ~Sample( )
}
```

Here in the above example the destructor ~Sample() will be automatically executed at the time of destruction of an object, and which is used to de-allocate the memory, before doing it whatever written in the destructor will be executed.

Ie in the above example whenever an object of the class is being destroyed, "Destructor at work" will be displayed.

9) What is a copy constructor? What do you understand by constructor overloading? (1998D)

Ans: copy constructor is a constructor of the form **classname(classname &)**. The compiler will use the copy constructor whenever you initialize an instance using values of another instance of same type.

Eg: Sample S1; //Default constructor used

Sample S2 = S1;//Copy constructor used. Also

//Sample S2(S1);

In the above code, for the second statement, the compiler will copy the instance S1 to S2 member by member. If you have not defined a copy constructor, the compiler automatically, creates it and it is public.

A copy constructor takes a reference to an object of the same class as an argument.

Constructor Overloading:

With same constructor name, having several definitions that are differentiable by the number or types of their arguments(ie Parameterized, non-parameterized and copy constructors) is known as an overloaded constructor and this process is known as constructor overloading.

Constructor overloading implements polymorphism.

An Example using Constructor Overloading:

(It is given in Constructors – Material)

6. INHERITANCE (4 Marks)

IMPORTANT QUESTION WHICH COVERS MORE MODELS

Answer the questions based on the following code:

```
class Student
{ char fname[20];
  float marks;
  int rno;
  int getrno();
protected:
  long admno;
  void sprocess();
public:
  Student();
  void stake();
  void sdisplay();
};
class Teacher:public Student
{ char tname[30];
  float salary;
  int tid;
  void TTest();
protected:
char Tqua[10];
  void Tprocess();
public:
  Teacher();
  void Ttake();
  void Tdisplay();
  ~Teacher();
};
class HM:public Teacher
{ char hmname[25];
  float hmsalary;
  int hmrno();
protected:
  char hmplace[35];
  int noofsubjects;
  void hmprocess();
public:
  HM();
  void hmtake();
  void hmdisplay();
  ~HM();
};
```

a) Which type of inheritance is depicted by above example?

A) Multi level inheritance

b) How many bytes will be required by an object of class Student, Teacher, HM?

A) Student Object – 30, Teacher Object – 66, HM object - 132

c) Write the names of all members accessible from objects of class HM.

A) **Member Functions:** hmtake(), hmdisplay(), Ttake(), Tdisplay(), stake(), sdisplay()

Data Members: NIL

d) Write the names of data members accessible from objects of class HM.

A) **Data Members:** hmname, hmsalary, hmplace, noofsubjects, Tqua, admno;

e) Write the names of member functions accessible from objects of class HM.

Member Functions: hmtake(), hmdisplay(), hmprocess(), hmrno(), Ttake(), Tdisplay(), Tprocess(), Stake(), sdisplay(), sprocess()

f) Write the names of all members accessible from member functions of class HM.

A) **Member Functions:** hmtake(), hmdisplay(), hmprocess(), hmrno(), Ttake(), Tdisplay(), Tprocess(), Stake(), sdisplay(), sprocess()

Data Members: hmname, hmsalary, hmplace, noofsubjects, Tqua, admno;

g) Write the names of data members accessible from member functions of class HM.

h) Write the names of all member functions accessible from member functions of class HM.

i) Write the names of all members which are accessible from objects of class Teacher.

A) **Member functions :** Ttake(), Tdisplay(), stake(), sdisplay()

Data Members: NIL

j) Write the names of members which are accessible from member functions of class Teacher.

A) **Member functions:** Ttake(), Tdisplay(), Tprocess(), TTest(), stake(), sdisplay(), sprocess();

Data Members: Tqua, tname, salary, tid, admno;

k) What is the base class and derived class of 'Teacher'?

A) base class of Teacher – Student

Derived class of Teacher - HM

l) If HM class derived privately from class Teacher, Write the names of all members which are accessible from objects of class HM.

A) **Member Functions:** hmtake(), hmdisplay();

Data Members: NIL

Model 1

1. Answer the questions (i) to (iv) based on the following: **2019SP4**

class Faculty

```
{
  int FCode;
protected:
  char FName[20];
public:
  Faculty();
  void Enter();
  void Show();
};
```

class Programme

```
{
  int PID;
protected:
  char Title[30];
public:
  Programme();
  void Commence();
  void View();
};
```

class Schedule: public Programme, Faculty

```
{
  int DD,MM,YYYY;
public:
  Schedule();
  void Start();
  void View();
};
void main()
```

```
{
Schedule S; //Statement 1
_____ //Statement 2
}
```

(i) Write the names of all the member functions, which are directly accessible by the object S of class Schedule as declared in main() function.

Ans:

```
Start(), Schedule::View(), Commence(),
Programme::View()
```

(ii) Write the names of all the members, which are directly accessible by the memberfunction Start() of class Schedule.

Ans:

```
DD,MM,YYYY, Schedule::View()
Title, Commence(), Programme::View()
Fname, Enter(), Show()
```

(iii) Write Statement 2 to call function View() of class Programme from the object S of class Schedule.

Ans:

```
S.Programme::View();
```

(iv) What will be the order of execution of the constructors, when the object S of class Schedule is declared inside main()?

Ans:

```
Programme(), Faculty(), Schedule()
```

2) Answer the questions (i) to (iv) based on the following: (2018)

```
class Teacher
{   int TCode;
protected:
    char Name[20];
public:
    Teacher();
    void Enter();
    void show();
};
class Course
{
    int ID;
protected:
    char Title[30];
public:
    Course();
    void Initiate();
    void Display();
};
class Schedule: public Course, private Teacher
{   int DD,MM,YYYY;
public:
    Schedule();
    void Start();
    void View();
};
void main( )
{   Schedule S;
}
```

(i) Which type of Inheritance out of the following is illustrated in the above Example?

Single Level Inheritance, Multilevel Inheritance, Multiple Inheritance.

A) Multiple Inheritance

ii) Write the names of all the members, which are directly accessible by the member function View() of class Schedule.

A) **Data members:** DD,MM,YYYY,Title,Name

Member functions: Start(), Initiate(), Display(), Enter(), Show();

iii) Write the names of all the members, which are directly accessible by the object S of class Schedule declared in the main() function.

A) **Data Members:** Nil

Member Functions: Start(), View(), Initiate(), Display();

iv) What will be the order of execution of the constructors, when the object S of class Schedule is declared inside the main() function ?

A) Course(), Teacher(), Schedule()

3) Answer the questions (i) to (iv) based on the following: (2017)

```
class First
{
int X1;
protected:
float X2;
public:
First();
void Enter1(); void Display1();
};
class Second : private First
{
int Y1;
protected:
float Y2;
public:
Second();
void Enter2();
void Display();
};
class Third : public Second
{
int Z1;
public:
Third();
void Enter3();
void Display();
};
void main()
{
Third T; //Statement 1
_____;//Statement 2
}
```

(i) Which type of Inheritance out of the following is illustrated in the above example?

Single Level Inheritance, Multilevel Inheritance, Multiple Inheritance

A) Multilevel Inheritance

ii) Write the names of all the member functions, which are directly accessible by the object T of class Third as declared in main() function.

A) Enter2(), Display() of class Second
Enter3(), Display() of class Third

OR

Enter2()

Second::Display()

Enter3()

Display() OR Third::Display()

iii) Write Statement 2 to call function Display() of class Second from the object T of class Third.

A) T.Second::Display();

iv) What will be the order of execution of the constructors, when the object T of class Third is declared inside main()?

A) First, Second, Third

4) Answer the questions (i) to (iv) based on the following:

class indoor_sports (2017 MP)

```
{
int i_id;
char i_name[20];
char i_coach[20];
protected:
int i_rank,i_fee;
void get_ifee();
public:
indoor_sports();
void iEntry();
void ishow();
};
class outdoor_sports
{
int o_id;
char o_name[20];
char o_coach[20];
protected:
int orank,ofee;
void get_ofee();
public:
outdoor_sports();
void oEntry();
void oshow();
};
class sports:public indoor_sports,protected
outdoor_sports
{
char rules[20];
public:
sports();
void registration();
void showdata();
};
```

(i) Name the type of inheritance illustrated in the above C++ code.

Ans. Multiple Inheritance

(ii) Write the names of all the members, which are accessible from the objects belonging to class outdoor_sports.

Ans Data Members: None

Member Functions: oEntry(), oShow()

(Note: No marks to be awarded for any partial or additional answer(s))

(iii) Write the names of all the member functions, which are accessible from the member function of class sports.

Ans registration(), showdata(), oEntry(), oShow(), get_ofee(), iEntry(), iShow(), get_ifee()

(iv) What will be the size of the object belonging to class indoor_sports?

Ans 46 Bytes

5) Answer the questions (i) to (iv) based on the following:

class ITEM (2016)

```
{
int Id;
char IName[20];
protected:
float Qty;
public:
ITEM();
void Enter(); void View();
};
class TRADER
{
int DCode;
protected:
char Manager[20];
public:
TRADER();
void Enter();
void View();
};
class SALEPOINT : public ITEM,private TRADER
{
char Name[20],Location[20];
public :
SALEPOINT();
void EnterAll();
void ViewAll();
};
```

(i) Which type of Inheritance out of the following is illustrated in the above example?

- Single Level Inheritance
- Multi Level Inheritance
- Multiple Inheritance

Ans Multiple Inheritance

(ii) Write the names of all the data members, which are directly accessible from the member functions of class SALEPOINT.

Ans Name, Location, Manager, Qty

(iii) Write the names of all the member functions, which are directly accessible by an object of class SALEPOINT.

Ans EnterAll(), ViewAll(), Enter(), View()

(iv) What will be the order of execution of the constructors, when an object of class SALEPOINT is declared?

Ans (i) ITEM() (ii) TRADER() (iii) SALEPOINT()

6) Answer the questions (i) to (iv) based on the following: 2015

```
class Interior
{
int OrderId;
char Address[20];
protected:
```

```
float Advance;
public:
Interior();
void Book(); void View();
};
class Painting:public Interior
{
int WallArea,ColorCode;
protected:
char Type;
public:
Painting();
void PBook();
void PView();
};
class Billing:public Painting
{
float Charges;
void Calculate();
public:
Billing();
void Bill();
void BillPrint();
};
```

(i) Which type of Inheritance out of the following is illustrated in the above example?

- Single Level Inheritance
- Multi Level Inheritance
- Multiple Inheritance

Ans Multi Level Inheritance

(ii) Write the names of all the data members, which are directly accessible from the member functions of class Painting.

Ans WallArea, ColorCode, Type, Advance

(iii) Write the names of all the member functions, which are directly accessible from an object of class Billing.

Ans Bill(), BillPrint(), PBook(), PView(), Book(), View()

• *Constructors can be ignored*

(iv) What will be the order of execution of the constructors,

when an object of class Billing is declared?

Ans Interior, Painting, Billing

7) Consider the following C++ code and answer the question from (i) to (iv).(2014)

```
class University
{ long Id;
char City[20];
protected:
char Country[20];
public:
University();
void Register();
void Display();
};
class Department: private University
{
long DCode[10];
char HOD[20];
double Budget;
public:
Department();
void Enter();
void Show();
};
```

```
class Student:public Department
{ long RollNo;
char Name[20];
public:
Student();
void Enroll();
void View();
};
```

(i) Which type of inheritance is shown in the above example?

A) Multi-level inheritance is shown in the above example.

(ii) Write the names of those member functions, which are directly accessed from the objects of class Student;

A)Member functions: void Enroll(); void View(); void Enter();void Show();

(iii) Write the names of those data members, which can be directly accessible from the member functions of class student.

A)Data Members: long Rollno;char Name[20];double Budget;

(iv) Is it possible to directly call function Display() of class university from an object of class Department?

(Answer as YES or NO).

A) No, it is not possible because Display() function of Campus becomes private for the object of Department class.

8) Consider the following C++ code and answer the questions from (i) to (iv). (2013)

```
class Personal
{
int Class, Rno;
char Section;
protected:
char Name[20];
public:
Personal();
void pentry();
void Pdisplay();
};
class Marks: private Personal
{
float M[5];
protected:
char Grade[5];
public:
Marks();
void Mentry();
void Mdisplay();
};
class Result:public Marks
{
float Total,Avg;
public:
char FinalGrade,comments[20];
Result();
void Rcalculate();
void Rdisplay();
};
```

(i) Which type of inheritance is shown in the above example.

A) Multilevel Inheritance

(ii) Write the names of those data members, which can be directly accessed from the objects of class Result.

A)FinalGrade, comments

(iii) Write the names of those member functions which can be directly accessed from the objects of class Result.

A) Rcalculate(); Rdisplay(), Mentry(), Mdisplay();

(iv) Write names of those data members, which can be directly accessed from the Mentry() function of class Marks.

A) Name[20], M[5], Grade[5];

9) Answer the questions (i) to (iv) based on the following:

```
class COMPANY
```

```
(2012)
```

```
{
char Location[20];
double Budget, Income;
protected:
void Accounts();
public:
COMPANY();
void Register();
void Show();
};
```

```
class FACTORY:public COMPANY
```

```
{
char Location[20];
int Workers;
protected:
double Salary;
void Computer();
public:
FACTORY();
void Enter();
void Show();
};
```

```
class SHOP:private COMPANY
```

```
{
char Location[20];
float Area;
double Sale;
public:
SHOP(); void Input(); void Output();
};
```

(i) Name the type of inheritance illustrated in the above C++ code.

Ans Hierarchical Inheritance

(ii) Write the name of data members, which are accessible from memberfunctions of class SHOP.

Ans Location, Area, Sale

(iii) Write the names of all the member functions, which are accessible from objects belonging to class FACTORY.

Ans Enter(), FACTORY::Show(), Register(),

COMPANY::Show()

OR

Enter(), Show(), Register() // Show function may be present twice

OR

Enter, Show, Register

(iv) Write the names of all the members, which are accessible from objects

of class SHOP

Ans Input(), Output()

10) Answer the questions (i) to (iv) based on the following:

```
class Student
```

(2011)

```
{
```

```
int RollNo;
```

```
char SName[20];
```

```
float Marks1;
```

```
protected:
```

```
void Result();
```

```
public:
```

```
Student();
```

```
void Enroll(); void Display();
```

```
};
```

```
class Teacher
```

```
{
```

```
long TCode;
```

```
char TName [20];
```

```
protected:
```

```
float Salary;
```

```
public:
```

```
Teacher();
```

```
void Enter();
```

```
void Show();
```

```
};
```

```
class Course: public Student, private Teacher
```

```
{
```

```
long CCode [10]; char CourseName [50];
```

```
char StartDate [8] , EndDate [8];
```

```
public:
```

```
Course();
```

```
void Commence();
```

```
void CDetail();
```

```
};
```

(i) Write the names of member functions, which are accessible from objects of class Course

Ans Commence(), CDetail(), Enroll(), Display()

Note:

No marks to be awarded for a partially correct answer

Constructor functions to be ignored

ii) Write the names of all the data members, which is/are accessible from memberfunction Commence of class Course

Ans CCode, CourseName, StartDate, EndDate, Salary

iii) Write the names of all the members, which are accessible from objects of class Teacher.

Ans Enter(), Show()

iv) Which type of Inheritance is illustrated in the above C++ code?

Ans Multiple Inheritance

11) Answer the questions (i) to (iv) based on the following: (2010 D)

class Chairperson

```
{ long CID; //Chairperson Identification Number
char CName[20];
```

```
protected:
```

```
char Description [40];
```

```
void Allocate();
```

```
public:
```

```
Chairperson();
```

```
void Assign();
```

```
void Show();
```

```
};
```

```
class Director
```

```
{
```

```
int DID; //Director ID
```

```
char Dname[20];
```

```
protected:
```

```
char Profile[30];
```

```
public:
```

```

Director();
void Input();
void output();
};

```

class Company:private Chairperson, publicDirector

```

{ int CID; //Company ID
char City[20], Country[20];

```

public:

```

Company();
void Enter();
void Display();
};

```

(i) Which type of inheritance out of the following is specifically is illustrated in the above C++ code?

- (a) Single Level Inheritance
- (b) Multi Level Inheritance
- (c) Multiple Inheritance

Ans.

(c) Multiple Inheritance

(ii) Write the names of data members, which are accessible by objects of class type Company.

Ans None

(iii) Write the names of all member functions, which are accessible by objects of class type Company.

Ans. Enter(), Display(), Input(), output()

(iv) Write the names of all members, which are accessible from member functions of class Director.

Ans. Input(), output(), Profile, Dname, DID

12) Answer the questions (i) to (iv) based on the following: (2010 OD)

class Director

```

{ long DID; //Director Identification Number
char Name[20];

```

protected:

```

char Description[40];
void Allocate ();

```

public:

```

Director();
void Assign ();
void Show ();
};

```

class Factory:public Director

```

{
int FID; //Factory ID
char Address[20];

```

protected:

```

int NOE; //No. of Employees

```

public:

```

Factory();
void Input ();
void Output ();
};

```

class ShowRoom:private Factory

```

{
int SID; //Showroom ID
char City[20];

```

public:

```

ShowRoom();
void Enter ();
void Display ();
};

```

(i) Which type of inheritance out of the following is illustrated in the above C++ code?

- (a) Single Level Inheritance
- (b) Multi Level Inheritance
- (c) Multiple Inheritance

Ans.

(b) Multilevel Inheritance

(ii) Write the names of data members, which are accessible by objects of class type ShowRoom.

Ans.None

(iii) Write the names of all member functions which are accessible by objects of class type ShowRoom.

Ans. Enter(), Display()

(iv) Write the names of all members, which are accessible from member functions of class Factory.

Ans. FID, Address, NOE, Description, Input(), Output(), Assign(), Show(), Allocate()

13) Answer the questions (i) to (iv) based on the following: (2009 D)

class FaceToFace

```

{ char CenterCode [10];

```

public:

```

void Input ();
void Output ();
};

```

class Online

```

{ char website [50];

```

public:

```

void SiteIn ();
void SiteOut ();
};

```

class Training: public FaceToFace, private Online

```

{ long Tcode;
float charge;
int period;

```

public:

```

void Register ();
void Show ();
};

```

(i) Which type of Inheritance is shown in the above example?

Ans Multiple Inheritance

(ii) Write names of all the member functions accessible from Show() function of class Training.

Ans

```

Register()
SiteIn(). SiteOut().
Input(), Output()

```

(iii) Write name of all the members accessible through an object of class Training.

Ans Register(), Show(), Input(), Output()

(iv) Is the function Output() accessible inside the function SiteOut()? Justify your answer.

Ans

No, function Output() is not accessible inside the function SiteOut(), because Output() is a member of class FaceToFace and SiteOut() is a member of class Online. and the classes FaceToFace and Online are two independent classes.

14) Answer the questions (i) to (iv) based on the following: (2009 OD)

class Regular

```

{ char SchoolCode[10];

```

public:

```

void InRegular ();

```

```

void OutRegular( );
};
class Distance
{ char StudyCentreCode [5] ;
public:
void InDistance( );
void OutDistance( );
};

```

class Course: public Regular, private Distance

```

{ char Code [ 5] ;
float Fees;
int Duration;
public:
void InCourse( );
void OutCourse( );
};

```

(i) Which type of Inheritance is shown in the above example?

Ans Multiple Inheritance

(ii) Write names of all the member functions accessible from OutCourse function of class Course.

Ans

```

InCourse( ), InDistance( ), OutDistance( ),
InRegular( ), OutRegular( )

```

(iii) Write name of all the ..members accessible through an object of class Course.

Ans InCourse(), OutCourse(), InRegular(), OutRegular()

(iv) Is the function InRegular() accessible inside the function InDistance()? Justify your answer.

Ans. No, function InRegular() is not accessible inside the function InDistance(), because InRegular() is a member of class Regular and InDistance() is a member of class Distance, and the classes Regular and Distance are two independent classes.

15) Answer the questions (i) to(iv) based on the following code : (2008 D)

```

class Dolls
{ char Dcode[5];
protected:
float Price;
void CalcPrice(float);
public:
Dolls();
void DInput();
void DShow();
};
class SoftDolls:public Dolls
{ char SDName[20];
float Weight;
public:
SoftDolls();
void SDInput();
void DShow();
};
class ElectronicDolls:public Dolls
{ char EDName[20];
char BatteryType[10];
int Batteries;
public:
ElectronicDolls();
void EDInput();
void EDShow();
};

```

(i)Which type of Inheritance is shown in the above example?

Ans: Hierarchical Inheritance.

Since the sub classes are derived from a single base class(Dolls).

(ii)How many bytes will be required by an object of the class ElectronicDolls ?

Ans: 41 Bytes

(Explonation: The memory will be reserved as follows:

```

char Dcode[5]; //5 Bytes
float Price; //4 Bytes
char EDName[20]; //20 Bytes
char BatteryType[10]; //10 Bytes
int Batteries; //2 Bytes Total = 41 Bytes )

```

iii)Write name of all data members accessible from member function of the class SoftDolls.

Ans: Dolls::Price,
SoftDolls:: SDName,
SoftDolls::Weight

(iv)Write name of member functions accessible an object of the class ElectronicDolls?

Ans: ElectronicDolls::EDInput(),
ElectronicDolls::EDShow(),
Dolls::DInput(),
Dolls::DShow()

16) Answer the questions (i) to(iv) based on the following code : (2008 OD)

```

class Toys
{ char Tcode[5];
protected:
float Price;
void Assign(float);
public:
Toys();
void Tentry();
void Tdisplay();
};
class SoftToys:public Toys
{ char STName[20];
float Weight;
public:
SoftToys();
void STentry();
void STDisplay();
};
class ElectronicToys:public Toys
{ char ETName[20];
int No_of_Batteries;
public:
ElectronicToys();
void ETEntry();
void ETDisplay();
};

```

(i)Which type of Inheritance is shown in the above example?

Ans: Hierarchical Inheritance.

Since the sub classes are derived from a single base class(Dolls).

(ii)How many bytes will be required by an object of the class SoftToys ?

Ans: 33 Bytes

(Explonation: The memory will be reserved as follows:

```

char Tcode[5]; //5 Bytes
float Price; //4 Bytes
char STName[20]; //20 Bytes

```

float Weight; // 4 Bytes Total =
33 Bytes)

(iii) Write name of all data members accessible from member function of the class SoftToys.

Ans: Toys::Price,
SoftToys::STName,
SoftToys::Weight

(iv) Write name of member functions accessible an object of the class ElectronicToys ?

Ans: ElectronicToys::ETEntry(),
ElectronicToys::ETDisplay(),
Toys::TEntry(),
Toys::TDisplay()

17) Answer the questions (i) to(iv) based on the following code: (2007 D)

```
class Trainer
{ char TNo[5],Tname[20],specialization[10];
  int Days;
protected :
  float Remuneratoin;
  void AssignRem(float);
public:
  Trainer();
  void TEntry();
  void TDisplay();
};
class Learner
{
char Regno[10],LName[20],Program[10];
protected:
  int Attendance,grade;
public:
  Learner();
  void LEntry();
  void LDisplay();
};
class Institute:public Learner,public Trainer
{ char ICode[10],IName[20];
public:
  Institute();
  void IEntry();
  void IDisplay();
};
```

(i) Which type of inheritance is depicted by above example ?

Ans: Multiple Inheritance.

Since here the class Institute is deriving from the classes Learner and Trainer.

(ii) Identify the member function(s) that cannot be called directly from the objects of class Institute from the following

TEntry() LDisplay() IEntry()

Ans: All the above 3 member functions can be called directly from the objects of class Institute.

(iii) Write name of all member(s) accessible from member functions of class institute.

Ans: Data Members – Trainer::Remuneration,
Learner::Attendance,
Learner::Grade,
Institute::ICode,
Institute::IName

Member functions – Trianer::AssignRem(),
Trainer::TEntry(),
Trainer::TDisplay(),
Learner::LEntry(),
Learner::LDisplay(),

Institute::IEntry() (LDisplay can call IEntry())
Institute::LDisplay() (IEntry can call LDisplay())

(iv) If class institute was derived privately from class Learner and privately from class Trainer, then name the member function(s) that could be accessed through Objects of class Institute.

Ans: Institute::IEntry(),
Institute::IDisplay(),

18) Answer the questions (i) to(iv) based on the following code: (2007 OD)

```
class Teacher
{ char TNo[5],Tname[20],Dept[10];
  int Workload;
protected :
  float Salary;
  void AssignSal(float);
public:
  Teacher();
  void TEntry();
  void TDisplay();
};
class Student
{ char
  Admno[10],SName[20],Stream[10];
protected:
  int Attendance,Totmarks;
public:
  Student();
  void SEntry();
  void SDisplay();
};
```

class School:public Student,public Teacher

```
{ char SCode[10],SName[20];
public:
  School();
  void SchEntry();
  void SchDisplay();
};
```

(i) Which type of inheritance is depicted by above example?

Ans: Multiple Inheritance.

(ii) Identify the member function(s) that cannot be called directly from the objects of class School from the following

TEntry()
SDisplay()
SchEntry()

Ans: All the above three member function(s) can be called from the objects of class School.

(iii) Write name of all member(s) accessible from member functions of class School.

Ans: Data Members : Teacher::Salary
Student::Attendance
Student::Totmarks
School::SCode
School::SName

Member Funcions:Teacher::AssignSal()
Teacher::TEntry()
Teacher::TDisplay()
Student::SEntry()
Student::SDisplay()
School::SchEntry()
School::SchDisplay()

(iv) If class School was derived privately from class Learner and privately from class Trainer, then name the

member function(s) that could be accessed through Objects of class School.

Ans: School::SChEntry()
School::SChDisplay()

19) Answer the questions (i) to (iv) based on the following code. (2006 D)

```
class stationary
{
    char Type;
    char Manufacture[10];
public:
    stationary();
    void Read_sta_details();
    void Disp_sta_details();
};
class office:public stationary
{
    int no_of_types;
    float cost_of_sta;
public:
    void Read_off_details();
    void Disp_off_details();
};
class printer:private office
{
    int no_of_users;
    char delivery_date[10];
public:
    void Read_pri_details();
    void Disp_pri_details();
};
void main()
{
    printer MyPrinter;
}
```

(i) Mention the member names which are accessible by MyPrinter declared in main() function.

Ans: printer::Read_pri_details();
printer::Disp_pri_details();

(ii) What is the size of MyPrinter in bytes?

Ans: 29 Bytes

(iii) Mention the names of functions accessible from the member function Read_pri_details() of class printer.

Ans: stationary::Read_sta_details()
stationary::Disp_sta_details()
office::Read_off_details()
office::Disp_off_details()
printer::Disp_pri_details()

20) Answer the questions (i) to (iv) based on the following code: (2006 OD)

```
class furniture
{
    char Type;
    char Mode[10];
public:
    furniture();
    void Read_fur_details();
    void Disp_fur_details();
};
class sofa:public furniture
{
    int no_of_seats;
    float cost_sofa;
public:
    void Read_sofa_details();
    void Disp_sofa_details();
};
class office:public sofa
{
    int no_of_pieces;
    char delivery_date[10];
public:
    void Read_office_details();
```

```
void Didp_office_details();
};
void main()
{
    office MyFurniture;
}
```

(i) Mention the member names which are accessible by MyFurniture declared in main() function.

Ans:

Data Members: No data member can be called from MyFurniture object.

Member Functions:

```
Furniture::Read_fur_details()
Furniture::Disp_fur_details()
Sofa::Read_sofa_details()
Sofa::Disp_sofa_details()
Office::Read_office_details()
Office::Didp_office_details()
```

(ii) What is the size of MyFurniture in bytes?

Ans: 29 Bytes

(iii) Mention the names of functions accessible from the member function Read_office_details() of class office.

Ans:

```
Furniture::Read_fur_details()
Furniture::Disp_fur_details()
Sofa::Read_sofa_details()
Sofa::Disp_sofa_details()
Office::Disp_office_details()
```

21) Answer the questions (i) to (iv) based on the following code: (2005 D)

```
class Medicine
{
    char Category[10];
    char Date_of_manufacture[10];
    char Company[20];
public:
    Medicine();
    void entermedicinedetails();
    void showmedicinedetails();
};
class capsule:public Medicine
{
protected:
    char capsule_name[30];
    char volume_label[20];
public:
    float Price;
    capsules();
    void entercapsuledetails();
    void showcapsuledetails();
};
class Antibiotics:public Capsule
{
    int Dosage_units;
    char side_effects[20];
    int Use_within_days;
public:
    Antibiotics();
    void enterdetails();
    void showdetails();
};
```

(i) How many bytes will be required by an object of class Medicines and an object of class Antibiotics respectively?

Ans: Medicine – 40 Bytes
Antibiotics Object – 118 Bytes

(ii) Write the names of all the member functions accessible from the object of class Antibiotics.

Ans:

```
Medicine::entermedicinedetails()
Medicine::showmedicinedetails()
Capsules::entercapsuledetails()
Capsules::showcapsuledetails()
Antibiotics::enterdetails()
Antibiotics::showdetails()
```

(iii) Write the names of all the members accessible from member functions of class capsules.

Ans: Data Members:

```
Capsule::capsule_name[30]
Capsule::volume_lable[20]
Capsule::Price
```

Member Functions:

```
Medicine::entermedicinedetails()
Medicine::showmedicinedetails()
Capsule::entercapsuledetails()
Capsule::showcapsuledetails()
```

(iv) Write names of all the data members which are accessible from objects of class antibiotics.

Data members:

```
Capsule::Price
```

22) Answer the questions (i) to(iv) based on the following code:

(2005 OD)

```
class Drug
{   char Category[10];
    char Date_of_manufacture[10];
    char Company[20];
public:
    Medicines();
    void enterdrugdetails();
    void showdrugdetails();
};
class tablet:public Drug
{
protected:
    char tablet_name[30];
    char volume_lable[20];
public:
    float Price;
    Tablet();
    void entertabletdetails();
    void showtabletdetails();
};
class PainReliever:public Tablet
{   int Dosage_units;
    char side_effects[20];
    int Use_within_days;
public:
    PainReliever();
    void enterdetails();
    void showdetails();
};
```

(i) How many bytes will be required by an object of class Drug and an object of class PainReliever respectively?

Ans: Drug Object - 40 Bytes

Pain Reliever – 118 Bytes

(ii) Write the names of all the member functions accessible from the object of class PainReliever.

Ans: Drug::enterdrugdetails()
Drug::void showdrugdetails()
Tablet::entertabletdetails()
Tablet::showtabletdetails()
PainReliever::enterdetails()
PainReliever::showdetails()

(iii) Write the names of all the members accessible from member functions of class Tablet.

Ans: Data Members:

```
Tablet::tablet_name[30];
Tablet::volume_lable[20];
Tablet::Price;
```

Member Functions:

```
Drug::enterdrugdetails()
Drug::showdrugdetails()
Tablet::entertabletdetails()
Tablet::showtabletdetails()
```

(iv) Write names of all the data members which are accessible from objects of class PainReliever.

Ans: Data Members: Tablet::Price

23) Given the following definitions answer the following: (2004 D)

```
class livingbeing
{   char specification[20];
    int average;
public:
    void read();
    void show();
};
class ape: private livingbeing
{   int no_of_organs,no_of_bones;
protected:
    int iq_level;
public:
    void readape();
    void showape();
};
class human:public ape
{   char race[20];
    char habitation[30];
public:
    void readhuman();
};
```

(i) Name the members, which can be accessed from the member functions of class human.

Ans: Data Members - ape::iq_level

human::race

human::habitation

Member Function – ape::readape()

ape::showape()

(ii) Name the members, which can be accessed by an object of class human.

Ans: Data Members - No data members can be accessed.

Member Functions: ape::readape();

ape::showape();

human::readhuman();

(iii) What will be the size of an object of the (in bytes) of class human?

Ans: 78 Bytes.

24) Consider the following and answer the questions given below. (2003 D)

```
class MNC
{   char Cname[25];    //Company name
protected:
    char Hoffice[25]; //Head office
public:
    MNC();
    char Country[25];
    void EnterData();
    void DisplayData();
```

```

};
class Branch:public MNC
{ long NOE; //Number of Employees
  char Ctry[25]; //Country
protected:
  void Association( );
public:
  Branch( );
  void Add( );
  void Show( );
};
class Outlet:public Branch
{ char State[25];
public:
  Outlet( );
  void Enter( );
  void Output( );
};

```

Ans:

i) Which class constructor can be called first at the time of declaration of an object of class Outlet?

Ans: MNC class constructor can be called first at the time of declaration of an object of class Outlet.

(When an object of the derived class is declared, in order to create it, firstly the constructor of the base class is invoked and then, the constructor of the derived class is invoked. On the other hand, when an object of the derived class is destroyed, first the destructor of the derived class is invoked followed by the destructor of the base class).

ii) How many bytes does an object belonging to class Outlet require?

Ans: 133 Bytes

iii) Name the member function(s) which are accessed from the object(s) of class Outlet.

Ans: Outlet::Enter()
Outlet::Output()
MNC::EnterData()
MNC::DisplayData()
Branch::Add()
Branch::Show()

iv) Name the data member(s), which are accessible from the object(s) of class Branch.

Ans: MNC::Country

25) Consider the following and answer the questions given below: (2000 D)

```

class School
{ int A;
protected:
  int B,C;
public:
  void INPUT(int);
  void OUTPUT();
};
class Dept:protected School
{ int X,Y;
protected:
  void IN(int,int)
public:
  void OUT();
};
class Teacher:public Dept
{ int P;
  void DISPLAY(void);
public:
  void ENTER();

```

```

};
(i) Name the base class and derived class of the class Dept.

```

Ans: Base class of Dept - School
Derived class of Dept - Teacher

(ii) Name the data member(s) that can be accessed from function OUT().

Ans: Dept::X Dept::Y
School::B
School::C

(iii) Name the private member function(s) of class Teacher.

Ans: Teacher::Display()

(iv) Is the member function OUT() accessible to the objects of Dept?

Ans: Yes. Since it is public member function.

26) Consider the following declarations and answer the questions below: (1999 D)

```

class vehicle
{ int wheels;
protected:
  int passenger;
  void inputdata(int,int);
  void outputdata();
};
class heavy_vehicle:protected vehicle
{ int diesel_petrol;
protected:
  int load;
public:
  void readdata(int,int);
  void writedata();
};
class bus:private heavy_vehicle
{
  char make[20];
public:
  void fetchdata(char);
  void displaydata();
};

```

(i) Name the base class and derived class of the class heavy_vehicle.

Ans: Base class of heavy_vehicle - vehicle
Derived class of heavy_vehicle - bus

(ii) Name the data member(s) that can be accessed from function displaydata.

Ans: bus::make
heavy_vehicle::load
vehicle::passenger

(iii) Name the data member(s) that can be accessed by an object of bus class.

Ans: No data member can be accessed by an object of bus class.

(iv) Is the member function outputdata accessible to the objects of heavy_vehicle class?

Ans: No.

27) Consider the following declarations and answer the questions below: (1998 D)

```

class PPP
{ int H;
protected:
  int S;
public:
  void INPUT(int);
  void OUT();

```

```

};
class QQQ:private PPP
{ int T;
protected:
int U;
public:
void INDATA(int,int);
void OUTPUT();
};
class RRR:public QQQ
{ int M;
public:
void DISP(void);
};

```

(i) Name the base class and derived class of the class QQQ.

Ans: Base class of QQQ – PPP
Derived class of QQQ – RRR

(ii) Name the data member(s) that can be accessed from function DISP().

Ans: QQQ::U, RRR::M

(iii) Name the member function(s), which can be accessed from the object of class RRR.

Ans: QQQ::INDATA() QQQ::OUTPUT()
RRR::DISP()

(iv) Is the member function OUT() accessible by the objects of the class QQQ? **Ans:** No.

28) Answer the questions (i) to (iv) based on the following: (2008-09 MP1)

```

class PUBLISHER
{ char Pub[12];
double Turnover;
protected:
void Register();
public:
PUBLISHER();
void Enter();
void Display();
};

```

```

class BRANCH
{ char CITY[20];
protected:
float Employees;
public:
BRANCH();
void Haveit();
void Giveit();
};

```

```

class AUTHOR:private BRANCH,public
PUBLISHER

```

```

{int Acode;
char Aname[20];
float Amount;
public:
AUTHOR();
void Start();
void Show();
};

```

(i) Write the names of data members, which are accessible from objects belonging to class AUTHOR.

(ii) Write the names of all the member functions, which are accessible from objects belonging to class BRANCH.

(iii) Write the names of all the members which are accessible from member functions of class AUTHOR.

(iv) How many bytes will be required by an object belonging to class AUTHOR?

Answer:

(i) None of data members are accessible from objects belonging to class AUTHOR.

(ii) Haveit(), Giveit()

(iii) Data members: Employee, Acode, Aname, Amount

Member function: Register(), Enter(), Display(), Haveit(), Giveit(), Start(), Show(),

(iv) 70

29) Answer the questions (i) to (iv) based on the following: (2008-09 MP2)

```

class CUSTOMER
{ int Cust_no;
char Cust_Name[20];
protected:
void Register();
public:
CUSTOMER();
void Status();
};

```

```

class SALESMAN
{int Salesman_no;
char Salesman_Name[20];
protected:
float Salary;
public:
SALESMAN();
void Enter();
void Show();
};

```

```

class SHOP : private CUSTOMER , public
SALESMAN
{char Voucher_No[10];
char Sales_Date[8];
public:
SHOP();
void Sales_Entry();
void Sales_Detail();
};

```

(i) Write the names of data members which are accessible from objects belonging to class CUSTOMER.
Ans: None of data members are accessible from objects belonging to class CUSTOMER.

(ii) Write the names of all the member functions which are accessible from objects belonging to class SALESMAN.
Ans: Enter(), Show()

(iii) Write the names of all the members which are accessible from member functions of class SHOP.
Ans: Data members: Voucher_No, Sales_Date, Salary

Member functions: Sales_Entry(), Sales_Details(), Enter(), Show(), Register(), Status().

(iv) How many bytes will be required by an object belonging to class SHOP?

Answer: 66

30) Answer the questions (i) to (iv) based on the following: (2009-10 MP1)

```

class PUBLISHER

```

```

{ char Pub[12];
  double Turnover;
protected:
  void Register();
public:
  PUBLISHER();
  void Enter();
  void Display();
};

```

```

class BRANCH
{ char CITY[20];

```

```

protected:
  float Employees;

```

```

public:
  BRANCH();
  void Haveit();
  void Giveit();
};

```

```

class AUTHOR : private BRANCH , public PUBLISHER

```

```

{ int Acode;
  char Aname[20];
  float Amount;

```

```

public:
  AUTHOR();
  void Start();
  void Show();
};

```

(i) Write the names of data members, which are accessible from objects belonging to class AUTHOR.

Ans) None of data members are accessible from objects belonging to class AUTHOR.

(ii) Write the names of all the member functions which are accessible from objects belonging to class BRANCH.

Ans) Haveit(), Giveit()

(iii) Write the names of all the members which are accessible from member functions of class AUTHOR.

Ans) Data members: Employees, Acode, Aname, Amount

Member function: Register(), Enter(), Display(), Haveit(), Giveit(), Start(), Show(),

(iv) How many bytes will be required by an object belonging to class AUTHOR?

Ans) 70

31) Answer the questions (i) to (iv) based on the following: (2009-10 MP2)

```

class CUSTOMER

```

```

{ int Cust_no;
  char Cust_Name[20];

```

```

protected:
  void Register();

```

```

public:
  CUSTOMER();
  void Status();
};

```

```

class SALESMAN

```

```

{ int Salesman_no;
  char Salesman_Name[20];

```

```

protected:
  float Salary;

```

```

public:
  SALESMAN();
  void Enter();
  void Show();
};

```

```

};
class SHOP : private CUSTOMER , public SALESMAN

```

```

{ char Voucher_No[10];
  char Sales_Date[8];

```

```

public:
  SHOP();
  void Sales_Entry();
  void Sales_Detail();
};

```

(i) Write the names of data members which are accessible from objects belonging to class CUSTOMER.

Ans) None of data members are accessible from objects belonging to class AUTHOR.

(ii) Write the names of all the member functions which are accessible from objects belonging to class SALESMAN.

Ans) Enter(), Show()

(iii) Write the names of all the members which are accessible from member functions of class SHOP.

Ans) Data members: Voucher_No, Sales_Date, Salary

Member function : Sales_Entry(), Sales_Detail(), Enter(), Show(), Register(), Status()

(iv) How many bytes will be required by an object belonging to class SHOP?

Ans) 66

MODEL 1B)

Consider the following class State : 2019SP4

```

class State
{
protected :
  int tp;
public :
  State() { tp=0;}
  void inctp() { tp++;};
  int gettp(); { return tp; }
};

```

Write a code in C++ to publically derive another class 'District' with the following additional members derived in the public visibility mode.

Data Members :

Dname string
Distance float
Population long int

Member functions :

DINPUT() : To enter Dname, Distance and population

DOUTPUT() : To display the data members on the screen.

Answer:

```

class District : public State
{
public :
  char Dname[20];
  float Distance;
};

```

```

long int Population;
void DINPUT()
{
gets(Dname);
cin>>distance;
cin>>Population;
}
void DOUTPUT()
{
cout<<Dname<<endl;
cout<<Distance<<endl;
cout<<population<<endl;
}
};

```

MODEL 2

1. Observe the following C++ code and answer the questions (i) and (ii). Note: Assume all necessary files are included. (2018)

```

class FIRST
{ int Num1;
public:
void Display() //Member Function
1
{ cout<<Num1<<endl;
}
};
class SECOND:public FIRST
{ int Num2;
public:
void Display() //Member Function 2
{ cout<<Num2<<endl;
}
};
void main( )
{ SECOND S;
_____ //Statement 1
_____ //Statement 2
}

```

(i) Which Object Oriented Programming feature is illustrated by the definitions of classes FIRST and SECOND?

A) Inheritance (OR Encapsulation OR Data Abstraction OR Data Hiding)

(ii) Write Statement 1 and Statement 2 to execute Member Function 1 and Member Function 2 respectively using the object S.

A) S.FIRST::Display(); // Statement 1
S.SECOND::Display(); Statement 2
// or S.Display();

MODEL 3 – THEORY QUESTION

1) Differentiate between public and private visibility modes in context of Object Oriented Programming using a suitable example illustrating each. (2008D)

Ans:public and private visibility modes in context of OOP:

The visibility mode (private or public or protected) in the definition of the derived class specifies whether the features of the base class are privately derived or

publicly derived or protected derived. The visibility modes basically control the access specifier to be for inheritable members of base class, in the derived class.

Public visibility mode: The public derivation means that the derived class can access the public and protected members of the base class but not the private members of the base class. With publicly derived class, the public members of the base class become the public members of the derived class, and the protected members of the base class become the protected members of the derived class.

Private visibility mode: The private derivation means, the derived class can access the public and private members of the base class privately. With privately derived class, the public and protected members of the base class become private members of the derived class. That means the inherited members can be accessed only through member functions of the derived class.

Visibility Mode	Inheritable public member becomes (in derived class)	Inheritable protected member becomes (in derived class)	Private member of base class are not directly accessible to derived class.
public	Public	protected	
private	Private	private	

public and private access specifiers in context of OOP: public access specifier is used to define any method or a variable which may be accessed by any member function of the same class and also from outside the class. Private access specifier is used to make any variable or a method which has a limited access within the class only. The concept of data hiding is implemented through the private access specifier only.

Eg:

```

class student
{ private:
int rno;
char name[21];
public:
int age;
void input( );
void display( );
}

```

Here, since rno and name are declared in private, they can be accessed only inside the class. Since age, input() and display() are declared in public, they can be accessed from outside class also.

2) Differentiate between private and protected visibility modes in context of object oriented programming using a suitable example illustrating each. (2008OD)

Ans: private and protected visibility modes in context of OOP:

The visibility mode (private or public or protected) in the definition of the derived class specifies whether the features of the base class are privately derived or publicly derived or protected derived. The visibility modes basically control the access specifier to be for inheritable members of base class, in the derived class.

Private visibility mode: The private derivation means, the derived class can access the public and private members of the base class privately. With privately derived class, the public and protected members of the base class become private members of the derived class.

That means the inherited members can be accessed only through member functions of the derived class.

Protected visibility mode: The protected derivation means that the derived class can access the public and private members of the base class protectedly. With protectedly derived class, the public and protected members of the base class become protected members of the derived class. That means the inherited members are now not available to the outside world and can be accessed only through the member functions of the derived class and the classes based upon the derived classes. These members can be inherited further if any classes are inheriting from the derived class.

Visibility Mode	Inheritable public member becomes (in derived class)	Inheritable protected member becomes (in derived class)	Private member of base class are not directly accessible to derived class.
protected	Protected	protected	
private	Private	private	

private and protected access specifiers in context of OOP:

private access specifier is used to make any variable or a method which has a limited access within the class only.

At the time of inheritance, these variables cannot be accessed (inherited) to the derived class.

protected access specifier is used to make any variable or a method which has a limited access within the class only (here like private). But at the time of inheritance, these variables can be inherited to the derived class.

Except regarding inheritance, both access specifiers ie private and protected will work same.

Eg:

```
class student
{ private:
    int rno;
    char name[21];
  protected:
    int age;
    void input( );
    void display( );
}
```

Here, since rno and name are declared in private, they can be accessed only inside the class. Since age,input() and display() are declared in protected, they also can be accessed only inside the class but they can be inherited, where as private members (rno and name) cannot be inherited.


3) Differentiate between Protected and Private members of a class in context of inheritance using C++. (2007 OD)

Ans: Protected members will be inherited into the derived class (they are accessible from the derived class). But Private members cannot be accessed from the derived class.

(Remember that the memory will be reserved for private as well as protected members for the derived class object)

4) Define Multilevel and Multiple inheritance in context of Object Oriented Programming. Give suitable example to illustrate the same (2006 D)

Ans: Multilevel Inheritance: When a subclass inherits from a class that itself inherits from another class, it is known as multilevel inheritance.




Multi level Inheritance

Eg: (for Multi Level Inheritance)

```
class A
{ ----
  ----
}
class B:public class A
{ ----
  ----
}
class C:protected B
{ ---
  ----
}
}
```

Multiple Inheritance: When a sub class inherits from multiple base classes, it is known as multiple inheritance.



Multiple Inheritance

Eg: (for Multiple Inheritance)

```
class A
{ ----
  ----
}
class B
{ ----
  ----
}
class C:public A,protected B
{ ---
  ----
}
}
```

5) Illustrate the concept of Inheritance with the help of an example. (2002 D)

Ans: The capability of one class to inherit properties from another class, is called as inheritance.

The most important advantage of inheritance is code reusability.

There are 5 types of inheritance:

- (i) **Single Inheritance:** When a sub class inherits only from one base class, it is known as single inheritance.
- (ii) **Multiple Inheritance:** When a sub class inherits from multiple base classes, it is known as multiple inheritance.
- (iii) **Hierarchical Inheritance:** When many sub classes inherit from a single base class, it is known as hierarchical inheritance.
- (iv) **Multilevel Inheritance:** When a subclass inherits from a class that itself inherits from

another class, it is known as multilevel inheritance.

- (v) Hybrid Inheritance: Hybrid inheritance combines two or more forms of inheritance.

6) Reusability of classes is one of the major properties of OOP. How is it implemented in C++.
(2001)

Ans: Reusability of classes can be implemented through Inheritance. Ie After developing a class, if you want a class which consists the features of this class(ie members) and the other features also, then instead of developing a class which consists all these features, you can inherited the existing features (members) and you can develop new class consists the remaining features using **inheritance (in Object Oriented Programming ie in C++.)**

7)What do you understand by visibility modes in class derivations? What are these modes? (1999)

7.DATA FILE HANDLING (6Marks)

MODEL 1a: Output 1 Mark

1. Find the output of the following C++ code considering that the binary file PRODUCT.DAT exists on the hard disk with a list of data of 500 products. 2019SP1

```
class PRODUCT
{
int PCode;char PName[20];
public:
void Entry();void Disp();
};
void main()
{
fstream In;
In.open("PRODUCT.DAT",ios::binary|ios::in);
PRODUCT P;
In.seekg(0,ios::end);
cout<<"Total Count: "<<In.tellg()/sizeof(P)<<endl;
In.seekg(70*sizeof(P));
In.read((char*)&P, sizeof(P));
In.read((char*)&P, sizeof(P));
cout<<"At Product:"<<In.tellg()/sizeof(P) + 1;
In.close();
}
```

Answer:

**Total Count:500
At Product: 73**

2. Which file stream is required for seekg() ?

2019SP1

Answer:

fstream/ ifstream

3. Find the output of the following C++ code: Considering that the binary file SCHOOLS.DAT exists on the hard disk with the following records of 10 schools of the class SCHOOLS as declared in the following class. 2018 (1)

```
class SCHOOLS
{
int SCode; //School Code
char SName[20]; //School Name
int NOT; //Number of Teachers in the school
public:
void Display( )
{ cout<<SCode<<"#"<<SName<<"#"<<NOT<<endl;
}
int RNOT( )
{ return NOT; }
};
```

SCode	SName	NOT
1001	Brains School	100
1003	Child Life School	115
1002	Care Share School	300
1006	Educate for Life School	50
1005	Guru Shishya Sadan	195
1004	Holy Education School	140
1010	Play School	95
1008	Innovate Excel School	300

1011	Premier Education School	200
1012	Uplifted Minds School	100

```
void main( )
{
fstream SFIN;
SFIN.open("SCHOOLS.DAT",ios::binary|ios::in);
SCHOOLS S;
SFIN.seekg(5*sizeof(S));
SFIN.read((char*)&S, sizeof(S));
S.Display();
cout<<"Record :"<<SFIN.tellg( )/sizeof(S)+1<<endl;
SFIN.close();
}
```

Ans)

**1004#Holy Education School#140
Record :7**

4. Find the output of the following C++ code considering that the binary file CLIENTS.DAT exists on the hard disk with a data of 200 clients. (2017)

```
class CLIENTS
{
int CCode;char CName[20];
public:
void REGISTER();void DISPLAY();
};
void main()
{
fstream File;
File.open("CLIENTS.DAT",ios::binary|ios::in);
CLIENTS C;
File.seekg(6*sizeof(C));
File.read((char*)&C, sizeof(C));
cout<<"Client Number:"<<File.tellg()/sizeof(C) + 1;
File.seekg(0,ios::end);
cout<<" of "<<File.tellg()/sizeof(C)<<endl;
File.close();
}
```

Ans)Client Number 8 of 200

5. Find the output of the following C++ code considering that the binary file sp.dat already exists on the hard disk with 2 records in it. (2017MP)1

```
class sports
{
int id;
char sname[20];
char coach[20];
public:
void entry();
void show();
void writing();
void reading();
}s;
void sports::reading()
{
ifstream i;
i.open("sp.dat");
while(1)
{
```

```

i.read((char*)&s,sizeof(s));
if(i.eof())
break;
else
cout<<"\n"<<i.tellg();
}
i.close();
}
void main()
{
s.reading();
}

```

Ans) 42
84

6. Find the output of the following C++ code considering that the binary file CLIENT.DAT exists on the hard disk with a data of 1000 clients. (2016)1

```

class CLIENT
{ int Ccode;char CName[20];
public:
void Register();void Display();
};
void main()
{ fstream CFile;
CFile.open("CLIENT.DAT",ios::binary|ios::in);
CLIENT C;
CFile.read((char*)&C, sizeof(C));
cout<<"Rec:"<<CFile.tellg()/sizeof(C)<<endl;
CFile.read((char*)&C, sizeof(C));
CFile.read((char*)&C, sizeof(C));
cout<<"Rec:"<<CFile.tellg()/sizeof(C)<<endl;
CFile.close();
}

```

Ans)
Rec:1
Rec:3

7. Find the output of the following C++ code considering that the binary file MEMBER.DAT exists on the hard disk with records of 100 members: (2015) 1

```

class MEMBER
{int Mno; char Name[20];
public:
void In();void Out();
};
void main()
{
fstream MF;
MF.open("MEMBER.DAT",ios::binary|ios::in);
MEMBER M;
MF.read((char*)&M,sizeof(M));
MF.read((char*)&M,sizeof(M));
MF.read((char*)&M,sizeof(M));
int POSITION=MF.tellg()/sizeof(M);
cout<<"PRESENT RECORD:"<<POSITION<<endl;
MF.close();
}

```

Ans)
PRESENT RECORD: 3

```

8)
void main()
{
char ch = 'A' ;
fstream fileout("data.dat", ios::out) ;
fileout<<ch ;
int p = fileout.tellg( )
cout<<p ;
}

```

(2006 D)

What is the output if the file content before the execution of the program is the string "ABC"

(Note that " " are not part of the file).

Ans)1

(Since, the file is opened in out mode, it loses all the previous content, if the file mode is app, then result will be 4)

```

9)
void main( )
{ char ch = 'A' ;
fstream fileout("data.dat", ios :: app);
fileout<<ch ;
int p = fileout.tellg( ) ;
cout << p ;
}

```

(2006 OD)

What is the output if the file content before the execution of the program is the string ? "ABC"

(Note that " " are not part of the file)

Ans) 4

(Since, the file is opened in app mode, it retains the previous content also, if the file mode is out, then result will be 0 since it will lose all the old content of the file.)

MODEL 1b):FILL IN THE BLANKS (1 Mark)

1.Fill in the blanks marked as the Statement 1 and the Statement 2, in the program segment given below the appropriate functions for the required task.

(2014) 1

```

class Agency
{ int ANo;
char Name[20]; //Agent Code
char Mobile[12]; //Agent Mobile
public:
void Enter( ) //Function to enter details of agent
void Disp( ); //Function to display details of agent
int RANo( )
{return ANo;
}
void UpdateMobile( )//Function to change Mobile
{ cout<<"Update Mobile: ";
gets(Mobile);
}
};
void AgentUpdate( )
{ fstream F;
F.open("AGENT.DAT",ios::binary|ios::in|ios::out);
int Updt=0;
int UANo;
cout<<"Ano (Agent No – To update Mobile): ";
cin>>UANo;
Agency A;
while(!Updt && F.read((char *)&A,sizeof(A)))
{

```

```

if(A.RAon( )= =UAno)
{
//Statement 1: To call the function to update Mobile No.
}
//Statement 2: To reposition file pointer to re-write the
//updated object back in the file

```

```

F.write((char *)&A,sizeof(A));
Updt++;
}
}
if(Updt)
cout<<"Mobile Update for Agent"<<UAno<<endl;
else
cout<<"Agent not in the Agency"<<endl;
F.close( );
}

```

Answer)

Statement 1:A.UpdateMobile();
Statement 2: F.seekg(-1*sizeof(A),ios::cur);

2.Fill in the blanks marked as Statement 1 and Statement 2, in the program segment given below with appropriate functions for the required task.

(2013)1

```

class Club
{long int MNo;//Member Number
char MName[20];//Member Name
char Email[30];//Email of Member
public:
void Register();//Function to register member
void Disp( )//Function to display details
void ChangeEmail( )//Function to change Email
{ cout<<"Enter Changed Email: ";
cin>>Email;
}
long int GetMno( )
{ return MNo;
}
};
void ModifyData( )
{ fstream File;
File.open("CLUB.DAT", ios::binary | ios::in|ios::out);
int Modify=0, Position;
long int ModiMno;
cout<<"Mno – Whose email required to be modified: ";
cin>>ModiMno;
Club CL;
while(!Modify && File.read((char *)&CL,sizeof(CL)))
{ if(CL.GetMno( )==ModiMno)
{ CL.ChangeEmail( );
Position=File.tellg( )-sizeof(CL);
//Statement 1: To place file pointer to the required position
}
//Statement:To write the object CL on to the binary file
}
Modify++;
}
}
if(Modify)
cout<<"Email changed....."<<endl;
else
cout<<"Member not found...."<<endl;
File.close( );
}

```

Ans)

Statement 1: File.seekp(Position);
Statement 2: File.write((char *)&CL,sizeof(CL));

3) Observe the program segment given below carefully and the questions that follow:(2012) 1

```

class Stock
{ int Ino, Qty ; char Item [20];
public:
void Enter()
{ cin>>Ino;gets(Item) ; cin>>Qty;
}
void issue(int Q)
{ Qty+=Q;
}
void Purchase(int Q)
{ Q-=Q;
}
int GetIno ( )
{return Ino;
}
};
void PurchaseItem(int Pino,int PQty)
{ fstream File;
File.open("STOCK.DAT", ios::binary|ios: :in|ios:
:out);
Stock S;
int Success=0;
while (Success==0 &&
File.read((char*)&S,sizeof(S)))
{
if (Pino==S. GetIno())
{ S.PurchaSe(PQ) ;
_____ // Statement 1
_____ // Statement 2
Success++;
}
}
}
if (Success=1)
cout<<"Purchase Updated"<<endl;
else
cout<<"Wronq Item No"<<endl;
File.close( );
}

```

(i) Write statement 1 to position the file pointer to the appropriate place so that the data updation is done for the required item.

Ans File.seekp(File.tellg() - sizeof(Stock));
OR File. seekp (-sizeof(Stock) ,ios::cur);

(ii) Write statement 2 to perform the write operation so that the updation is done in the binary file.

Ans File.write((char*)&S,sizeof(S));
OR File.write((char*)&S,sizeof(Stock));

4.Observe the program segment given below carefully and fill the blanks marked as Statement 1 and Statement 2 using seekg (), seekp() tellp() and tellg() functions for performing the required task. (2011 OD) 1

```

#include <fstream.h>
class ITEM
{int Ino;char Iname[20]; float Price;
public:

```

```

void ModifyPrice() //The function is to modify
price of a particular ITEM
};
void item: :ModiyPrice()
{fstream File;
File.open ("ITEM.DAT", ios::binary | ios::in | ios: :out)
};
int CIno;
cout<<"Item No to modify price:";cin>>CIno;
while (file.read ((char*) this, sizeof (ITEM)))
{ if (CIno==Ino)
{ cout<<"Present Price:"<<Price<<endl;
cout<<"Changed price:"; cin>>Price;
int FilePos = _____ ; //Statement 1,
_____ ; //Statement 2
File.write((char*)this,sizeof(ITEM)) ;// Re-writing
the record
}
}
File.close() ;
}

```

AnsOption 1

Statement 1: File.tellp () ; OR File. tellg () ;
Statement 2: File.seekp (FilePos - sizeof (ITEM)) ;
OR File.seekp (-sizeof (ITEM), ios: :cur);
OR File.seekg (FilePos - sizeof (ITEM));
OR. File.seekg (-sizeof (ITEM), ios: :cur);

Ogtion 2

Statement 1: File. tellp () – sizeof (ITEM) ;
OR File.tellg()- sizeof (ITEM) ;
Statement 2: File.seekp (FilePos) ;
OR File.seekg (FilePos) ;

5.Observe the program segment given below carefully and fill the blanks marked as Statement 1 and Statement 2 using tellg() and seekp() functions for performing the required task. (2010D)

```

#include <fstream.h>
class Client
{ long Cno;
charName[20],Email[30] ;
public://Function to allow user to enter the Cno,
Name,Email
void Enter() ; //Function to allow user to enter (modify)
Email
void Modify() ;
long ReturnCno()
{ return Cno;
}
};
void ChangeEmail()
{Client C;
fstream F;
F.open ("INFO.DAT",ios::binary|ios::in|ios::out);
long Cnoc; //Client's no. whoseEmail needs to be
changed
cin>>Cnoc;
while (F.read((char*)&C, sizeof(C)))
{ if (Cnoc= =C.ReturnCno())
{ C.Modify(); //Statement 1
int Pos = _____
//To find the current position of file pointer
_____

```

```

// Statement 2/To move the file pointer to
//write the modified recordback onto the file for the
desired Cnoc
F.write((char*)&C, sizeof(C));
}
}
F.close();
}

```

Ans)

Statement 1:F. tellg () ;
Statement 2:F. seekp(Pos-sizeof(C)) ;**OR**
F.seekp(-sizeof(C), ios: :cur);

6) Observe the program segment given below carefully and fill the blanks marked as Statement 1 and Statement 2 using tellg() and seekp() functions for performing the required task.(2010 OD) 1

```

#include <fstream.h>
class Customer
{ long Cno;
char Name[20],Mobile[12];
public:
void Enter() ;//Function to allow user to enter the Cno,
Name,Mobile
void Modify() ; //Function to allow user to enter modify mobile
number
long GetCno() //Function to return value of Cno
{ return Cno;
}
};
void ChangeMobile()
{Customer C;
fstream F;
F.open("CONTACT.DAT",ios::binary|
ios::in|ios::out);
long Cnoc; //Customer no. whose mobile numberneeds to be
changed
cin>>Cnoc;
while (F.read((char*)&C,sizeof(C)))
{ if (Choc==C.GetCno() )
{ C.Modify() ;
int Pos=_____ //Statement 1
//To find the current position of file pointer
_____ //Statement 2
//To move the file pointer to write the modified record
back onto //the file for the desired Cnoc
F.write((char*)&C, sizeof(C));
}
}
F. close ( ) ;
}

```

Ans)

Statement 1

F.tellg () ;

Statement 2

F.seekp(Pos-sizeof(C));

OR

File.seekp(-1* sizeof(C),ios: :cur);

7) Observe the program segment given below carefully and fill in the blanks marked as Line 1 and Line 2 using fstream functions for performing the required task. (2009 D)

```

#include <fstream.h>
class Stock
{ long Ino ; //Item Number
  char Item [20] ; //Item Name
  int Qty ; //Quantity
public:
  void Get(int); //Function to enter the content
  void show( ); //Function to display the content
  void Purchase (int Tqty)
  {
    Qty + = Tqty ;
  } //Function to increment in Qty
  long KnowIno ( )
  { return Ino;
  }
};
void Purchaseitem(long PINo, int PQty)
//PINo -> Ino of the item purchased
//PQty -> Number of item purchased{
fstream File;
File.open("ITEMS.DAT", ios ::
  binary|ios :: in|ios :: out);
int Pos = -1 ;
Stock S ;
while (Pos == -1 && File.read((char*) &S, sizeof (S)))
if (S. KnowIno( ) ==PINo)
{ S. Purchase (PQty);
//To update the number of Items
Pos = File.tellg ( ) -sizeof (S) ;
};
//Line 1: To place the file pointer to the required position
//Line 2: To write the object S on to the binary file
}
if (Pos == -1)
cout<<"No updation done as
required Ino not found..";
File.close ( ) ;
}

```

Ans)

Statement 1:

File.seekp(Pos);
OR

File.seekp(-sizeof(A), ios:: cur);

Statement 2:

File.write((char*)&S, sizeof(S));

OR

File.write((char*)&S, sizeof(Stock));

8) Observe the program segment given below carefully and fill the blanks marked as Line 1 and Line 2 using fstream functions for performing the required task. (2009 OD)

```

#include <fstream.h>
class Library
{
  long Ano;
  //Ano - Accession Number of the Book
  char Title[20];
  //Title - Title of the Book
  int Qty;
  //Qty - Number of Books in Library
public:
  void Enter (int);

```

```

//Function to enter the content
void Display();
//Function to display the content
void Buy(int Tqty)
{ Qty+=Tqty; //Function to increment in Qty
long GetAno( )
{
  return Ano;
}
};
void BuyBook(long BANo,int BQty)
//BANo ->□Ano of the book purchased
//BQty ->□Number of books purchased
fstream File;
File.open("STOCK.DAT", ios::binary|ios::in|ios::out);
int position=-1;
Library L;
while(Position== -1 &&
  File.read((char*)&L,sizeof(L)))
if (L.GetAno()==BANo)
{L.Buy(BQty); //To update the number of Books
Position = File.tellg()-sizeof(L) ;
};
//Line 1: To place the file pointer to the required position
//Line 2:To write the object L on to the binary file
}
if (Position== -1)
cout<< "No updation do: {e as
required Ano not found..";
File.close( );
}

```

Ans)Statement 1

File.seekp(Position);

OR

File. seekp (-sizeof (L), ios::cur);

Statement 2

File.write((char*)&L, sizeof(L));

OR

File.write((char*)&L,sizeof(Library));

9)Observe the program segment given below carefully, and answer the question that follows(2008D)

```

class Applicant
{ long Aid ; // Applicant's Id
  char Name[20] ; // Applicant's Name
  float Score ; // Applicant's Score
public ;
  void Enroll( ) ;
  void Disp( ) ;
  void MarksScore( ) ; //Function to change Score
  long R_Aid( )
  { return Aid;
  }
};
void ScoreUpdate (long Id)
{ fstream File ;
  File.open ("APPLI.DAT" , ios :: binary |
  ios :: in | ios :: out) ;
  Applicant A ;
  int Record = 0, Found = 0 ;
  while (!Found && File.read
  ( (char*)&C, sizeof(c) ) )

```

```

{ if (Id == A.R_Aid() )
  { cout << "Enter new Score";
    A.MarksScore();
    _____//Statement 1
    _____//Statement 2
    Found=1;
  }
  Record++;
}
if (Found == 1)
  cout << "Record Updated";
File.close();
}

```

Write the Statement1 to position the File Pointer at the beginning of the Record for which the Applicant's Id matches with the argument passed, and Statement 2 to write the updated record at that position.

Ans) Statement 1
File.seekp(File.tellp() - sizeof(A));

Statement 2
File.seekp(Record * sizeof(Applicant));
or
File.write((char*)&A, sizeof(A));

10) Observe the program segment given below carefully, and answer the question that follows (2008 OD)

```

class candidate
{ long Cid; // Candidate's Id
  char CName[20]; // Candidate's Name
  float Marks; // Candidate's Marks
public;
  void Enter();
  void Display();
  void MarksChange();
  //Function to change marks
  long R_Cid()
  { return Cid;
  }
};
void MarksUpdate (long Id)
{ fstream File;
  File.open ("CANDIDATE.DAT", ios ::
    binary|ios::in|ios :: out);
  Candidate C;
  int Record = 0, Found = 0;
  while (!Found && File.read((char*)&C, sizeof(C)))
  {
    if (Id == C.R_Cid())
    { cout << "Enter new Marks";
      C.MarksChange();
      _____ //Statement1
      _____ //Statement 2
      Found = 1;
    }
    Record++;
  }
  if (Found == 1)
    cout << "Record Updated";
  File.close();
}

```

Write the Statement to position the File Pointer at the beginning of the Record for which the Candidate's Id matches with the argument passed, and Statement 2 to write the updated Record at that position.

Ans) Statement 1
File.seekp(File.tellp() - sizeof(C));
Or
File.seekp(Record * sizeof(C));
Statement 2
File.write((char*)&C, sizeof(C));
Or
File.write((char*)&C, sizeof(Candidate));

11) Observe the program segment given below carefully, and answer the question that follows (2007 D)

```

class PracFile
{ int Pracno;
  char PracName[20]
  int TimeTaken;
  int Marks;
public:
  void EnterPrac(); //Function to enter PracFile
  details
  void ShowPrac(); //Function to display PracFile details
  int RTime() //function to return Time Taken
  {
    return TimeTaken;
  }
  void Assignmarks(int M) //Function to assign Marks
  { Marks = M;
  }
};
void AllocateMarks()
{
  fstream File;
  File.open ("MARKS.DAT", ios :: binary
    | ios :: in | ios :: out);
  PracFile P;
  int Record = 0;
  while (File.read ((char*) &P, sizeof(P)))
  {if (P.RTime() > 50)
    P.Assignmarks(0)
    else
    P.Assignmarks(10)
    _____; //Statement 1
    _____; //Statement2
    Record++;
  }
  File.close();
}

```

If the function AllocateMarks() is supposed to Allocate Marks for the records in the file MARKS.DAT based on their value of the member TimeTaken. Write C++ statements for the **statement 1** and **statement 2**, where, **statement 1** is required to position the file write pointer to an appropriate place in the file and **statement 2** is to perform the write operation with the modified record.

Ans) Statement 1
File.seekp(File.tellp() - sizeof(P));
File.seekp(Record * sizeof(P));
Statement 2
File.write((char*)&P, sizeof(P));
File.write((char*)&P, sizeof(PracFile));

12) Observe the program segment given below carefully, and answer the question that follows: (2007 OD)

```

class Labrecord
{ int Expno;

```

```

char Experiment[20] ;
char Checked ;
int Marks ;
public :
void EnterExp() ;
    //function to enter Experiment details
void ShowExp() ;
    //function to display Experiment details
char RChecked()
    //function to return Expno
{
    return Checked;
}
void Assignmarks (int M)
    //function to assign Marks
{
    Marks = M;
}
};
void ModifyMarks()
{
    fstream File ;
    File.open ("Marks.Dat", ios :: binary |
        ios :: in | ios :: out);
    Labrecord L ;
    int Rec=0 ;
    while (File.read ( (char*) &L,sizeof (L)))
    {
        if (L.RChecked() !='N')
            L.Assignmarks(0)
        else
            L.Assignmarks (10)
            _____; //Statement 1
            _____; //Statement 2

        Rec++;
    }
    File.close() ;
}

```

If the function ModifyMarks () is supposed to modify marks for the records in the file MARKS.DAT based on their status of the member Checked (containing value either 'Y' or 'N'). Write C++ statements for the statement 1 and statement 2, where, statement 1 is required to position the file write pointer to an appropriate place in the file and statement 2 is to perform the write operation with the modified record.

Ans) Statement 1
 File.seekp(File.tellp() - sizeof(L));

OR

File.seekp(Rec * sizeof(L));

Statement 2

File.write((char*)&L, sizeof(L));

OR

File.write((char*)&L, sizeof(Labrecord));

13) Observe the program segment given below carefully, and answer the question that (2005 D)

```

class Book
{
    int Book_no ;
    char Book_name[20] ;
public ;
void enterdetails() ;
    //function to enter Book details
void showdetails() ;
    //function to display Book details
    int Rbook_no()
    {
        return Book_no ;
    }
}

```

```

} //function to return Book_no
};
void Modify (Book NEW)
{
    fstream File ;
    File.open("BOOK.DAT", ios :: binary
        | ios :: in | ios :: out);
    Book OB ;
    int Record = 0, Found = 0 ;
    while (!Found && File.read((char*)
        &OB, sizeof(OB) ))
    {
        Recordsread++;
        if (NEW.RBook_no() == OB.RBook_no() )
        {
            _____ //Missing Statement
            File.write((char*) &NEW, size of(NEW));
            Found = 1 ;
        }
        else
            File.write((char*) &OB, sizeof(OB));
    }
    if (!Found)
        cout << "Record for modification
            does not exist" ;
    File.close() ;
}

```

If the function Modify () is supposed to modify a record in file BOOK.DAT with the values of Book NEW passed to its argument, write the appropriate statement for **Missing Statement** using seekp () or seekg (), whichever needed, in the above code that would write the modified record at its proper place.

Ans) File.seekp((Recordsread-1)*sizeof(NEW));

OR

File.seekp(-sizeof(NEW), ios::curr);

OR

File.seekp(File.tellg()-sizeof(NEW));

14) Observe the program segment given below carefully, and answer the question that follows : (2005 OD)

```

class Member
{
    int Member_no ;
    char Member_name[20] ;
public :
    void enterdetails () ; //function to enter Member
        details
    void showdetails () ; //function to display Member
        details
    int RMember_no()
    {
        return Member_no;
    } //function to return Member_no
};
void Update (Member NEW)
{
    fstream File ;
    File.open("MEMBER.DAT", ios ::
        binary | ios :: in | ios :: out);
    Member OM ;
    int Recordsread = 0, Found = 0 ;
    while (!Found && File.read((char*)
        &OM, sizeof(OM)))
    {
        Recordsread++;
        if (NEW.RMember_no() ==
            OM.RMember_no() )
        {
            _____ //Missing Statement
            File.write((char*) & NEW ,

```

```

        sizeof(NEW) ;
    Found = 1 ;
}
else
    File.write((char*) & OM,
        sizeof(OM)) ;
}
if (!Found)
    cout<<"Record for modification does not exist" ;
File.close( ) ;
}

```

If the function Update() is supposed to modify a record in file MEMBER.DAT with the values of Member NEW passed to its argument, write the appropriate statement for **Missing statement** using seekp() or seekg(), whichever needed, in the above code that would write the modified record at its proper place.

Ans)File.seekp((Recordsread-1)*sizeof(OM));
OR
 File.seekp(Recordsread*sizeof(OM));
OR
 File.seekp(-1*sizeof(OM),ios::curr);
OR
 File.seekp(file.tellg()-sizeof(OM));

15) Observe the program segment given below carefully and fill the blanks marked as Statement 1 and Statement2 using seekp() and seekg() functions for performing the required task. (MP109-10)

```

#include <fstream.h>
class Item
{
    int Ino;
    char Item[20];
public:
    void Search(int );//Function to search and display the
//content from a particular record number
    void Modify(int); //Function to modify the content of a
//particular record number
};
void Item::Search(int RecNo)
{fstream File;
File.open("STOCK.DAT",ios::binary|ios::in);
_____ //Statement 1
File.read((char*)this,sizeof(Item));
cout<<Ino<<"=="<<Item<<endl;
File.close( );
}
void Item::Modify(int RecNo)
{fstream File;
File.open("STOCK.DAT",ios::binary|ios
::in|ios::out);
cout>>Ino;cin.getline(Item,20);
_____ //Statement 2
File.write((char*)this,sizeof(Item));
File.close( );
}

```

Ans) Statement 1
 File.seekg(RecNo*sizeof(Item));
Statement 2
 File.seekp(RecNo*sizeof(Item));

16) Observe the program segment given below carefully and fill the blanks marked as Statement 1 and Statement 2 using seekg() and tellg() functions for performing the required task. (MP209-10)

```

#include <fstream.h>
class Employee
{    int Eno;char Ename[20];
public:
    //Function to count the total number of records
    int Countrec( );
};
int Item::Countrec( )
{
    fstream File;
    File.open("EMP.DAT",ios::binary|ios::in);
    _____ //Statement 1
    int Bytes = _____ //Statement 2
    int Count = Bytes/sizeof(Item);
    File.close( );
    return Count;
}

```

Ans) Statement 1
 File.seekg(0,ios::end);
Statement 2
 File.tellg();

17) Observe the program segment given below carefully and fill the blanks marked as Statement 1 and Statement 2 using seekp() and seekg() functions for performing the required task. (MP108-09)

```

#include <fstream.h>
class Item
{    int Ino;char Item[20];
public:
    void Search(int );
//Function to search and display the content
//from a particular record number
    void Modify(int);//Function to modify the content of a
//particular record number
};
void Item::Search(int RecNo)
{
    fstream File;
    File.open("STOCK.DAT",ios::binary|ios::in);
    _____ //Statement 1
    File.read((char*)this,sizeof(Item));
    cout<<Ino<<"=="<<Item<<endl;
    File.close( );
}
void Item::Modify(int RecNo)
{fstream File;
File.open("STOCK.DAT",ios::binary|ios
::in|ios::out);
cout>>Ino;
cin.getline(Item,20);
_____ //Statement 2
File.write((char*)this,sizeof(Item));
File.close( );
}

```

Answer: Statement 1
 File.seekg(RecNo*sizeof(Item));
Statement 2
 File.seekp(RecNo*sizeof(Item));

18) Observe the program segment given below carefully and fill the blanks marked as Statement 1 and Statement 2 using seekg() and tellg() functions for performing the required task. (MP208-09)

```
#include <fstream.h>
class Employee
{int Eno;char Ename[20];
public:
//Function to count the total number of records
int Countrec( );
};
int Item::Countrec( )
{
fstream File;
File.open("EMP.DAT",ios::binary|ios::in);
_____ //Statement 1
int Bytes =_____ //Statement 2
int Count = Bytes / sizeof(Item);
File.close();
return Count;
}
Answer:
File.seekg(0,ios::end); //Statement 1
File.tellg( ); //Statement 2
```

MODEL 2: Function using files (without objects)
2 Mark

1. Write a function RevText() to read a text file "Input.txt" and Print only word starting with 'I' in reverse order. 2019SP2

Example: If value in text file is: INDIA IS MY COUNTRY

Output will be: AIDNI SI MY COUNTRY

Answer:

```
void RevText( )
{
ifstream Fin("Input.txt");
char Word[20];
while(!Fin.eof())
{
Fin>>Word;
if(Word[0]=='I')
strev(Word);
cout<<Word<< " ";
}
Fin.close( );
}
```

2. Write a function in C++ to count the number of lowercase alphabets present in a text file "BOOK..txt". 2019SP2

```
int Countalpha()
ifstream ifile ("BOOK.txt");
char ch;
int count =0;
while (! ifile.eof())
{
ifile.get(ch); ifele.get(ch);
if(isfower(ch))
count ++;
```

```
}
ifile.close();
return (count)
}
```

3) A text file named MATTER.TXT contains some text, which needs to be displayed such that every next character is separated by a symbol '#'. Write a function definition for HashDisplay() in C++ that would display the entire content of the file MATTER.TXT in the desired format. (2018)(3)

Example:
If the file MATTER.TXT has the following content stored in it: The WORLD IS ROUND
The function HashDisplay() should display the following content:

T#H#E# #W#O#R#L#D# #I#S# #R#O#U#N#D#

Answer:

```
void HashDisplay( )
{
char ch;
ifstream F("MATTER.TXT" );
/* if stream F;
F.open("MATTER.TXT");
OR
fstream F;
F.open("MATTER.TXT",ios::in);
*/
while(F.get(ch))
cout<<ch<<"#";
}
F.close();
}
```

```
ifstream F;
F.open("MATTER.TXT");
OR
fstream F;
F.open("MATTER.TXT", ios::in);
OR
fstream F("MATTER.TXT", ios::in);
```

4. Polina Raj has used a text editing software to type some text in an article. Aftersaving the article as MYNOTES.TXT, she realised that she has wrongly typed alphabetK in place of alphabet C everywhere in the article. Write a function definition for PURETEXT() in C++ that would display the corrected version of the entire article of the file MYNOTES.TXT with all the alphabets "K" to be displayed as an alphabet "C" on screen. (2017)

Note: Assuming that MYNOTES.TXT does not contain any C alphabet otherwise.

Example:

If Polina has stored the following content in the file MYNOTES.TXT :


I OWN A KUTE LITTLE KAR.
I KARE FOR IT AS MY KCHILD.

The function PURETEXT() should display the following content:

I OWN A CUTE LITTLE CAR.
I CARE FOR IT AS MY CHILD.

Ans)

```
void PURETEXT()
{
char ch;
ifstream F("MYNOTES.TXT");
```



```
while(F.get(ch))
{
if(ch=='K')
ch='C';
cout<<ch;
}
F.close(); //IGNORE
}
```

5)Write a user defined function word_count() in C++ to count howmany words are present in a text file named "opinion.txt".For example, if the file opinion.txt contains following text:Co-education system is necessary for a balanced society. Withco-education system, Girls and Boys may develop a feeling of mutual respect towards each other. **(2017MP)2**

The function should display the following:

Total number of words present in the text file are: 24

Ans)

```
void word_count()
{ifstream i;char ch[20];int c=0;
i.open("opinion.txt ");
while(!i.eof())
{
i>>ch;
c=c+1;
}
cout<<" Total number of words present in the text file
are: "<<c;
}
```

6)Write function definition for DISP3CHAR() in C++ to read the content of a text file KIDINME.TXT, and display all those words, which have three characters in it. (2016)2

Example:

If the content of the file KIDINME.TXT is as follows:
When I was a small child, I used to play in the garden with my grand mom. Those days were amazingly funful and

I remember all the moments of that time
The function DISP3CHAR() should display the following:

was the mom and all the

Ans)

```
{ ifstream Fil;
```

```
Fil.open("KIDINME.TXT");
char W[20];
Fil>>W;
while(!Fil.eof()) // OR while(Fil)
{ if (strlen(W) == 3)
cout<<W<<" ";
Fil>>W;
}
Fil.close(); //Ignore
}
```

7)Write function definition for TOWER() in C++ to read the content of a text file WRITEUP.TXT, count the presence of word TOWER and display the number of occurrences of this word.

Note : (2015)2

- The word TOWER should be an independent word
- Ignore type cases (i.e. lower/upper case)

Example:

If the content of the file WRITEUP.TXT is as follows:
Tower of hanoi is an interesting problem.

Mobile phone tower is away from here. Views from EIFFEL TOWER are amazing.

The function TOWER () should display the following:3

Ans)

```
void TOWER()
{
int count=0;
ifstream f("WRITEUP.TXT");
char s[20];
while (!f.eof())
{
f>>s;
if (strcmpi(s,"TOWER")==0)
count++;
}
cout<<count;
f.close();
}
```

8)Write the function AECOUNT() in C++, which should read character of a text file NOTES.txt, should count and display the occurrence of alphabets A and E (including small case a and e too) (2014) 2

Example:

If the file content is as follows:

CBSE enhanced its

CCE guidelines further.

The AECOUNT() function should display the output as

A:1

E:7

Answer)

```
void AECOUNT()
{
char Ch;
ifstream fcin("NOTES.txt");
int count1=0,count2=0;
while(!fcin.eof())
{
fcin.get(CH);
if(Ch=='A'||Ch=='a')
count1++;
else if (Ch=='E'||Ch=='e')
count2++;
}
fcin.close();
}
```

```

cout<<"A: "<<count1<<endl;
cout<<"E:"<<count2<<endl;
}

```

9) Write a function CountYouMe() in C++ which reads the contents of a text file story.txt and counts the words You and Me (not case sensitive) (2013) 2

For example, if the file contains:

You are my best friend.

You and me make a good team.

The function should display the output as

Count for You: 2

Count for Me: 1

Answer)

```

#include<conio.h>
#include<iostream.h>
#include<fstream.h>
#include<string.h>
void COUNT()
{
    ifstream File;
    File.open("STORY.TXT");
    char Word[80];
    int C1=0,C2=0;
    while(!File.eof())
    {
        File>>Word;
        if(strcmp(Word,"You")==0)
            C1++;
        else if(strcmp(Word,"me")==0)
            C2++;
    }
    cout<<"Count for you: "<<C1<<endl;
    cout<<"Count for me: "<<C2;
    File.close();
}

```

10) Write a function in C++ to read the content of a text file "DELHI.TXT" and display all those lines on screen, which are either starting with 'D' or starting with 'M' (2012) 2

Ans

```

void DispDorM()
{
    ifstream File("DELHI.TXT");
    char Str[80];
    while(File.getline(Str,80))
    {
        if(Str[0]='D' || Str[0]='M')
            cout<<Str<<endl;
    }
    File.close(); //Ignore
}

```

11) Write a function in C++ to count the no. of "He" or "She" words present in a text file "STORY.TXT". (2011 OD) 2

If the file "STORY.TXT" content is as follows:

He is playing in the ground. She is Playing with her dolls.

The output of the function should be

Count of He/She in file: 2

Ans

```

void COUNT()
{
    ifstream Fil ("STORY.TXT");
    char STR [10];

```

```

int count = 0;
while (!Fil.eof ())
{
    Fil>>STR ;
    if (strcmp (STR, "He") ==0 || strcmp (STR, "She") ==0)
        count++;
}
cout<<"Count of He/She in file : "<<count<<endl;
Fil.close(); //Ignore
}

```

12) Write a function in C++ to count the words "this" and "these" present in a text file "ARTICLE.TXT". (2010D)[Note that the words "this" and "these" are complete words]

Ans)

```

void COUNT()
{
    ifstream Fil; // ifstreamFil("ARTICLE.TXT");
    Fil.open("ARTICLE.TXT");
    char Word[80], Ch;
    int C1 =0, C2 = 0, I=0;
    while(Fil.get(Ch))
    {
        if (Ch!= ' ')
            Word[I++] = Ch;
        else
        {
            Word[I] = '\0';
            if (strcmp (Word,"this")==0)
                C1++;
            else if (strcmp(Word,"these")==0)
                C2++;
            I=0;
        }
    }
    cout<<"Count of -this- in file:"<<C1;
    cout<<"Count of -these- in file:"<<C2;
    // OR cout<<"Count of -this- and -these- in file:
    "<<C1+C2;
    Fil.close();
}

```

13) Write a function in C++ to count the words "to" and "the" present in a text file "POEM.TXT". (2010 OD)

[Note that the words "to" and "the" are complete words]

Ans)

```

void COUNT()
{
    ifstream Fil;
    Fil.open ("POEM.TXT");
    //OR ifstream Fill("POEM.TXT");
    char Word[80], Ch;
    int C1 =0, C2=0, i=0;
    while(Fil.get(Ch))
    {
        if (Ch!= ' ')
            Word[i++] = Ch;
        else
        {
            Word[i] = '\0';
            if (strcmp (Word, "to") ==0)
                C1++;
            else if (strcmp (Word, "the") ==0)
                C2++;
            i=0;
        }
    }
}

```

```

}
cout<<"Count of -to- in file:"<<C1;
cout<<"Count of -the- in file:"<<C2;
//OR cout<<"Count of -to- and -the- in
Fil.close();
}

```

14) Write a function COUNT_DO() in C++ to count the presence of a word 'do' in a text file "MEMO.TXT" (2009 D)

Example:

If the content of the file "MEMO.TXT" is as follows:

I will **do** it, if you request me to **do** it.

It would have been done much earlier.

The function COUNT_DO () will display the following message:

Count of -do- in file : 2

Note: In the above example, 'do' occurring as a part of word done is not considered.

Ans)

```

void COUNT_DO()
{
ifstream Fil;
Fil.open("MEMO.TXT");
//OR ifstream Fil("MEMO.TXT");
char Word[80],Ch;
int Count =0,I=0;
while(Fil.get(Ch))
{
if (Ch!= ' ')
Word[I++] = Ch;
else
{ Word[I] = '\0';
if (strcmp (Word, "do") ==0)
Count++;
I=0;
}
}
cout<<"Count of -do- in file:"<<Count;
Fil.close();
}

```

15) Write a function COUNT_TO() in C++ to count the presence of a word 'to' in a text file "NOTES.TXT". (2009OD)

Example:

If the content of the file "NOTES.TXT" is as follows:

It is very important **to** know that smoking is injurious **to** health.

Let us take initiative **to** stop it.

The function COUNT_TO () will display the following message:

Count of -to- in file: 3

Note: In the above example, 'to' occurring as a part of word stop is not considered.

Ans)

```

void COUNT_TO ( )
{ifstream Fil; //OR ifstream Fil("NOTES.TXT");
Fil.open("NOTES.TXT")
char Word[80],Ch;
int Count =0, I=0;
while(Fil.get(Ch))
{if (Ch!= ' ')
Word [I++] = Ch;
else
{ Word[I] = '\0';

```

```

if (strcmp (Word, "to") ==0)
Count++;
I=0;
}
}
Fil.close();
cout<<"Count of -to- in file: "<<Count;
}

```

16) Write a function in C++ to count the number of lowercase alphabets present in a text file "BOOK.TXT" (2008 D)

Solution:

```

void LowerLetters ( )
{ clrscr ( );
ifstream fin("BOOK.TXT",ios::in);
char ch;
int lowercount=0;
while(fin)
{
fin.get(ch);
if(islower(ch))
lowercount++;
}
cout<<"\nTotal number of Lowercase
alphabets in the file = "<<lowercount;
getch ( );
}

```

17)Write a function in C++ to count the number of uppercase alphabets present in a text file "ARTICLE.TXT". (2008 OD)

Solution:

```

void UpperLetters ( )
{ clrscr ( );
ifstream fin("ARTICLE.TXT",ios::in);
char ch;
int uppercount=0;
while(fin)
{ fin.get(ch);
if(isupper(ch))
uppercount++;
}
cout<<"\nTotal number of Uppercase
alphabets in the file = "<<uppercount;
getch ( );
}

```

18) Write a function in C++ to print the count of the word is as an independent word in a text file DIALOGUE.TXT.

For example,if the content of the file DIALOGUE.TXT is

This is his book. Is this book good ?

Then the output of the program should be 2. (2007 D)

Ans)

```

void COUNT_IS ( )
{ ifstream Fil; //OR ifstream Fil("NOTES.TXT");
Fil.open("DIALOGUE.TXT")
char Word[80],Ch;
int Count =0, I=0;
while(Fil.get(Ch))
{ if (Ch!= ' ')
Word [I++] = Ch;
else
{ Word[I] = '\0';

```

```

    if (strcmp (Word, "is") ==0)
        Count++;
    I=O;
}
}
Fil.close ();
cout<<"Count of -is- in file: "<<Count;
}

```

19) Write a function in C++ to print the count of the word the as an independent word in a text file STORY.TXT. (2007 OD)

For **example**, if the content of the file STORY.TXT is There was a monkey in thezoo.The monkey was very naughty.

Then the output of the program should be 2

Solution:

```

void COUNT_THE ( )
{
    ifstream Fil;
        //OR ifstream Fil("NOTES.TXT");
    Fil.open("STORY.TXT")
    char Word[80],Ch;
    int Count =0, I=0;
    while(Fil.get(Ch))
    { if (Ch!= ' ')
        Word [I++] = Ch;
        else
        { Word[I] = '\0';
            if (strcmp (strupr(Word), "THE") ==0)
                Count++;
            I=O;
        }
    }
    Fil.close ();
    cout<<"Count of-the- in file: "<<Count;
}

```

20) Write a function to count the number of words present in a text file named "PARA.TXT". Assume that each word is separated by a single blank/space character and no blanks/spaces in the beginning and end of the file. (2006 D)

Solution:

```

void WordsCount ( )
{ clrscr ( );
    ifstream fin("PARA.TXT",ios::in);
    char ch;
    int Words=1;
    if(!fin)
    { cout<<"No words at all in the file";
        exit(0);
    }
    while(fin)
    { fin.get(ch);
        if(ch== ' ')
            Words++;
    }
    cout<<"\nTotal number of Words in the file =
"<<Words;
    getch ( );
}

```

21) Write a function to count the number of blanks present in a text file named "PARA.TXT" . (2006 OD)

Solution:

```

void BlanksCount ( )
{ clrscr ( );
    ifstream fin("PARA.TXT",ios::in);
    char ch;
    int Blanks=0;
    if(!fin)
    { cout<<"No words at all in the file.
        So no blank spaces";
        exit(0);
    }
    while(fin)
    { fin.get(ch);
        if(ch== ' ')
            Blanks++;
    }
    cout<<"\nTotal number of Blank
        Spaces in the file = "<<Blanks;
    getch ( );
}

```

22) Write a function in C++ to count and display the number of lines starting with alphabet 'A' present in a text file "LINES.TXT". (2005 D)

Example :

If the file "LINES.TXT" contains the following lines,

A boy is playing there.

There is a playground.

An aeroplane is in the sky.

Alphabets and numbers are allowed
in the password.

The function should display the output as 3

Ans)

```

void counter ( )
{ char Aline[80];
    int Count=0;
    ifstream Fin ("LINES.TXT");
    while(Fin.getline(Aline,80, '\n'))
    if (Aline[0]== 'A')
        Count++;
    Fin.close ( );
    cout<<Count<<endl;
}

```

23) Write a function in C++ to count and display the number of lines not starting with alphabet 'A' present in a text file "STORY.TXT". (2005 OD)

Example :

If the file "STORY.TXT" contains the following lines,

The rose is red.

A girl is playing there.

There is a playground.

An aeroplane is in the sky.

Numbers are not allowed in the
password.

The function should display the output as 3

Ans)

```

void COUNTALINES ( )
{ ifstream FILE("STORY.TXT");
    int CA=0;
    char LINE[80];
    while (FILE.getline (LINE,80))
    if (LINE[0]!='A')
        CA++;
    cout<<"Not Starting with A counts to "<<CA<<endl;
    FILE.close ( );
}

```

24) Assuming that a text file named FIRST.TXT contains some text written into it, write a function named vowelwords(), that reads the file FIRST.TXT and creates a new file named SECOND.TXT, to contain only those words from the file FIRST.TXT which start with a lowercase vowel (i.e. with 'a', 'e', 'i', 'o', 'u'). For example if the file FIRST.TXT contains (2004)

Carry umbrella and overcoat when it rains
Then the file SECOND.TXT shall contain:
umbrella and overcoat it

25) Write a user defined function in C++ to read the content from a text file NOTES.TXT, count and display the number of blank spaces present in it. (2003)

26) Write a C++ program, which initializes a string variable to the content "Time is a great teacher but unfortunately it kills all its pupils. Berlioz" and outputs the string one character at a time to the disk file OUT.TXT. You have to include all the header files if required. (2002)

27) Write a function in C++ to count the number of lines present in a text file "STORY.TXT". (MP109-10)

Ans)

```
void CountLine()
{
ifstream FIL("STORY.TXT");
int LINES=0;
char STR[80];
while (FIL.getline(STR,80))
    LINES++;
cout<<"No. of Lines:"<<LINES<<endl;
f.close( );
}
```

28) Write a function in C++ to count the number of alphabets present in a text file "NOTES.TXT". (MP209-10)

Ans)

```
void CountAlphabet()
{
ifstream FIL("NOTES.TXT");
int CALPHA=0;
char CH=FIL.get();
while (!FIL.eof())
{ if (isalpha(CH))
    CALPHA++;
  CH=FIL.get( );
}
cout<<"No. of Alphabets:"<< CALPHA<<endl;
}
```

29) Write a function in C++ to count the number of lines present in a text file "STORY.TXT". (MP108-09)

Answer:

```
void CountLine( )
{ ifstream FIL("STORY.TXT");
  int LINES=0;
  char STR[80];
  while (FIL.getline(STR,80))
```

```
    LINES++;
  cout<<"No. of Lines:"<<LINES<<endl;
  FIL.close( );
}
```

30) Write a function in C++ to count the number of alphabets present in a text file "NOTES.TXT". (MP208-09)

Answer:

```
void CountAlphabet()
{
ifstream FIL("NOTES.TXT");
int CALPHA=0;
char CH=FIL.get( );
while (!FIL.eof( ))
{ if (isalpha(CH))
    CALPHA++;
  CH=FIL.get( );
}
cout<<"No. of Alphabets:"<<CALPHA <<endl;
FIL.close( );
}
```

MODEL 3: USING CLASS CONCEPT.	3 Mark
--------------------------------------	---------------

1. Write a function in C++ to search and display details, whose destination is "Cochin" from binary file "Bus.Dat". Assuming the binary file is containing the objects of the following class: 2019SP3

```
class BUS
{ int Bno; // Bus Number
  char From[20]; // Bus Starting Point
  char To[20]; // Bus Destination
public:
  char * StartFrom ( ); { return From; }
  char * EndTo( ); { return To; }
  void input() { cin>>Bno>>; gets(From); get(To); }
  void show( ) { cout<<Bno<< ":"<<From << ":"<<To<<endl; }
};
```

Answer:

```
void Read_File( )
{
  BUS B;
  ifstream Fin;
  Fin.open("Bus.Dat", ios::binary);
  while(Fin.read((char *) &B, sizeof(B)))
  {
  if(strcmp(B.EndTo(), "Cochin")==0)
  {
  B.show( );
  }
  }
  Fin.close( );
}
```

2. Write a function in C++ to add more new objects at the bottom of a binary file "STUDENT.dat", assuming the binary file is containing the objects of the following class :

```

class STU
{
int Rno;
char Sname[20];
public: void Enter()
{
cin>>Rno;gets(Sname);
}
void show()
{
count << Rno<<sname<<endl;
}
};

```

Answer:

```

void Addrecord()
{
ofstream ofile;
ofile.open("STUDENT.dat", ios ::out);
STU S;
char ch='Y';
while (Ch=='Y' || Ch == 'y')
{
S.Enter();
ofile.write (Char* & S, sizeof(s));
cout << "more (Y/N)";
cin>>ch;
}
ofile.close();
}

```

3) Write a definition for a function TotalTeachers() in C++ to read each object of a binary file SCHOOLS.DAT, find the total number of teachers, whose data is stored in the file and display the same. Assume that the file SCHOOLS.DAT is created with the help of objects of class SCHOOLS, which is defined below: 2018(2)

```

class SCHOOLS
{ int SCode; //School Code
char SName[20]; //School Name
int NOT; //Number of Teachers in the school
public:
void Display( )
{
cout<<SCode<<"#"<<SName<<"#"<<NOT<<endl;
}
int RNOT( )
{ return NOT; }
};
Ans)
void TotalTeachers()
{
ifstream F;

```

```

F.open("SCHOOLS.DAT",ios::binary);
int Count=0;
SCHOOLS S;
while(F.read((char*)&S,sizeof(S)))
Count += S.RNOT();
cout<<"Total number of teachers "<<Count<<endl;
F.close(); //IGNORE
}

```

OR

```

void TotalTeachers()
{
ifstream F;
F.open("SCHOOLS.DAT",ios::binary);
SCHOOLS S;
while(F.read((char*)&S,sizeof(S)))
cout<<S.RNOT()<<endl;//OR S.Display();
F.close(); //IGNORE
}

```

4. Write a definition for function COUNTPICS() in C++ to read each object of a binary file PHOTOS.DAT, find and display the total number of PHOTOS of type PORTRAIT. Assume that the file PHOTOS.DAT is created with the help of objects of class PHOTOS, which is defined below: (2017)

```

class PHOTOS
{
int PCODE;
char PTYPE[20]; //Photo Type as
"PORTRAIT", "NATURE"
public:
void ENTER()
{ cin>>PCODE;gets(PTYPE);
}
void SHOWCASE()
{ cout<<PCODE<<":"<<PTYPE<<endl;
}
char *GETPTYPE(){return PTYPE;}
};


```

Ans)

```

void COUNTPICS()
{
ifstream F;
F.open("PHOTOS.DAT",
ios::binary);

```



```

int count=0;
PHOTOS obj;
while(F.read((char*)&obj,
sizeof(obj)))
{
if(strcmp(obj.GETPTYPE(),"PORTRAIT")==0)

```

```

count++;
}
cout<<"Number of PORTRAIT photos :"<<count;
F.close(); //IGNORE
}

```

5. Write a function display () in C++ to display all the students who have got a distinction (scored percentage more than or equal to 75) from a binary file "stud.dat", assuming the binary file is containing the objects of the following class: (2017MP)3

```

class student
{
int rno;
char sname [20];
int percent;
public:
int retpercent()
{
return percent;
}
void getdetails()
{
cin>>rno;
gets(sname);
cin>>percent;
}
void showdetails()
{
cout<<rno;
puts(sname);
cout<<percent;
}
};

```

Ans)

```

void display()
{
student s;
ifstream i("stud.dat");
while(i.read((char*)&s,sizeof(s))
{
if(s.retpercent()>=75)
s.showdetails();
}
i.close();
}

```

6. Write a definition for function ONOFFER() in C++ to read each object of a binary file TOYS.DAT, find and display details of those toys, which has status as "ÖNOFFER". Assume that the file TOYS.DAT is created with the help of objects of class TOYS, which is defined below: (2016) 3

```

class TOYS
{
int TID;char Toy[20],Status[20]; float MRP;
public:
void Getinstock()
{
cin>>TID;gets(Toy);gets(Status);cin>>MRP;
}
void View()
{
cout<<TID<<"":<<Toy<<"":<<MRP<<"":<<Status<<endl;
}
}

```

```

}
char *SeeOffer(){return Status;};
};
Ans)
void ONOFFER()
{
TOYS T;
ifstream fin;
fin.open("TOYS.DAT", ios::binary);
while(fin.read((char*)&T, sizeof(T)))
{
if(strcmp(T.SeeOffer(),"ON OFFER")==0)
T.View();
}
fin.close(); //Ignore
}

```

7. Write a definition for function COSTLY() in C++ to read each record of a binary file GIFTS.DAT, find and display those items, which are priced more than 2000. Assume that the file GIFTS.DAT is created with the help of objects of class GIFTS, which is defined below: (2015)3

```

class GIFTS
{
int CODE;char ITEM[20]; float PRICE;
public:
void Procure()
{cin>>CODE; gets(ITEM);cin>>PRICE;
}
void View()
{cout<<CODE<<"":<<ITEM<<"":<<PRICE<<endl;
}
float GetPrice() {return PRICE;};
};

```

Ans)

```

void COSTLY()
{
GIFTS G;
ifstream fin("GIFTS.DAT",ios::binary);
while (fin.read((char *)&G,sizeof(G)))
{ if(G.GetPrice(>2000)
G.View();
}
fin.close();
}

```

8. Assume the class TOYS as declared below, write a function in C++ to read the objects TOYS from binary file TOYS.DAT and display those details of those TOYS, which are meant for children of AgeRange "5 to 8". (2014) 3

```

class TOYS
{ int ToyCode;
char ToyName[10];
char AgeRange;
public:
void Enter()
{cin>>ToyCode;
gets(ToyName);
gets(AgeRange);
}
void Display()
{cout<<ToyCode<<"":<<ToyName<<endl;
cout<<AgeRange<<endl;
}
char *WhatAge()
}

```

```

{return AgeRange;
}
Answer)
void Show( )
{TOY T;
ifstream fcin("TOY.DAT",ios::in|ios::binary);
while(fcin)
{ fcin.read((char *)&T,sizeof(T));
if(strcmp((T,WhatAgeR(),"5 to 8")= =0)
T.Display( );
}
fcin.close( );
}

```

9.Assuming the class ANTIQUE as declared below, write a function in C++ to read the objects of ANTIQUE from binary file ANTIQUE.DAT and display those antique items, which are priced between 10000 and 15000. (2013) 3

```

class ANTIQUE
{ int ANO;
char Aname[10];
float Price;
public:
void BUY( )
{ cin>>ANO;
gets(Aname);
cin>>price;
}
void SHOW( )
{cout<<ANO<<endl;
cout<<Aname<<endl;
cout<<Price<<endl;
}
float GetPrice( )
{ return Price;
}

```

Answer)

```

void Search(float pr)
{ ifstream ifile("ANTIQUUE.DAT",ios::in|ios::binary);
if(!file)
{ cout<<"Could not open ANTIQUUE.DAT file";
exit(0);
}
else
{ ANTIQUUE A;
int found=0;
while(!file.read((char *)&A,sizeof(A)))
{ pr=A.GetPrice( );
if(pr>=10000 && pr<=15000)
{
A.SHOW( );
found=1;
break;
}
}
}
if(found= =0)
cout<<"Given Price not Match";
}

```

10) Write a function in C++ to search for the details (Phone no and Calls) of those Phones, which have more than 800 calls from a binary file "phones.dat" Assuming that this binary file contains records/objects of class Phone, which is defined below. (2012) 3

```

class Phone
{
char Phoneno [10] ; int Calls ;
public:
void Get 0 {gets (Phoneno) ; cin>>ea11s;}
void Billing() {cout<<Phoneno<<"#"<<Calls<<endl;}
int GetCalls () {return Calls;}
};
Ans
void Search ( )
{Phone P;
fstream fin;
fin. open ("phones. dat", ios: :binary| ios: :in);
while (fin.read((char*) &P, sizeof (P)))
{ if(P.GetCa11s () > 800)
P.Billing () ;
}
fin.close () ; }

```

11) Write a function in C++ to search for a camera from a binary file "CAMERA.DAT" containing the objects of class" CAMERA (as defined below). The user should enter the Model No and the function should search display the details of the camera. (2011 OD) 3

```

class CAMERA
{ long ModelNo;
float MegaPixel;
int Zoom;
char Details[120];
public:
void Enter ( )
{cin>>ModelNo>>MegaPixel>>Zoom;gets(Details);
}
void Display ( )
{cout<<ModelNo<<MegaPixel<<Zoom<<Details<<endl;
}
long GetModelNo ( ) {return ModelNo;}
};

```

Ans

```

void Search ( )
{ CAMERA C;
long modelnum;
cin>>modelnum;
ifstream fin;
fin.open ("CAMERA.DAT", ios: :binary | ios: :in) ;
while (fin.read((char*) &C,sizeof (C)))
{ if (C. GetModelNo ( ) modelnum)
C.Display() ;
}
Fin.close( ) ; //Ignore
}

```

OR

```

void Search (long modelnum)
{ CAMERA C;
ifstream fin;
fin.open ("CAMERA.DAT", ios: :binary | ios: :in);
while(fin.read((char*)&C,sizeof(C)))
{ if (C.GetModelNo() == modelnum)
C. Display () ;
}
Fin.close( ) ; //Ignore
}

```

12) Write a function in C++ to search and display details of all flights, whose destination is “Mumbai” from a binary file “FLIGHT.DAT”. Assuming the binary file is containing the objects of the following class. (2010 D)

```
class FLIGHT
{ int Fno; //Flight Number
  char From[20]; //Flight Starting Point
  char To[20]; //Flight Destination
public:
  char* GetFrom()
  {return From;}
  char* GetTo()
  {return To;}
  void Enter()
  { cin>>Fno;
    gets(From);
    gets(To);
  }
  void Display()
  { cout<<Fno<<“:”<<From<<“:”<<To<<endl;
  }
};
```

Ans)

```
void Read ()
{ FLIGHT F;
  ifstream fin;
  fin.open(“FLIGHT.DAT”,ios::binary);
  //OR ifstream fin (“FLIGHT. DAT”, ios: :binary);
  while(fin.read((char*)&F,sizeof(F)))
  { if (strcmp(F. GetTo(),“Mumbai”))
    F.Display() ;
  }
  fin.close(); //
```

OR

```
void Read()
{FLIGHT F;
  ifstream fin;
  fin.open ( “FLIGHT. DAT”, ios::binary) ;
  //OR ifstream fin ( “FLIGHT. DAT”, ios:: binary);
  if (fin)
  { fin.read((char*)&F, sizeof (F));
    while(!fin.eof() )
    { if (strcmp(F. GetTo(),“Mumbai”))
      F.Display() ;
    fin.read((char*)&F,sizeof(F))
    }
    fin.close() ;
  }
}
```

13) Write a function in C++ to search and display details. of all trains, whose destination is “Delhi” . from a binary file “TRAIN.DAT”. Assuming the binary file is containing the objects of the following class. (2010 OD)

```
class TRAIN
{ int Tno; // Train Number
```

```
  charFrom[20]; // Train Starting Point
  charTo [20]; // Train Destination
public:
  char* GetFrom()
  { return From;
  }
  char* GetTo()
  { return To;
  }
  void Input()
  { cin>>Tno;
    gets(From);
    gets(To);
  }
  void Show()
  { cout<<Tno<<“:”<<From<<“:”<<To<<endl;
  }
};
```

Ans)

```
void Read ()
{
  TRAIN T;
  ifstream fin;
  fin. open ( “TRAIN.DAT”,ios::binary);
  //OR ifstream fin ( “TRAIN.DAT”, ios::binary);
  while(fin.read((char*)&T, sizeof(T)))
  {
    if(strcmp(T.GetTo(),”Delhi”)==0)
      T.Show() ;
  }
  fin.close() ;
}
```

14) Write a function in C++ to read and display the detail of all the users whose status is ‘A’ (i.e. Active) from a binary file “USER.DAT”. Assuming the binary file “USER.DAT” is containing objects of class USER, which is defined as follows: (2009 D)

```
class USER
{
  int Uid ; //User Id
  char Uname [20];//User Name
  char Status; //User Type: A Active I Inactive
Public:
  void Register ( );
  //Function to enter the content
  void show ( ) ;
  //Function to display all data members
  char Getstatus ( )
  {
    return Status;
  }
};
```

Ans)

```
void DisplayActive ( )
{
  USER U;
  ifstream fin;
  fin.open ( “USER.DAT”, ios::binary);
  //OR ifstream fin ( “USER.DAT”, ios::binary);
  while(fin.read((char*)&U, sizeof(U)))
  {
    if(U.Getstatus()=='A')
      U.show() ;
  }
}
```

```

}
fin.close();
}

```

OR

```

void DisplayActive()
{
    USER U;
    ifstream fin;
    fin.open ("USER.DAT", ios::binary);
    //OR ifstream fin("USER.DAT",ios::binary);
    if (fin)
    {
        fin.read((char*)&U, sizeof(U));
        while(!fin.eof())
        {
            if (U.Getstatus()=='A')
                U.show();
            fin.read((char*)&U, sizeof(U))
        }
    }
    fin.close();
}

```

15) Write a function in C++ to read and display the detail of all the members whose membership type is 'L' or 'M' from a binary file "CLUB.DAT". Assume the binary file "CLUB.DAT" contains objects of class CLUB, which is defined as follows: (2009 OD)

```

class CLUB
{
    int Mno;           //Member Number
    char Mname [20];  //Member Name
    char Type;        //Member Type: L Life Member M
                    //Monthly Member G Guest
public:
    void Register();
                    //Function to enter the content
    void Display();
                    //Function to display all data members
    char WhatType()
    {
        return Type;
    }
};

```

Ans)

```

void DisplayL_M()
{
    CLUB C;
    fstream fin;
    fin. open ("CLUB.DAT",
               ios::binary|ios::in);
    //OR ifstream fin ("CLUB.DAT", ios::binary);
    while(fin.read((char*)&C, sizeof(C))
    {
        if(C.WhatType()=='L' || C.WhatType()=='M')
            C.Display();
    }
    fin.close();
}

```

OR

```

void DisplayL_M()
{
    CLUB C;
    fstream fin;
    fin.open ("CLUB.DAT", ios::binary | ios::in);
    //ifstream fin ("CLUB.DAT",ios::binary);
    if(fin)

```

```

{
    fin.read((char*)&C, sizeof(C));
    while(!fin.eof())
    {
        if(C.WhatType()=='L' || C.WhatType()=='M')
            C.Display();
        fin.read((char*)&C, sizeof(C));
    }
}
fin.close();
}

```

16) Given a binary file PHONE.DAT, containing records of the following structure type (2008 D)

```

class phonlist
{
    char Name[20];
    char Address[30];
    char AreaCode[5];
    char PhoneNo[15];
public:
    void Register();
    void Show();
    int CheckCode(char AC[])
    {
        return strcmp(AreaCode, AC);
    }
};

```

17. Write a function TRANSFER() in C++, that would copy all those records which are having AreaCode as "DEL" from PHONE.DAT to PHONBACK.DAT.

Solution:

```

void TRANSFER()
{
    ifstream fin("PHONE.DAT", ios::in, ios::binary);
    ofstream fout("PHONBACK.DAT",
                 ios::out, ios::binary);
    phonlist P;
    while(fin) // or while(!fin.eof())
    {
        fin.read((char*)&P, sizeof(P));
        if(P.CheckCode("DEL") != 0)
            fout.write((char*)&P, sizeof(P));
    }
    fin.close();
    fout.close();
}

```

18) Given a binary file TELEPHON.DAT, containing records of the following class Directory : (2008 OD)

```

class Directory
{
    char Name[20];
    char Address[30];
    char AreaCode[5];
    char phone_No[15];
public:
    void Register();
    void Show();
    int CheckCode(char AC[])
    {
        return strcmp(AreaCode, AC);
    }
};

```

19. Write a function COPYABC() in C++, that would copy all those records having AreaCode as "123" from TELEPHON.DAT to TELEBACK.DAT.

Solution:

```

void COPYABC()
{ ifstream fin("TELEPHON.DAT",ios::in|ios::binary);
  ofstream fout("TELEBACK.DAT",ios::out,ios|binary);
  Directory D;
  while(fin) // or while(!fin.eof())
  {
    fin.read((char*)&D,sizeof(D));
    if(D.CheckCode("123")==0)
      fout.write((char*)&D,sizeof(D));
  }
  fin.close();
  fout.close();
}

```

20.) Given a binary file GAME.DAT, containing records of the following structure type (2007 D)

```

struct Game
{ char GameName[20];
  char Participate[10][30];
};

```

Write a function in C++ that would read contents from the file GAME.DAT and creates a file named BASKET.DAT copying only those records from GAME.DAT where the game name is "Basket Ball".

Solution:

```

void BPlayers()
{
  ifstream fin("GAME.DAT",ios::in,ios::binary);
  ofstream fout("BASKET.DAT",ios::out|ios::binary);
  Game G;
  while(fin) // or while(!fin.eof())
  {
    fin.read((char*)&G,sizeof(Game));
    if(strcmp(G.GameName,"Basket Ball")==0)
      fout.write((char*)&G,sizeof(G));
  }
  fin.close();
  fout.close();
}

```

21.) Given a binary file SPORTS.DAT, containing records of the following structure type: (2007 OD)

```

struct Sports
{ char Event[20];
  char Participant[10][30];
};

```

Write a function in C++ that would read contents from the file SPORTS.DAT and creates a file named ATHLETIC.DAT copying only those records from SPORTS.DAT where the event name is "Athletics".

Solution:

```

void AthletsList()
{
  ifstream fin("SPORTS.DAT",ios::in,ios::binary);
  ofstream fout("ATHLETIC.DAT",ios::out|ios::binary);
  Sports S;
  while(fin) // or while(!fin.eof())
  {
    fin.read((char*)&S,sizeof(Sports));
    if(strcmp(S.Event,"Athletics")==0)
      fout.write((char*)&S,sizeof(S));
  }
  fin.close();
  fout.close();
}

```

22) Following is the structure of each record in a data file named "COLONY.DAT" (2006 D)

```

struct COLONY
{ char Colony_Code[10];
  char Colony_Name[10];
  int No_of_People;
};

```

Write a function in C++ to update the file with a new value of No_of_People. The value of Colony_Code and No_of_People are read during the execution of the program.

Solution:

```

void Update()
{
  ifstream finout("COLONY.DAT",ios::in|ios::out);
  COLONY C;
  finout.seekg(0);
  while(finout)
  {
    finout.read((char*)&C,sizeof(C));
    cout<<"\nThe Colony Code is
      <<<C.Colony_Code;
    cout<<"\nThe Colony Name
      is"<<C.Colony_Name;
    cout<<"\nEnter the Number of
      People";
    cin>>C.No_of_People;
    finout.seekp(finout.seekp()-sizeof(C));
    finout.write((char*)&C,sizeof(C));
  }
}

```

23) Following is the structure of each record in a data file named "PRODUCT.DAT". (2006 OD)

```

struct PRODUCT
{ char Product_Code[10];
  char Product_Description[10];
  int Stock;
};

```

Write a function in C++ to update the file with a new value of Stock. The Stock and the Product_Code, whose Stock to be updated, are read during the execution of the program.

Solution:

```

void Update()
{
  ifstream finout("PRODUCT.DAT",ios::in|ios::out);
  PRODUCT P;
  finout.seekg(0);
  while(finout)
  {
    finout.read((char*)&P,sizeof(P));
    cout<<"\nThe Product Code is
      <<<P.Product_Code;
    cout<<"\nThe Product
      Description is"<<
      P.Product_Description;
    cout<<"\nEnter the Stock: ";
    cin>>P.Stock;
    finout.seekp(finout.seekp()-sizeof(P));
    finout.write((char*)&P,sizeof(P));
  }
}

```

24) Given a binary file STUDENT.DAT, containing records of the following class Student type

(2005 D)

```
class Student
{ char S_Adjno[10]; //Admission number of student
  char S_Name[30]; //Name of student
  int Percentage; //Marks Percentage of student
public :
  void EnterData( )
  { gets(S_Adjno);
    gets(S_Name);
    cin >> Percentage ;
  }
  void DisplayData( )
  { cout << setw(12) << S_Adjno ;
    cout << setw(32) << S_Name ;
    cout << setw(3) << Percentage << endl ;
  }
  int ReturnPercentage( )
  { return Percentage;
  }
};
```

25) Write a function in C++, that would read contents of file STUDENT.DAT and display the details of those Students whose Percentage is above 75.

Ans)

```
void Distinction()
{ Student S;
  ifstream Fin;
  Fin.open("STUDENT.DAT",
    ios::binary|ios::in);
  while(Fin.read((char*)&S, sizeof(Student))
  if (S.ReturnPercentage(>75)
    S.DisplayData();
  Fin.close();
}
```

26) Given a binary file APPLY.DAT, containing records of the following class Applicant type

(2005 OD)

```
class Applicant
{ char A_Rno[10]; //Roll number of applicant
  char A_Name[30]; //Name of applicant
  int A_Score; //Score of applicant
public :
  void Enrol( )
  { gets(A_Rno);
    gets(A_Name);
    cin >> A_Score ;
  }
  void Status( )
  {
    cout << setw(12) << A_Adjno ;
    cout << setw(32) << A_Name ;
    cout << setw(3) << A_Score << endl ;
  }
  int ReturnScore( )
  {
    return A_Score;
  }
};
```

Write a function in C++, that would read contents of file APPLY.DAT and display the details of those Students whose A_Score is above 70.

27) Assuming a binary file FUN.DAT is containing objects belonging to a class LAUGHTER (as defined below). Write a user defined function in C++ to add more objects belonging to class LAUGHTER at the bottom of it. (2003)

```
class LAUGHTER
{ int Idno; // Identification number
  char Type[5]; //LAUGHTER Type
  char Desc[255]; //Description
public :
  void Newentry( )
  { cin >> Idno; gets(Type); gets(Desc);
  }
  void Showonscreen( )
  {
    cout << Idno << " : " << Type << endl << Desc << endl;
  }
};
```

28) Assuming the class FLOPPYBOX, write a function in C++ to perform following:

**(i) Write the objects of FLOPPYBOX to a binary file.
(ii) Reads the objects of FLOPPYBOX from binary file and display them on screen.**

```
class FLOPPYBOX
{ int size;
  char name[10];
public:
  void getdata()
  { cin >> size; gets(name);
  }
  void showdata(){ cout << size << " " << name << endl; }
}; (1999)
```

29) Assuming the class EMPLOYEE given below, write functions in C++ to perform the following:

**(i) Write the objects of EMPLOYEE to a binary file.
(ii) Read the objects of EMPLOYEE from binary file and display them on the screen.**

(1998)

```
class EMPLOYEE
{ int ENO;
  char ENAME[10];
public:
  void GETIT( )
  { cin >> ENO;
    gets(ENAME);
  }
  void SHOWIT( )
  { cout << ENO << ENAME << endl;
  }
};
```

30) Assuming the class DRINKS defined below, write functions in C++ to perform the following:

**(i) Write the objects of DRINKS to a binary file.
(ii) Read the objects of DRINKS from binary file and display them on screen when DNAME has value "INDY COLA".**

```
class DRINKS
{ int DCODE;
  char DNAME[13]; //Name of the drink
  int DSIZE; //Size in liters
  float DPRICE;
public:
  void getdrinks( )
```

```

    { cin>>DCODE>>DNAME>>DSIZE>>DPRICE;
    }
void showdrinks()
{
cout<<DCODE<<DNAME<<DSIZE<<DPRICE<<endl;
}
char *getname()
{return DNAME;}
};
(2000)

```

31) Write a function in C++ to search for a BookNo from a binary file "BOOK.DAT", assuming the binary file is containing the objects of the following class. (MP109-10)

```

class
{int Bno;
char Title[20];
public:
int RBno( )
{return Bno;}
void Enter( )
{cin>>Bno;gets(Title);}
void Display( )
{cout<<Bno<<Title<<endl;}
};

```

Ans)

```

void BookSearch()
{fstream FIL;
FIL.open("BOOK.DAT",ios::binary|ios::in);
BOOK B;
int bn,Found=0;
cout<<"Enter Book No. to search..."; cin>>bn;
while (FIL.read((char*)&S,sizeof(S)))
if (FIL.RBno()==bn)
{
S.Display();
Found++;
}
if (Found==0)
cout<<"Sorry! Book not
found!!!"<<endl;
FIL.close();
}

```

32) Write a function in C++ to add new objects at the bottom of a binary file "STUDENT.DAT", assuming the binary file is containing the objects of the following class. (MP209-10)

```

class STUD
{ int Rno;
char Name[20];
public:
void Enter()
{ cin>>Rno;gets(Name);
}
void Display()
{ cout<<Rno<<Name<<endl;
}
};

```

Ans)

```

void Addnew()
{fstream FIL;
FIL.open("STUDENT.DAT",ios::binary|ios::app);

```

```

STUD S;
char CH;
do
{ S.Enter();
FIL.write((char*)&S,sizeof(S));
cout<<"More(Y/N)?">>cin>>CH;
}
while(CH!='Y');
FIL.close();
}

```

33) Write a function in C++ to search for a BookNo from a binary file "BOOK.DAT", assuming the binary file is containing the objects of the following class. (MP108-09)

```

class BOOK
{int Bno;
char Title[20];
public:
int RBno()
{ return Bno;
}
void Enter()
{ cin>>Bno;gets(Title);
}
void Display()
{
cout<<Bno<<Title<<endl;
}
};

```

Answer:

```

void BookSearch()
{
fstream FIL;
FIL.open("BOOK.DAT",ios::binary|ios::in);
BOOK B;
int bn,Found=0;
cout<<"Enter Book Num to search...";
cin>>bn;
while (FIL.read((char*)&S,sizeof(S)))
if (B.RBno() ==bn)
{
B.Display();
Found++;
}
if (Found==0) cout<<"Sorry! Book
not found!!!"<<endl;
FIL.close();
}

```

34) Write a function in C++ to add new objects at the bottom of a binary file "STUDENT.DAT", assuming the binary file is containing the objects of the following class. (MP208-09)

```

class STUD
{ int Rno;
char Name[20];
public:
void Enter()
{ cin>>Rno;
gets(Name);
}
void Display()
{ cout<<Rno<<Name<<endl;
}
}

```

```
};
```

Answer:

```
void Addnew()
{ fstream FIL;
FIL.open("STUDENT.DAT",ios::binary|ios::app);
STUD S;
char CH;
do
{ S.Enter();
FIL.write((char*)&S,sizeof(S));
cout<<"More(Y/N)?">>CH;
}
while(CH!='Y');
FIL.close();
}
```

Model 4 : Complete the function definitions of class

4.b) Consider the class declaration

```
class FLIGHT
{ protected:
int flight_no;
char destination[20];
float distance;
public:
void INPUT(); //To read an object from the keyboard
void write_file(int); //To write N objects into the file,
//Where N is passed as argument.
void OUTPUT(); //To display the file contents on the monitor.
}; (2001)
Complete the member functions definitions.
```

Model 5 : Theory Questions

1)What is the difference between pub() and write() ? (2002)

2) Distinguish between ios::out and ios::app. (2001)

Ans) The ios::out mode opens the file in output mode only. The ios::app mode opens the file in append mode, where the file can be appended.

3) Name two member functions of ofstream class. (2000)

4) Differentiate between functions read() and write(). (1999)

5) Write name of two member functions belonging to ifstream class. (1998)

8.POINTERS

Model 1 : Output (Without Class) - 2 Marks

1. Find and write the output of the following C++ program code: Note: Assume all required header files are already being included in the program. 2019SP(3)

```
void main()
{
int Ar[ ] = { 6 , 3 , 8 , 10 , 4 , 6 , 7 } ;
int *Ptr = Ar , I ;
cout<<+*Ptr++ << '@' ;
I = Ar[3] - Ar[2] ;
```

```
cout<<+*(Ptr+I)<< '@'<< "\n" ;
cout<<+I + *Ptr++ << '@' ;
cout<<*Ptr++ << '@'<< '\n' ;
for( ; I >=0 ; I -=2)
cout<<Ar[I] << '@' ;
}
```

Ans:

```
7@11@
6@8@
11@3@
```

2) Find and write the output of the following C++ program code: (2018)

Note: Assume all required header files are already included in the program (2)

```
#define Modify(N) N*3+10
void main()
{ int LIST[ ]={10,15,12,17};
int *P=LIST,C;
for(C=3;C>=0;C- -)
LIST[C]=Modify(LIST[C]);
for(C=0;C<=3;C++)
{ cout<<*P<<": ";
P++;
}
}
```

Ans) 40:55:46:61:

(Note: Actually LIST[I]=Modify(LIST[I]); Was printed on paper, Considered LIST[I] replaced with LIST[C])

3. Find and write the output of the following C++ program code:

Note: Assume all required header files are already being included in the program.

void main() (2017)3

```
{
int *Point, Score[]={100,95,150,75,65,120};
Point = Score;
for(int L = 0; L<6; L++)
{
if((*Point)%10==0)
*Point /= 2;
else
*Point -= 2;
If((*Point)%5==0)
*Point /= 5;
Point++;
}
for(int L = 5; L>=0; L--)
cout<<Score[L]<<"*";
}
```

Ans)

```
12*63*73*15*93*10*
```

4) Write the output of the following C++ program code: Note: Assume all required header files are already being included in the program.

```
void change(int *s)
{
for(int i=0;i<4;i++)
{
if(*s<40)
{
if(*s%2==0)
*s=*s+10;
else
*s=*s+11;
}
else
{
if(*s%2==0)
*s=*s-10;
else
*s=*s-11;
}
cout<<*s<<" ";
s++;
}
}
void main()
{
int score[]={25,60,35,53};
change(score);
}
A)          36 50 46 42
```

5) Obtain the output of the following C++ program as expected to appear on the screen after its execution.2
Important Note: (2014 OD)

- All the desired header files are already included in the code, which are required to run the code.

```
void main()
{ char *Text="AJANTA";
int *P,Num[ ]={1,5,7,9};
P=Num;
cout<<*P<<Text<<endl;
Text++;
P++;
cout<<*P<<Text<<endl;
}
A)          1AJANTA
          5JANTA
```

6) Observe the following C++ code carefully and obtain the output, which will appear on the screen after execution of it.

Important Note: (2013 D)2

-All the desired header files are already included in the code, which are required to run the code.

```
void main()
{char *String="SHAKTI";
int *Point,Value[ ]={ 10,15,70,19};
Point=Value;
cout<<*Point<<String<<endl;
String++;
Point++;
cout<<*Point<<String<<endl;
}
A)          10SHAKTI
          15SHAKTI
```

A) 10SHAKTI
15SHAKTI

7) Find the output of the following program: 2

```
#include <iostream.h>(2012 OD)
#include <ctype.h>
typedef char str80 [80] ;
void main ( )
{
char *Notes ;
str80 str="vR2GoOd";
int L=6;
Notes=Str;
while (L>=3)
{
Str[L]=(isupper(Str[L])?tolower(Str[L]):
toupper(Str[L]));
cout<<Notes<<endl;
L--;
Notes++;
}
}
```

Ans: vR2Good
R2GoOd
2GOOd
gOOd

8.Find the output of the following program: 2

```
#include<iostream.h>(2011OD)
void main ( )
{int *Queen, Moves [ ] = {11, 22, 33, 44};
Queen = Moves;
Moves [2] += 22;
Cout<< "Queen @"<<*Queen<<endl;
*Queen - = 11;
Queen + = 2;
cout<< "Now @"<<*Queen<<endl;
Queen++;
cout<< "Finally@"<<*Queen<<endl;
cout<< "New Origin @"<<Moves[0]<<endl;
}
```

Ans Queen @11
Now @55
Finally @44
New origin @0

9) Find the output of the following program: (2009D)

```
#include<iostream.h>
void main( )
{int X[ ] = {10,25,30,55,110};
int *p = X;
while ( *p < 110)
{ if ( *P%3 != 0 )
*p=*p+1;
else
*p = *p + 2;
p++;
}
for(int I = 4; I>=1 ; I--)
{ cout << X[I] << "*" ;
if ( I%3 == 0)
cout<<endl;
}
}
```

```
cout<<X[0] * 3<<endl;
}
```

Ans) **110*56***
32*26*33

10) Find the output of the following program(2009 OD)

```
#include<iostream.h>
void main()
{int A[ ] = { 10, 15, 20, 25, 30}
int *p = A;
while (*p < 30)
{ if (*p%3 != 0)
    *p = *p + 2 ;
  else
    *p = *p + 1;
  p++;
}
for (int J = 0; J<=4; J++)
{ cout << A[J] << " ";
if ( J%3 == 0)
  cout<<endl;
}
cout<<A[4] * 3<<endl;
}
```

Ans) **12***
16*22*27*
30*90

11)Find the output of the following program: (2007 D)

```
#include<iostream.h>
void main()
{ int Array[ ]={4,6,10,12};
int *pointer=Array;
for(int I=1;I<=3;I++)
{ cout<<*pointer<<"#";
  pointer++;
}
cout<<endl;
for(I=1;I<=4;I++)
{ (*pointer)*=3;
  --pointer;
}
for(I=1;I<5;I++)
  cout<<Array[I-1]<<"@";
cout<<endl;
}
```

Output:
4#6#10#
12@18@30@36@

12)Find the output of the following program: (2007 OD)

```
#include<iostream.h>
void main()
{ int Numbers[]={2,4,8,10};
int *ptr=Numbers;
for(int C=1;C<3;C++)
{ cout<<*ptr<<"@";
  ptr++;
}
cout<<endl;
for(C=0;C<4;C++)
{ (*ptr)*=2;
  --ptr;
}
for(C=0;C<4;C++)
  cout<<Numbers[C]<<"#";
cout<<endl;
}
```

Output:
2@4@
4#8#16#10#

13) What will be the output of the following program: (2004)

```
#include<iostream.h>
#include<conio.h>
#include<ctype.h>
#include<string.h>
void ChangeString(char Text[],int &Counter)
{ char *Ptr=Text;
  int Length=strlen(Text);
  for(;Counter<Length- 2; Counter+=2,Ptr++)
  { *(Ptr+Counter)=toupper(*(Ptr+Counter));
  }
}
void main()
{ clrscr();
  int Position=0;
  char Message[]="Pointers Fun";
  ChangeString(Message,Position);
  cout<<Message<<"@"<<Position;
}
```

Output:
PoiNteRs Fun@10

14) Give the output of the following program segment. (Assuming all required header files are included in the program) (2001)

```
void main()
{ int a=32,*x=&a;
  char ch=65,&cho=ch;
  cho+=a;
  *x+=ch;
  cout<<a<<','<<ch<<endl;
}
```

Output:
129,a

15) Give the output of the following program. (1999)

```
#include<stdio.h>
void main()
{ char *p="Difficult";
  char c;
  c=*p++;
  printf("%c",c);
}
```

Output:
D

16)Find the output of the following program:2

```
#include <iostream.h>(MP2 2008-09)
struct Game
{ char Magic[20];int Score;
};
void main()
{ Game M={"Tiger",500};
  char *Choice;
  Choice=M.Magic;
  Choice[4]='P';
  Choice[2]='L';
  M.Score+=50;
  cout<<M.Magic<<M.Score<<endl;
  Game N=M;
  N.Magic[0]='A';N.Magic[3]='J';
  N.Score-=120;
  cout<<N.Magic<<N.Score<<endl;
}
```

Answer:
TiLeP550
AiLJP430

Model 2 : Output (Within Class) - 2 Marks**1) Find the output of the following program: (2006 D)**

```
#include<iostream.h>
#include<string.h>
class state
{ char *state_name;
  int size;
public:
  state()
  { size=0;
    state_name=new char[size+1];
  }
  state(char *s)
  { size=strlen(s);
    state_name=new char[size+1];
    strcpy(state_name,s);
  }
  void display( )
  { cout<<state_name<<endl;
  }
  void Replace(state &a, state &b)
  { size=a.size+b.size;
    delete state_name;
    state_name=new char[size+1];
    strcpy(state_name,a.state_name);
    strcat(state_name,b.state_name);
  }
};
void main( )
{ char *temp="Delhi";
  State state1(temp),state2("Mumbai"),
  state3("Nagpur"),S1,S2;
  S1.Replace(state1,state2);
  S2.Replace(S1,state3);
  S1.display( );
  S2.display( );
}
```

Output:
DelhiMumbai
DelhiMumbaiNagpur

2) Find the output of the following program.(2006 OD)

```
#include<iostream.h>
#include<string.h>
class student
{ char *name;
  int I;
public:
  student( )
  { I=0;
    name=new char[I+1];
  }
  student(char *s)
  { I=strlen(s);
    name=new char[I+1];
    strcpy(name,s);
  }
  void display( )
  { cout<<name<<endl;
  }
  void manipulate(student &a, student &b)
  { I=a.I+b.I;
    delete name;
    name=new char[I+1];
    strcpy(name,a.name);
    strcat(name,b.name);
  }
};
```

```
void main( )
{ char *temp="Jack";
  Student name1(temp),name2("Jill"),
  name3 ("John"),S1,S2;
  S1.manipulate(name1,name2);
  S2.manipulate(S1,name3);
  S1.display( );
  S2.display( );
}
```

Output:
JackJill
JackJillJohn

3) Give the output of the following program (2001)

```
#include<iostream.h> #include<string.h>
class per
{ char name[20];
  float salary;
public:
  per(char *s, float a)
  { strcpy(name,s);
    salary=a;
  }
  per *GR(per &x)
  { if(x.salary>=salary)
    return &x;
    else
    return this;
  }
  void display( )
  { cout<<"Name:"<<name<<"\n";
    cout<<"Salary:"<<salary<<"\n";
  }
};
void main( )
{ Per P1("REEMA",10000),
  P2("KRISHNAN",20000),
  P3("GEORGE",5000);
  per *P;
  P=P1.GR(P3);P->display( );
  P=P2.GR(P3);P->display( ); }
```

Output:
Name:REEMA
Salary:10000
Name:KRISHNAN
Salary:20000

Model 3 : Theory Question - 2 Marks**1) What is "this" pointer? Give an example to illustrate the use of it in C++. (2006 OD)**

Ans: A special pointer known as this pointer stores the address of the object that is currently invoking a member function. The this pointer is implicitly passed to the member functions of a class whenever they are invoked.

(As soon as you define a class, the member functions are created and placed in the memory space only once. That is, only one copy of member functions is maintained that is shared by all the objects of the class. Only space for data members is allocated separately for each object.

When a member function is called, it is automatically passed an implicit(in built) argument that is a pointer to the object that invoked the function. This pointer is called this. If an object is invoking a member function, then an implicit argument is passed to that member function that points to (that) object. The programmer also can explicitly specify 'this' in the program if he desires.)

Eg: Example program to demonstrate the usage of this pointer.

```
#include<iostream.h>
```

```

#include<conio.h>
class Rectangle
{ float area,len,bre;
public:
void input()
{ cout<<"\nEnter the length and breadth: ";
cin>>this->len>>this->bre;
}
void calculate()
{ area=len*bre; //Here Implicit 'this' pointer will be
worked.
}
void output( )
{
cout<<"\nThe Area of the
Rectangle:"<<this->area;
}
};
void main()
{ Rectangle R;
clrscr( );
R.input( );
R.calculate( );
R.output( );
getch();
}

```

(2)Error 2 is in Line no.7 ie ptr=&j;
Here ptr is a constant pointer the
address in this pointer can't be modified.
(It is already pointing the address of i.)

2) Distinguish between

```

int *ptr=new int(5);
int *ptr=new int[5];          (2001)

```

Ans: The int *ptr=new int(5); declares and creates the space for the new data directly.

Ie The new operator reserves 2 bytes of memory from heap memory (free pool) and returns the address of that memory location to a pointer variable called ptr, 5 is the initial value to be stored in the newly allocated memory.

The int *ptr = new int[5]; initializes an array element. A memory space for an integer type of array having 5 elements will be created from the heap memory (free pool).

Model 4 : Errors/Rewrite	- 2 Marks
---------------------------------	------------------

1) Identify the syntax error(s), if any, in the following program. Also give reason for errors. (2001)

```

void main()
{
const int i=20;
const int* const ptr=&i;
(*ptr)++;
int j=15;
ptr=&j;
}

```

Ans:

Error Line 5 : Cannot modify a const object.

Error Line 7 : Cannot modify a const object.

Warning Line 8 : 'j' is assigned a value that is never used.

Warning Line 8 : 'ptr' is assigned a value that is never used.

Explanation:

(1)Error 1 is in Line no.5 ie (*ptr)++

Here ptr is a constant pointer ie the contents can't be modified.

9.ARRAYS(8 Marks)

MODEL 1: Function to Receive an array and ChangeElements. (2 or 3 Marks)

1. Write a user defined function **Reverse(int A[],int n)** which accepts an integer array and its size as arguments(parameters) and reverse the array. **2019SP3**

Example : if the array is **10,20,30,40,50** then reversed array is **50,40,30,20,10**

Answer:

```
void Reverse( int A[ ], int n)
{
int temp;
for(int i=0;i<n/2;i++)
{
temp=A[i];
A[i]=A[n-1-i];
A[n-1-i]=temp;
}
}
```

2. Write the definition of a function **AddUp(intArr[], int N)** in C++, in which all even positions (i.e. 0,2,4,...) of the array should be added with the content of the element in the next position and odd positions (i.e. 1,3,5,...) elements should be incremented by 10.

Example: if the array Arr contains

23 30 45 10 15 25

Then the array should become

53 40 55 20 40 35

NOTE: (2017)3

- The function should only alter the content in the same array.
- The function should not copy the altered content in another array.
- The function should not display the altered content of the array.
- Assuming, the Number of elements in the array are Even.

Ans)

```
void AddUp(intArr[], int N)
{
for(int i=0; i<N; i++)
{
if(i%2==0)
Arr[i]=Arr[i]+Arr[i+1];
else
Arr[i]=Arr[i]+10;
}
}
```

3. Write a user-defined function **swap_row (int ARR[][3],intR,int C)** in C++ to swap the first row values with the last row values: **(2017MP) 2**

For example if the content of the array is:

10 20 30

40 50 60

70 80 90

Then after function call, the content of the array should be:

70 80 90

40 50 60

10 20 30

Ans)

```
void swap_row(int ARR[][3],intR,int C)
{for(int i=0,j=0;j<C;j++)
{int temp=ARR[i][j];
ARR[i][j]=ARR[R-1][j];
ARR[R-1][j]=temp;
}
}
```

4. Write the definition of a function **grace_score (int score [], int size)** in C++, which should check all the elements of the array and give an increase of 5 to those scores which are less than 40.

Example: if an array of seven integers is as follows:

45, 35, 85, 80, 33, 27, 90

After executing the function, the array content should be changed as follows:

45, 40, 85, 80, 38, 32, 90

(2016)3

Ans)

```
void grace_score(int score[],int size)
{
for(int i=0;i<size;i++)
{
if(score[i]<40)
score[i]=score[i]+5;
cout<<score[i]<<" ";
}
}
```

5. Write the definition of a function **FixSalary(float Salary[], int N)** in C++, which should modify each element of the array Salary having N elements, as per the following rules: **(2016) 2**

Existing Salary Values	Required Modification in Value
If less than 100000	Add 35% in the existing value
If >=100000 and <200000	Add 30% in the existing value
If >=200000	Add 20% in the existing value

A)

```
{
for (int i=0;i<N;i++)
if(Salary[i]<100000)
Salary[i]+= 0.35 *Salary[i];
else if (Salary[i]>=100000 && Salary[i]<200000)
Salary[i]+= 0.3 * Salary[i];
else if(Salary[i]>=200000)
Salary[i]+= 0.20 * Salary[i];
}
```

6. Write the definition of a function **Change(int P[], int N)** in C++, which should change all the multiples of 10 in the array to 10 and rest of the elements as 1. **For example, if an array of 10 integers is as follows: (2015)2**

P[0]	P[1]	P[2]	P[3]	P[4]	P[5]	P[6]	P[7]	P[8]	P[9]
100	43	20	56	32	91	80	40	45	21

After executing the function, the array content should be changed as follows:

P[0]	P[1]	P[2]	P[3]	P[4]	P[5]	P[6]	P[7]	P[8]	P[9]
10	1	10	1	1	1	10	10	1	1

```

A)void Change(int P[ ],int N)
{
for (int i=0;i<N;i++)
if(P[i]%10==0)
P[i]=10;
else
P[i]=1;
}

```

7. Write a code for function EvenOdd(int T[], int C) in C++, to add 1 in all the odd values and 2 in all the even values of the array T. (2014) 3

Example: If the original content of an array S is

T[0]	T[1]	T[2]	T[3]	T[4]
35	12	16	69	26

The modified content will be:

T[0]	T[1]	T[2]	T[3]	T[4]
36	14	18	70	28

Answer)

```

void EvenOdd(int T[ ],int C)
{
int I;
for(i=0;i<C;i++)
{
if(T[i]%2==0)
T[i]=T[i]+2;
else
T[i]=t[i]+1;
}
cout<<"Modified content will be: ";
for(i=0;i<C;i++)
cout<<T[i];
}

```

8. Write code for a function void ChangOver(int P[],int N) in C++, which repositions all the elements of the array by shifting each of them to the next position and by shifting the last element to the first position. (2013) 3

For example: if the content of array is

0	1	2	3	4
12	15	17	13	21

The changed content will be

0	1	2	3	4
21	12	15	17	13

Ans)

```

void Change(int P[ ], int N)
{
int temp;
int temp1;
for(int i=0;i<(N-1);i++)
{

```

```

temp=P[size-1];
P[N-1]=P[i];
P[i]=temp;
}
}

```

9) Write a function SWAP2BEST (int ARR[], int Size) in C++ to modify the content of the array in such a way that the elements, which are multiples of 10 swap with the value present in the very next position in the array. (2012) 3

For example:

If the content of array ARR is
90, 56, 45, 20, 34, 54

The content of array ARR should become
56, 90, 45, 34, 20, 54

Ans

```

void SWAP2BEST(int ARR[], int Size)
{
int t;
for(int i=0;i<Size-1;i++)
{
if (ARR[i] %10=0)
{
t=ARR[i];
ARR[i]=ARR[i+1];
ARR[i+1]=t;
i++; //Ignore if not. written
}
}
}

```

10. Write a Get2From1() function in C++ to transfer the content from one array ALL[] to two different arrays Odd[] and Even[]. The Odd[] array should contain the values from odd positions (1,3,5,...) of ALL[] and Even [] array should contain the values from even positions (0, 2, 4,.....) of ALL []. (2011 OD) 3

Example

If the ALL[] array contains
12, 34, 56, 67, 89, 90

The Odd[] array should contain
34, 67, 90

And the Even [] array should contain
12,56,89

Ans

```

void Get2From1 (int All [],int Even [], int Odd [], int Size)
{int J=0,K=0;
for (int I=0 ;I<Size; 1++)
{
if (I%2==0)
{
Even [J]=All[I] ;
J++;
}
else
{
Odd[K]=All[I];
K++;
}
}
}
}

```

11) Write a function CHANGE in C++, which accepts an array of integer and its size as parameters and divide all those array elements by 7 which are divisible by 7 and multiply other-array elements by 3. (2010D)

Sample Input Data of the array

A[0]	A[1]	A[2]	A[3]	A[4]
21	12	35	42	18

Content of the array after Calling CHANGE() function

A[0]	A[1]	A[2]	A[3]	A[4]
3	36	5	6	54

Ans)

```
void CHANGE (int A[ ], int N)
{
    for(int I = 0; I<N; I++)
    {
        if (A[I]%7 == 0)
            A [I] = A [I] /7;
        else
            A[I] = A[I] * 3;
    }
}
```

12) Write a function REASSIGNO in C++, which accepts an array of integers and its size as parameters and divide all those array elements by 5 which are divisible by 5 and multiply other array elements by 2. (2010OD)

Sample Input Data of the array

A[0]	A[1]	A[2]	A[3]	A[4]
20	12	15	60	32

Content of the array after calling REASSIGNO function

A[0]	A[1]	A[2]	A[3]	A[4]
4	24	3	12	64

Ans)

```
void REASSIGN (intArr[ ], int Size)
{
    for (int i=0;i<Size;i++)
        if (Arr[i]%5==0)
            Arr[i]/=5;
        else
            Arr[i]*=2;
}
```

OR

```
void REASSIGN(intArr[ ],int Size)
{
    for (int i=0;i<Size;i++)
        Arr[i]%5 ? Arr[i]/=5 :
        Arr[i] *= 2;
}
```

13) Define a function SWAPCOL () in C++ to swap (interchange) the first column elements with the last column elements, for a two dimensional integer array passed as the argument of the function. (2009 D)

Example: If the two dimensional array contains

2	1	4	9
1	3	7	7
5	8	6	3
7	2	1	2

After swapping of the content of 1st column and last column, it should be

9	1	4	2
7	3	7	1
3	8	6	5
2	2	1	7

Ans)

```
void SWAPCOL(int A[][100], int M, int N)
{
    int Temp, I;
    for(I=0; I<M; I++)
    {
        Temp = A [I][0] ;
        A[I][0] = A[I][N-1];
        A[I][N-1] = Temp;
    }
}
```

OR

```
void SWAPCOL(int A[4][4])
{
    int Temp, I;
    for(I=0; I<4; I++)
    {
        Temp = A[I][0];
        A[I][0] = A[I][3];
        A[I][3] = Temp;
    }
}
```

14) Define a function SWAPARR () in C++ to swap (interchange) the first row elements with the last row elements, for a two dimensional integer array passed as the argument of the function. (2009 OD)

Example: If the two dimensional array contains

5	6	3	2
1	2	4	9
2	5	8	1
9	7	5	8

After swapping of the content of first row and last row, it should be as follows:

9	7	5	8
1	2	4	9
2	5	8	1
5	6	3	2

Ans)

```
void SWAPARR(int A[][100], int M, int N)
{
    int Temp, Ji
```

```

for (J=0; J<N; J++)
{
    Temp = A[0][J] ;
    A[0][J] = A[M-1][J];
    A[M-1][J] = Temp;
}
}

```

OR

```

void SWAPARR(int A[4][4])
{
    int Temp, J;
    for (J=0; J<4; J++)
    {
        Temp = A[0][J];
        A[0][J] = A[3][J];
        A[3][J] = Temp;
    }
}

```

185) Write a function in C++, which accepts an integer array and its size as parameters and rearranges the array in reverse. (2008D)

Example:

If an array of nine elements initially contains the elements as 4, 2, 5, 1, 6, 7, 8, 12, 10
Then the function should rearrange the array as 10,12, 8, 7, 6, 1, 5, 2, 4

Solution:

```

void receive(int A[ ], int size)
{
    int temp;
    for(i=0,j=size-1;i<size/2;i++,j--)
    {
        temp=A[i];
        A[i]=A[j];
        A[j]=temp;
    }
} //end of receive function.

```

16)Write a function in C++, which accepts an integer array and its size as arguments and swap the elements of every even location with its following odd location. (2008OD)

Example :

If an array of nine elements initially contains the elements as 2,4,1,6,5,7,9,23,10
then the function should rearrange the array as 4,2,6,1,7,5,23,9,10

```

void SwapArray(int A[ ], int N)
{
    int i,j,temp;
    /* cout<<"\n\nThe elements before doing the desired alterations...";
    for(i=0;i<N;i++)
        cout<<A[i]<<'t'; */
    for(i=0;i<N-1;i+=2)
    {
        temp=A[i];
        A[i]=A[i+1];
        A[i+1]=temp;
    }
    /* cout<<"\n\nThe elements after completed the desired alterations...";
    for(i=0;i<N;i++)
        cout<<A[i]<<'t'; */
}

```

17)Write function in C++ which accepts an integer array and size as arguments and replaces elements having odd values with thrice its value and elements having even values with twice its value. (2007D)

Example : if an array of five elements initially contains elements as 3, 4, 5, 16, 9

The the function should rearrange the content of the array as 9, 8, 75, 32, 27

Solution:

```

void manipulate (int a[ ],int size)
{
    for (i=0;i<size;i++)
    {
        if (a[i]%2==1)
            a[i]=a[i]*3;
        else
            a[i]=a[i]*2;
    }
    cout<<a[i]<<' ';
}

```

18)Write a function in C++ which accepts an integer array and its size as arguments and replaces elements having even values with its half and elements having odd values with twice its value .(2007OD)

Example : If an array of five elements initially contains the elements as 3, 4, 5, 16, 9

then the function should rearrange content of the array as 6, 2, 10, 8, 18

Solution:

```

void accept(int a[ ],int size)
{
    for (int i=0;i<size;i++)
    {
        if (a[i]%2==0)
            a[i]=a[i]/2;
        else
            a[i]=a[i]*2;
    }
    cout<<a[i]<<' ';
}

```

19)Write function in C++ which accepts an integer array and size as arguments and assign values into a 2D array of integers in the following format : (2006D)

If the array is 1, 2, 3, 4, 5, 6

The resultant 2D array is given below

```

1  2  3  4  5  6
1  2  3  4  5  0
1  2  3  4  0  0
1  2  3  0  0  0
1  2  0  0  0  0
1  0  0  0  0  0

```

If the array is 1, 2, 3

The resultant 2D array is given :

```

1  2  3
1  2  0
1  0  0

```

Solution:

```

void input (int a[ ],int size)
{
    int b[size] [size];
    for (int i=0;i<size;i++)
    {
        for (int j=0;j<size;j++)

```

```

{
    if((i+j)>=size)
        b[i][j]=0;
    else
        b[i][j]=a[j];
    cout<<b[i][j]<<'t';
}
cout<<endl;
}
}

```

20)Write function in C++ which accepts an integer array and size as arguments and assign values into a 2D array of integers in the following format : (2006OD)

If the array is 1, 2, 3, 4, 5, 6

The resultant 2D array is given below :

```

1  0  0  0  0  0
1  2  0  0  0  0
1  2  3  0  0  0
1  2  3  4  0  0
1  2  3  4  5  0
1  2  3  4  5  6

```

If the array is 1, 2, 3

The resultant 2D array is given:

```

1  0  0
1  2  0
1  2  3

```

Solution:

```

void input (int a[ ],int size)
{
    int b[size] [size];
    for (int i=0;i<size;i++)
    {
        for (int j=0;j<size;j++)
        {
            if((i<j)
                b[i][j]=0;
            else
                b[i][j]=a[j];
            cout<<b[i][j]<<'t';
        }
    }
    cout<<endl;
}
}

```

OR

```

constint R = 100, C = 100;
void Arrayconvert(int A1D[ ], int N)
{
    int A2D[R][C]={0};
    for(int I = 0; I<N; I++)
        for (int J = 0; J <=I; J++)
            A2D[I][J] = A1D[J];
}

```

21)Write a function in C++ which accepts an integer array and its size as arguments and exchanges the values of first half side elements with the second half side elements of the array. (2005D)

Example :

If an array of 8 elements initial content as

2, 4, 1, 6, 7, 9, 23, 10

The function should rearrange array as

7, 9, 23, 10, 2, 4, 1, 6

Solution:

```

void change(int a[ ],int size)
{
    inti,j,temp;
    for(i=0,j=size/2;j<size;i++,j++)
    {
        temp=a[i];
        a[i]=a[j];
        a[j]=temp;
    }
}

```

OR

```

void Exchange (int A [ ], int N)
{
    for (int I=0;I<N/2;I++)
    {
        int Temp=A[I];
        A[I]=A[N/2+I];
        A[N/2+I]=Temp;
    }
}

```

OR

```

void Exchange(int A[], int N)
{
    int M=(N%2==0)?N:N+1;
    for (int I=0; I<M/2; I++)
    {
        int Temp=A[I];
        A[I]=A[M/2+I];
        A[M/2+I]=Temp;
    }
}

```

22)Write a function in C++ which accepts an integer array and its size as arguments and exchanges the values of first half side elements with the second half side elements of the array. (2005OD)

Example :

If an array of 8 elements initial content as

8, 10, 1, 3, 17, 90, 13, 60

The function should rearrange array as

17, 90, 13, 60, 8, 10, 1, 3

Ans)

```

void Exchange(int A[],int N)
{
    for (int I=0;I<N/2;I++)
    {
        int Temp=A[I];
        A[I]=A[N/2+I];
        A[N/2+I]=Temp;
    }
}

```

OR

```

void Exchange(int A[],int N)
{
    for (int I=0,J=N/2;I<N/2;I++,J++)
    {
        int Temp=A[J];
        for (int K=J;K>I;K--)
            A[K]=A[K-1];
        A[I]=Temp;
    }
}

```

OR

```

void Exchange(int A[],int N)
{
    int M=(N%2=0)?N:N+1;
    for (int I=0;I<M/2;I++)
    {
        int Temp=A[I];
        A[I]=A[M/2+I];
        A[M/2+I]=Temp;
    }
}

```

23) Define the function SwapArray(int[], int), that would expect a 1D integer array NUMBERS and its size N. the function should rearrange the array in such a way that the values of that locations of the array are exchanged.

(Assume the size of the array to be even).(2004)

Example :

If the array initially contains

{2, 5, 9, 14, 17, 8, 19, 16}

Then after rearrangement the array should contain

{5, 2, 14, 9, 8, 17, 16, 19}

Solution:

```
void SwapArray(int NUMBERS[ ], int N)
{
    inti,j,temp;
    /* cout<<"\n\nThe elements before doing the desired
    alterations..." */
    for(i=0;i<N;i++)
    cout<<NUMBERS[i]<<'t'; /*
    for(i=0;i<N-1;i+=2)
    {
        temp=NUMBERS[i];
        NUMBERS[i]=NUMBERS[i+1];
        NUMBERS[i+1]=temp;
    }
    /* cout<<"\n\nThe elements after completed the desired
    alterations..." */
    for(i=0;i<N;i++)
        cout<<NUMBERS[i]<<'t'; /*
}
```

24) Write a user-defined function in C++ to find and display the sum of diagonal elements from a 2D array MATRIX[6][6] containing integers.

```
void displaysum( )
{
    int i,j,D1=0,D2=0,MATRIX[6][6];
    cout<<"\nEnter any 36 values....";
    for(i=0;i<6;i++)
        for(j=0;j<6;j++)
            { cin>>MATRIX[i][j];
              if(i= j)
                  D1=D1+MATRIX[i][j];
              else if ((i+j)= =(size-1))
                  D2=D2+MATRIX[i][j];
            }
    cout<<"\nThe sum of the elements of
    the Main Diagonal = "<<D1;
    cout<<"\nThe sum of the elements of
    the Other Diagonal = "<<D2;
}
```

25) Write a function in C++ to combine the contents of two equi-sized arrays A and B by adding their corresponding elements as the formula $A[i]+B[i]$; where value i varies from 0 to N-1 and transfer the resultant content in the third same sized array C. (MP209-10) 3

Ans)

```
void AddNSave(int A[ ],int B[ ],int C[ ],int N)
{ for (int i=0;i<N;i++)
    C[i]=A[i]+B[i];
}
```

26) Write a function in C++ to combine the contents of two equi-sized arrays A and B by computing their corresponding elements with the formula $2*A[i]+3*B[i]$; where value i varies from 0 to N-1 and transfer the resultant content in the third same sized array. (MP208-09) 4

Ans)

```
void AddNSave(int A[ ],int B[ ],int C[ ],int N)
{
    for (int i=0;i<N;i++)
        C[i]=2*A[i]+3*B[i];
}
```

MODEL 2: Function to Display the array elements in a particular order.(2 or 3 Marks)

1. Write a user-defined function AddEnd4 (int A[][4],int R,int C) in C++ to find and display the sum of all the values, which are ending with 4 (i.e., unit place is 4). 2019SP2

For example if the content of array is:

24	16	14
19	5	4

The output should be

42

Answer:

```
void AddEnd4(int A[ ][4], int R, int C)
{
    int I,J,sum=0;
    for(I=0;I<R;I++)
    {
        for(J=0;J<C;J++)
            if(A[I][J]%10 ==4)
                sum=sum+A[I][J];
    }
    cout<<sum;
}
```

2. Write a user defined function in C++ to find the sum of both left and right diagonal elements from a two dimensional array. 2019SP2

```
void Diagsumboth(int A[][4], int n)
{
    int sumLt=0,sumRt=0;
    for(int i=0;i<n;i++)
    {
        sumLt+=A[i][i];
        else
            sumRt+=A[n-1-i][i];
    }
    cout<<"sum of left diagonal"<<sumLt<<endl;
    cout<<"sum of right diagonal"<<sumRt<<endl;
}
```

3. Write a user-defined function **EXTRA_ELE** (int A[], int B[], int N) in C++ to find and display the extra element in Array A. Array A contains all the elements of array B but one more element extra. (Restriction: array elements are not in order) **2019SP3**

Example If the elements of Array A is 14, 21, 5, 19, 8, 4, 23, 11
and the elements of Array B is 23, 8, 19, 4, 14, 11, 5
Then output will be 21

Answer:

```
void EXTRA_ELE(int A[], int B[],int N)
{
int i,j,flag=0;
for(i=0;i<N;i++)
{
for(j=0;j<N;j++)
{
if(A[i]==B[j])
{
flag=1;
break;
}
}
if(flag==0)
cout<<"Extra element"<<A[i];
flag=0;
}
}
```

4) Write the definition of a function **SumEO** (int VALUES[], int N) in C++, which should display the sum of even values and sum of odd values of the array separately. **(2)**

Example: If the array VALUES contains
25 20 22 21 53
Then the functions should display the output as
Sum of even values = 42 (ie 20 + 22)
Sum of odd values = 99 (ie 25+21+53)

Answer:

```
void SumEO(int VALUES[ ], int N)
{
int odd=0, even=0;
for(int i=0;i<N;i++)
{
if (VALUES[i] %2== 0)
even=even +VALUES[i];
else
odd=odd+VALUES[i];
}
cout<<"\nSum of even values = "<<even;
cout<<"\nSum of Odd values = "<<odd;
}
```

5) Write a definition for a function **UpperHalf**(int Mat[4][4]) in C++, which displays the elements in the same way as per the example shown below: For example, if the content of the array Mat is as follow:

25	24	23	22
20	19	18	17
15	14	13	12
10	9	8	7

The function should display the content in the following format:

```
25 24 23 22
20 19 18
15 14
10
```

Answer:

```
void UpperHalf(int Mat[4][4])
{
for (int I=0;I<4;I++)
{
for (int J=0;J<4-I;J++)
cout<<MAT[I][J]<<" ";
cout<<endl;
}
}
```

OR

```
void UpperHalf(int Mat[4][4])
{
for(int i=0;i<4;i++)
{
for (int j=0;j<4;j++)
if ((i+j)<=3)
cout<<MAT[i][j]<<" ";
cout<<endl;
/* for(int j=0;j<4;j++)
if ( (i+j) > 3 )
cout<<' ';
else
cout<<Mat[i][j];
cout<<endl;
*/
}
}
```

6. Write a definition for a function **SUMMIDCOL**(int MATRIX[][10],intN,int M) in C++,which finds the sum of the middle column's elements of the MATRIX (Assuming N represents number of rows and M represents number of columns, which is an odd integer). **(2017)2**

Example: if the content of array MATRIX having N as 5 and M as 3 is as follows:

```
121
2 1 4
3 4 5
453
5 32
```

The function should calculate the sum and display the following:Sum of Middle Column: 15

```

Ans)
{
int mid=M/2;
int sum=0;
for(int i=0; i<N; i++)
{
sum=sum+MATRIX[i][mid];
}
cout<<" Sum of Middle Column"<<sum;
}

```

7. Write definition for a function DISPMID(int A[][5],intR,int C) in C++ to display the elements of middle row and middle column from a two dimensional array A having R number of rows and C number of columns.

For example, if the content of array is as follows:
(2016)3

215	912	516	401	515
103	901	921	802	601
285	209	609	360	172

The function should display the following as output

```

103 901 921 802 601
516 921 609

```

```

Ans)
void DISPMID(int A[][5],intR,int C)
{
for (int J=0;J<C;J++)
cout<<A[R/2][J]<< " ";
cout<<endl;
for (int I=0;I<R;I++)
cout<<A[I][C/2]<< " ";
}

```

OR

```

void DISPMID(int A[][5],intR,int C)
{
if(R%2!=0)
{
for (int J=0;J<C;J++)
cout<<A[R/2][J]<< " ";
}
else
cout<<"No Middle Row";
cout<<endl;
if(C%2!=0)
{
for (int I=0;I<R;I++)
cout<<A[I][C/2]<< " ";
}
else
cout<<"No Middle Column";
}

```

8. Write a function REVROW(int P[][5],int N, int M) in C++ to display the content of a two dimensional array, with each row content in reverse order.

(2015) 3

For example, if the content of array is as follows:

15	12	56	45	51
13	91	92	87	63
11	23	61	46	81

The function should display output as:

```

51 45 56 12 15
63 87 92 91 13

```

```

81 46 61 23 81

```

```

A)
void REVROW(int P[][5],intN,int M)
{
for(int I=0; I<N; I++)
{ for(int J=M1;
J>=0; J)
cout<<P[I][J];
cout<<endl;
}
}

```

OR

```

void REVROW(int P[ ][5],intN,int M)
{
for(int I=0; I<N; I++)
{
for(int J=0; J<M/2; J++)
{
int T = P[I][J];
P[I][J] = P[I][MJ1]
;
P[I][MJ1] = T;
}
}
for(I=0; I<N; I++)
{
for(int J=0; J<M; J++)
cout<<P[I][J];
cout<<endl;
}
}

```

9. Write user-defined function AddEnd2(int A[][4], int N, int M) in C++ to find and display the sum of all the values which are ending with 2 (ie units place is 2).

For example if the content of array is (2014)

22	16	12
19	5	2

The output should be

```

36

```

Answer)

```

void AddEnd(int A[ ][4], int N, int M)
{
intI,j,Sum=0;
for(i=0;i<N;i++)
{
for(j=0;j<M;j++)
{
if(A[i][j]%10==2)
Sum=Sum+A[i][j];
}
}
cout<<Sum;
}

```

10. Write a user defined function DispTen(int A[][4], intN,int M) in C++ to find and display all the numbers which are divisible by 10. For example, if the content of array is (2013) 2

12	20	13
2	10	30

The output should be

```

20 10 30

```

Answer)

```
Void DispTen(int A[ ][3], int N, int M)
{
int I, j, S=0;
for(i=0; i<N; i++)
    for(j=0; j<M; j++)
        if(A[i][j]%10==0)
            cout<<A[i][j]<<" ";
}
```

11. Write a function ALTERNATE (int A[][3], int N, int M) in C++ to display all alternate elements from two-dimensional array A (starting from A [0] [0]).

(2012) 1

For example:

If the array is containing:

```
23    54    76
37    19    28
62    13    19
```

The output will be

```
23    76    19    62    19
```

Ans.

```
void ALTERNATE (int A [ ] [3], int N, int M)
{
int T=0;
for (int I=0 ; I<N; I++)
for (int J=0 ; J<M ; J++)
{
if (T%2==0)
cout<<A[I] [J]<<" ";
T++;
}
}
```

OR

```
void ALTERNATE (int A[ ][3], int N, int M)
{
int *P=&A[0] [0] ;
for (int I=0; I<N*M ; I+=2)
{
cout<<*p<<" ";
P+=2 ;
}
}
```

12) Write a DSUMO function in C++ to find sum of Diagonal Elements from a NxN Matrix. (2011 OD) 2
(Assuming that the N is a odd number)

Ans

```
void DSUM (int A [ ] [100] ,int N)
{
int SUMR =0, SUML=0;
for (int i=0; i<N; i++)
{
SUMR=SUMR + A[i] [i] ;
SUML = SUML + A[i] [N-1-i] ;
}
cout<< " Sum of Diagonal Elements = "<<SUMR +
SUML -
A[N/2] [N/2] ;
}
```

OR

```
void DSUM (int A[ ][100], int N)
{
int SUMR =0, SUML=0;
for (int i=0; i<N; i++)
{
```

```
SUMR = SUMR + A[i] [i] ;
SUML = SUML + A[i] [N-1-i] ;
}
cout<< "Sum of Right Diagonal Elements =
"<<SUMR<<endl;
cout<< "Sum of Left Diagonal Elements =
"<<SUML<<endl;
}
```

OR

```
void DSUM (int A[ ][100] , int N)
{
int SUMR =0, SUML=0;
for (int i = 0; i<N; i++)
{
for (int j = 0; j<N; j++)
{
if (i==j)
SUMR=SUMR + A[i] [j] ;
else if (i+j == N-1)
SUML = SUML + A[i] [j];
}
}
cout<< "Sum of Diagonal Elements ="
<< SUMR + SUML - A[N/2] [N/2];
}
```

13) Write a function int SKIPSUM(int A[][3], int N, int M) in C++ to find and return the sum of elements from all alternate elements of a two-dimensional array starting from A[0][0]. (2010D)

Hint: If the following is the content of the array

A[0][0]	A[0][1]	A[0][2]
4	5	1
A[1][0]	A[1][1]	A[1][2]
2	8	7
A[2][0]	A[2][1]	A[2][2]
9	6	3

The function SKIPSUM() should add elements A[0][0], A[0][2], A[1][1], A[2][0] and A[2][2].

Ans)

```
int SKIPSUM(int A[ ][3] , int N, int M)
{ int S=0;
for(int I = 0; I < N; I++)
for (int J = (I%2)?1:0; J<M; J = J+2)
    S = S + A [I][J];
return S;
}
```

OR

```
int SKIPSUM(int A[ ][3], int N, int M)
{ int S=0;
for (int I = 0; I < N; I++)
for (int J = (I%2==0)? 0:1 ; J<M; J = J+2)
    S = S + A [I][J];
return S;
}
```

OR

```
int SKIPSUM(int A[ ][3], int N, int M)
{
int I, J, S=0;
for (I = 0; I < N; I++)
```

```

{
  if (I%2)
    //OR (1%2 != 0) OR (I%2 == 1)
    J = 1;
  else
    J = 0;
  for ( ; J<M; J = J+2)
    S = S + A[I][J];
}
return S;
}

```

OR

```

int SKIPSUM(int A[][3], int N, int M)
{
  int S=0, C=0;
  for(int I = 0; I < N; I++)
    for (int J = 0; J < M; J++)
      {
        if (C%2 == 0)
          S = S + A[I][J];
        C++;
      }
  return S;
}

```

OR

```

int SKIPSUM(int A[][3], int N, int M)
{
  int S=0, C=1;
  for(int I = 0; I < N; I++)
    for (int J = 0; J < M; J++)
      {
        if (C%2 != 0)
          S = S + A[I][J];
        C++;
      }
  return S;
}

```

OR

```

int SKIPSUM (int A[ ][3], int N, int M)
{
  int S=0;
  for(int I = 0; I < N; I++)
    for (int J = 0; J < M; J++)
      {
        if ((I+J)%2 == 0)
          S = S + A[I][J];
      }
  return S;
}

```

14) Write a function int ALTERSUM (int B[][5], int N, int M) in C++ to find and return the sum of elements from all alternate elements of a two-dimensional array starting from B[0][0].

(2010 OD)

Hint: If the following is the content of the array:

B[0][0]	B[0][1]	B[0][2]
4	5	1
B[1][0]	B[1][1]	B[1][2]
2	8	7
B[2][0]	B[2][1]	B[2][2]
9	6	3

The function should add elements B[0][0], B[0][2], B[1][1], B[2][0] and B[2][2].

Ans.

```

int ALTERSUM(int B[ ][5],intN,int M)
{
  int Sum=0;
  for (int I=0;I<N;I++)
    for (int J=(I%2==0)?0:1;J<M;J+=2)
      Sum+=B[I][J] ;
  return Sum;
}

```

OR

```

int ALTERSUM(int B[ ][5],intN,int M)
{
  int Sum=0,J=0;
  for (int I=0;I<N;I++)
    {
      for (;J<M;J+=2)
        Sum+=B[I][J] ;
      J-=M;
    }
  return Sum;
}

```

OR

```

int ALTERSUM(int B[ ][5],intN,int M)
{
  int *P=&B[0][0],Sum=0;
  for (int I=0;I<M*N;I+=2)
    {
      Sum+=(*P);
      P+=2;
    }
  return Sum;
}

```

OR

```

int ALTERSUM (int B[ ][5], int N, int M)
{ int S=0, C=0;
  for(int I = 0; I < N; I++)
    for (int J = 0; J < M; J++)
      {
        if (C%2 == 0)
          S = S + B[I][J];
        C++;
      }
  return S;
}

```

OR

```

int ALTERSUM(int B[ ][5],intN,int M)
{ int Sum=0;
  for (int I=0;I<N;I++)
    for (int J=0;J<M;J++)
      if ((I+J)%2==0)
        Sum+=B [I][J] ;
  return Sum;
}

```

OR

```

int ALTERSUM(int B[ ][5],intN,int M)
{
  int Sum=0;
  for (int I=0;I<N;I++)
    for (int J=0;J<M;J++)
      {
        if ((I%2==0 && J%2=0)||((I%2!=0
        && J%2!=0))
          Sum+=B [I][J] ;
      }
}

```

```
return Sum;
}
```

15) Write a function in C++ to print the product of each column of a two dimensional array passed as the arguments of the function.

(2008D)

Example : If the two dimensional array contains

1	2	4
3	5	6
4	3	2
2	1	5

Then the output should appear as:

Product of Column 1 = 24

Product of Column 2 = 30

Product of Column 3 = 240

```
void receive(int A[ ][ ],intr,int c)
```

```
{ inti,j,B[c];
  for(i=0;i<c;i++)
    B[i]=1;
  for(i=0;i<r;i++)
    for(j=0;j<c;j++)
      B[j]=B[j]*A[i][j];
  for(i=0;i<c;i++)
    cout<<"\nProduct of Column
    "<<i+1<<" = "<<B[i];
}
```

OR

```
void ProdCol(intArr[ ][100], int Row, int Col)
```

```
{
  int i, j, Prod;
  for (j = 0; j < Col; j++)
  {
    Prod=1;
    for (i = 0; i < Row; i++)
      Prod *= Arr[i][j];
    cout<<"Product of Column"
    <<j<<" = " <<Prod<<endl;
  }
}
```

16) Write a function in C++ to print the product of each row of a two dimensional array passed as the arguments of the function (2008OD)

Example: if the two dimensional array contains

20	40	10
40	50	30
60	30	20
40	20	30

Then the output should appear as:

Product of Row 1 = 8000

Product of Row 2 = 6000

Product of Row 3 = 3600

Product of Row 4 = 2400

```
void receive(int A[ ][ ],intr,int c)
```

```
{ inti,j,B[r];
  for(i=0;i<r;i++)
    B[i]=1;
```

```
for(i=0;i<r;i++)
  for(j=0;j<c;j++)
    B[i]=B[i]*A[i][j];
for(i=0;i<r;i++)
  cout<<"\nProduct of Row "<<i+1<<
  " = "<<B[i];
}
```

17) Write a function in C++ which accepts a 2D array of integers and its size as arguments and displays the elements which lie on diagonals. [Assuming the 2D Array to be a square matrix with odd dimension i.e., 3x3, 5x5, 7x7 etc...] (2007D)

Example : if the array content is

```
5 4 3
6 7 8
1 2 9
```

Out put through the function should be :

Diagonal One : 5 7 9

Diagonal Two : 3 7 1

Solution:

```
void accept(int a[ ][ ],int size)
{ inti,j;
  cout<<"Diagonal One:";
  for (int i=0;i<size;i++)
    for(int j=0;j<size;j++)
      if (i = j)
        cout<<a[i][j]<<"\t";
  cout<<"\n Diagonal Two:";
  for (i=0;i<size;i++)
    for(j=0;j<size;j++)
      if((i+j)= =(size-1))
        cout<<a[i][j]<<"\t";
}
```

18) Write a function in C++ which accepts a 2D array of integers and its size as arguments and displays the elements of middle row and the elements of middle column. [Assuming the 2D Array to be a square matrix with odd dimension i.e., 3x3, 5x5, 7x7 etc...] (2007OD)

Example : If the array content is

```
3 5 4
7 6 9
2 1 8
```

Output through the function should be :

Middle Row : 7 6 9

Middle Column : 5 6 1

Solution:

```
void accept(int a[ ][ ],int size)
{
  inti,j;
  cout<<"Middle Row:";
  for (int i=0;i<size;i++)
    for(int j=0;j<size;j++)
      if (i = size/2)
        cout<<a[i][j]<<"\t";
  cout<<"\n Middle Column:";
  for (i=0;i<size;i++)
    for(j=0;j<size;j++)
      if(j= =size/2)
        cout<<a[i][j]<<"\t";
}
```

19) Write a function in C++ to print sum of all values which either are divisible by 2 or divisible by 3 present in a 2D array passed as the argument of the function. (2005D)

Solution:

```
void Sum(int A[ ][ ],intR,int C)
{
    inti,j,S=0;
    for(i=0;i<R;i++)
        for(j=0;j<C;j++)
            if(A[i][j]%2==0 ||A[i][j]%3==0)
                S=S+A[i][j];
    cout<<"\n\nThe Sum of all the values which are divisible
    by 2
        or 3 in the array = "<<S;
}
```

20) Write a function in C++ to print sum of all values which either are divisible by 3 or divisible by 5 present in a 2D array passed as the argument of the function.(2005OD)

Ans)

```
void Sum(int A[ ][ ],intR,int C)
{
    int S=0,i,j;
    for(i=0;i<R;i++)
        for(j=0;j<C;j++)
            if((a[i][j]%3==0)||a[i][j]%5==0))
                S=S+A[i][j];
    cout<<" n\nThe Sum of all the values
    which are divisible by 3 or 5 in
    the array = "<<S;
}
```

21) Write a function in C++ to find the sum of diagonal elements from a 2D array of type float. Use the array and its size as parameters with float as its return type. (2004)

Solution:

```
float diasum(float A[ ][ ],intR,int C)
{
    inti,j;
    float Dsum=0.0;
    for(i=0;i<R;i++)
        for(j=0;j<C;j++)
            if((i==j) || (i+j)==(size-1))
                Dsum=Dsum+A[i][j];
    return Dsum;
}
```

22) Write a user-defined function in C++ to display those elements of 2D array T[4][4] which are divisible by 100. Assume the content of the array is already present and the function prototype is as follows: void showhundred(int T[4][4]); (2003)

```
void showhundred(int T[4][4])
{
    inti,j;
    cout<<"\n\nThe elements in the array
    which are divisible by 100 .....";
    for(i=0;i<4;i++)
        for(j=0;j<4;j++)
            if(T[i][j]%100==0)
                cout<<T[i][j]<<"\t";
}
```

23) Write a user-defined function named Lower_half() which takes 2D array A, with size N rows and N columns as argument and prints the lower half of the array. (2001)

Eg:

Input:

```
2 3 1 5 0
7 1 5 3 1
2 5 7 8 1
0 1 5 0 1
3 4 9 1 5
```

Output:

```
2
7 1
2 5 7
0 1 5 0
3 4 9 1 5
```

Solution:

```
void Lower_half( int A[ ][ ],int N)
{
    inti,j;
    for(i=0;i<N;i++)
        for(j=0;j<N;j++)
            {
                if(i<j)
                    cout<<A[i][j]<<"\t";
                cout<<endl;
            }
}
```

24) Write a user-defined function in C++ to find and display the multiplication of row elements of two dimensional array A[4][6] containing integers. (1999)

```
void rowmul( )
{
    int A[4][6],i,j,rowmul;
    cout<<"\nEnter any 24 values...";
    for(i=0;i<4;i++)
        for(j=0;j<6;j++)
            cin>>A[i][j];
    for(i=0;i<4;i++)
        {
            rowmul=1;
            for(j=0;j<6;j++)
                rowmul=rowmul*A[i][j];
            cout<<"\nThe multiplication of
            "<<j+1<<" row = "<<rowmul;
        }
}
```

25) An array T[15][10] is stored in the memory with each element requiring 2 bytes of storage. If the base address of T is 2000, determine the location of T[7][8] when the array VAL is stored (i) Row major (ii) Column major. (1998)

Solution: Children, Try this as an assignment.

23) Write a user-defined function in C++ to find and display the sum of diagonal elements from a 2D array R[7][7] containing integers. (1998)

```
void displaysum( )
{
    int i,j,D1=0,D2=0,R[7][7];
    cout<<"\nEnter any 49 values...";
    for(i=0;i<7;i++)
        for(j=0;j<7;j++)
            {
                cin>>R[i][j];
            }
}
```

```

    if(i= j)
        D1=D1+R[i][j];
    else if ((i+j)= =(size-1))
        D2=D2+R[i][j];
}
cout<<"\n\nThe sum of the elements of
the Main Diagonal = "<<D1;
cout<<"\n\nThe sum of the elements of
the Other Diagonal = "<<D2;
}

```

26) Write a function in C++ to find the sum of both left and right diagonal elements from a two dimensional array (matrix). (MP109-10) 2

Ans)

```

void DiagSum(int M[][4],intN,int M)
{ int SumD1=0,SumD2=0;
  for (int I=0;I<N;I++)
  {
    SumD1+=M[I][I];SumD2+=M[N-I-1][I];
  }
cout<<"Sum of Diagonal 1:" <<SumD1<<endl;
cout<<"Sum of Diagonal 2:" <<SumD2<<endl;
}

```

27) Write a function in C++ to find sum of rows from a two dimensional array. (MP209-10) 2

Ans)

```

void MatAdd(int M[][4],intN,int M)
{ for (int R=0;R<N;R++)
  {
    intSumR=0;
    for (int C=0;C<M;C++)
      SumR+=M[C][R];
    cout<<SumR<<endl;
  }
}

```

28)Write a function in C++ to find the sum of both left and right diagonal elements from a two dimensional array (matrix). 2(MP108-09)

Ans)

```

void DiagSum(int A[100][100],int N)
{
int SumD1=0,SumD2=0;
for (int I=0;I<N;I++)
{
SumD1+=A[I][I];SumD2+=A[N-I-1][I];
}
cout<<"Sum of Diagonal 1:"
<<SumD1<<endl;
cout<<"Sum of Diagonal 2:"
<<SumD2<<endl;
}

```

29) Write a function in C++ to find sum of rows from a two dimensional array. (MP208-09) 2

Ans)

```

void MatAdd(int A[100][100], intN,int M)
{
for (int R=0;R<N;R++)
{
intSumR=0;
for (int C=0;C<M;C++)
SumR+=A[C][R];
cout<<SumR<<endl;
}
}

```

```

}
}

```

MODEL 3A: Address Calculation of 2-D array. (Row-Major) (3 Marks)

1. An array A[30][10] is stored in the memory with each element requiring 4 bytes of storage ,if the base address of A is 4500 ,Find out memory locations of A[12][8], if the content is stored along the row. 2019SP3

Loc of A[12][8]= B+W*(N*(I-LBR)+(J-LBC))
=4500+4*(10*12+8)
= 4500 4*(128)
=4500 + 512
= 5012

2) Let us assume Data[20][15] is a two-dimensional array, which is stored in the memory along the row with each of its elements occupying 2 bytes. Find the address of the element Data[10][5] , if the element Data[15][10] is stored at the memory location 15000. 2018 (3)

Answer:

Address of A[I][J] = B + W[(I-L_r)*C + (J-L_c)

L_r = 0 L_c = 0 R = 20 C=15 W=2

Data[15][10]= 15000

Here I=15 J=10

Data[15][10] = B + 2(15*15 + 10)

15000 = B + 2 * 235

B= 15000 – 470 = 14530

Data[10][5] = 14530 + 2 [10 * 15 + 5]
= 14530 + 310 = 14840

OR

LOC(Data[10][5]) =

LOC(Data[15][10])+2(15*(10-15)+(5-10))

= 15000 + 2((-75) + (-5))

= 15000 + 2(-80)

= 15000 - 160

= 14840

OR

LOC(Data[I][J]) = Base(Data)+W*(NC*(I-LBR)+(J-LBC))

Taking LBR=1, LBC=1

LOC(Data[15][10]) =

Base(Data)+2*(15*14+9)

15000 = Base(Data)+2*(15*14+9)

Base(Data) = 15000 - 2*(219)

Base(Data) = 15000 - 438

Base(Data) = 14562

LOC(Data[10][5])= 14562 + 2*(15*9+4)

= 14562 + 2*(139)

= 14562 + 278

= 14840

3.ARR[15][20] is a two-dimensional array, which is stored in the memory along the row with each of its elements occupying 4 bytes. Find the address of the element ARR[5][15], if the element ARR[10][5] is stored at the memory location 35000. (2017)3

Ans)

$$\text{Loc}(\text{ARR}[\text{I}][\text{J}]) = \text{BaseAddress} + \text{W} [(\text{I} - \text{LBR}) * \text{C} + (\text{J} - \text{LBC})]$$

(where W=size of each element = 4 bytes,

R=Number of

Rows=15, C=Number of Columns=20)

Assuming LBR = LBC = 0

$$35000 = \text{BaseAddress} + \text{W}(\text{I} * \text{C} + \text{J})$$

$$35000 = \text{BaseAddress} + 4(10 * 20 + 5)$$

$$35000 = \text{BaseAddress} + 4(205)$$

$$35000 = \text{BaseAddress} + 820$$

$$\text{BaseAddress} = 35000 - 820$$

$$= 34180$$

$$\text{LOC}(\text{ARR}[5][15]) = \text{BaseAddress} + \text{W}(\text{I} * \text{C} + \text{J})$$

$$= 34180 + 4(5 * 20 + 15)$$

$$= 34180 + 4(100 + 15)$$

$$= 34180 + 4 \times 115$$

$$= 34180 + 460$$

$$= 34640$$

OR

$$\text{Loc}(\text{ARR}[\text{I}][\text{J}]) = \text{Ref. Address} + \text{W} ((\text{I} - \text{LR}) * \text{C} + (\text{J} - \text{LC}))$$

(where

W=size of each element = 4 bytes,

R=Number of Rows =15, C=Number of

Columns=20

Reference Address= Address of given cell

$$\text{ARR}[10][5] = 35000$$

$$\text{LR} = \text{Row value of given cell} = 10$$

$$\text{LC} = \text{Column value of given cell} = 5$$

$$\text{LOC}(\text{ARR}[5][15]) = \text{LOC}(\text{ARR}[10][5]) + 4((5 - 10) * 20 + (15 - 5))$$

$$\text{LOC}(\text{ARR}[5][15]) = 35000 + 4(-100 + 10)$$

$$= 35000 + 4[-90]$$

$$= 35000 - 360$$

$$= 34640$$

4. R[10][50] is a two dimensional array, which is stored in the memory along the row with each of its element occupying 8 bytes, find the address of the element R[5][15], if the element R[8][10] is stored at the memory location 45000. (2016) 3

A)

$$\text{Loc}(\text{R}[\text{I}][\text{J}])$$

$$= \text{BaseAddress} + \text{W} [(\text{I} - \text{LBR}) * \text{C} + (\text{J} - \text{LBC})]$$

(where

W=size of each element = 8 bytes,

R=Number of Rows=10, C=Number of Columns=50)

Assuming LBR = LBC = 0

$$\text{LOC}(\text{R}[8][10])$$

$$45000 = \text{BaseAddress} + \text{W} [\text{I} * \text{C} + \text{J}]$$

$$45000 = \text{BaseAddress} + 8[8 * 50 + 10]$$

$$45000 = \text{BaseAddress} + 8[400 + 10]$$

$$45000 = \text{BaseAddress} + 8 \times 410$$

$$\text{BaseAddress} = 45000 - 3280$$

$$= 41720$$

$$\text{LOC}(\text{R}[5][15]) = \text{BaseAddress} + \text{W} [\text{I} * \text{C} + \text{J}]$$

$$= 41720 + 8[5 * 50 + 15]$$

$$= 41720 + 8[250 + 15]$$

$$= 41720 + 8 \times 265$$

$$= 41720 + 2120$$

$$= 43840$$

OR

$$\text{Loc}(\text{R}[\text{I}][\text{J}])$$

$$= \text{Reference Address} + \text{W} [(\text{I} - \text{LR}) * \text{C} + (\text{J} - \text{LC})]$$

(where

W=size of each element = 8 bytes,

R=Number of Rows=10, C=Number of Columns=50)

Reference Address= Address of given cell

$$\text{R}[8][10] = 45000$$

$$\text{LR} = \text{Row value of given cell} = 8$$

$$\text{LC} = \text{Column value of given cell} = 10$$

$$\text{LOC}(\text{R}[5][15]) = \text{LOC}(\text{T}[8][10]) + 8[(5 - 8) * 50 + (15 - 10)]$$

$$\text{LOC}(\text{R}[5][15]) = 45000 + 8[3 * 50 + 5]$$

$$= 45000 + 8[150$$

$$+ 5]$$

$$= 45000 + 8 \times (145)$$

$$= 45000 + 1160$$

$$= 43840$$

5.A two dimensional array ARR[50][20] is stored in the memory along the row with each of its elements occupying 4 bytes. Find the address of the element ARR[30][10], if the element ARR[10][5] is stored at the memory location 15000. (2015) 3

Loc(ARR[I][J]) along the row

$$= \text{BaseAddress} + \text{W} [(\text{I} - \text{LBR}) * \text{C} + (\text{J} - \text{LBC})]$$

(where C is the number of columns, LBR = LBC = 0

$$\text{LOC}(\text{ARR}[10][5])$$

$$= \text{BaseAddress} + \text{W} [\text{I} * \text{C} + \text{J}]$$

$$15000 = \text{BaseAddress} + 4[10 * 20 + 5]$$

$$= \text{BaseAddress} + 4[200 + 5]$$

$$= \text{BaseAddress} + 4 \times 205$$

$$= \text{BaseAddress} + 820$$

$$\text{BaseAddress} = 15000 - 820$$

$$= 14180$$

$$\text{LOC}(\text{ARR}[30][10]) = 14180 + 4[30 * 20 + 10]$$

$$= 14180 + 4 * 610$$

$$= 14180 + 2440$$

$$= 16620$$

OR

$$\text{LOC}(\text{ARR}[30][10])$$

$$= \text{LOC}(\text{ARR}[10][5]) + \text{W} [(\text{I} - \text{LBR}) * \text{C} + (\text{J} - \text{LBC})]$$

$$= 15000 + 4[(30 - 10) * 20 + (10 - 5)]$$

$$= 15000 + 4[20 * 20 + 5]$$

$$= 15000 + 4 * 405$$

$$= 15000 + 1620$$

$$= 16620$$

OR

Where C is the number of columns and LBR=LBC=1

$$\text{LOC}(\text{ARR}[10][5])$$

$$15000 = \text{BaseAddress} + \text{W} [(\text{I} - \text{LBR}) * \text{C} + (\text{J} - \text{LBC})]$$

$$= \text{BaseAddress} + 4[9 * 20 + 4]$$

$$= \text{BaseAddress} + 4[180 + 4]$$

$$= \text{BaseAddress} + 4 * 184$$

$$= \text{BaseAddress} + 736$$

BaseAddress = 15000 736
 = 14264
 LOC(ARR[30][10])
 = 14264 + 4[(301)*
 20 + (101)]
 = 14264 + 4[29*20 + 9]
 = 14264 + 4[580 + 9]
 = 14264 + 4*589
 = 14264 + 2356
 = 16620

6. An array A[20][30] is stored along the row in the memory with each element requiring 4 bytes of storage. If the base address of array A is 32000, find out the location of A[15][10]. Also find the total number of elements present in this array. (2014)

Answer)

B=32000 W=4
 A[15][10]=32000+4[30(15-0)+(10-0)]
 =32000 +4[450+10]
 =32000+4[460]
 =32000+1840
 =33840
 Location of a[10][15]=33840
 Total number of elements present in this array = 20*30 = 600

7. An array T[15][10] is stored along the row in the memory with each element requiring 8 bytes of storage. If the base address of array T is 14000, find out the location of T[10][7]; (2013)3

Answer)

Address of T[10][7]=14000+(10*7+10)*8
 =14000+(80)*8
 =14000+640
 =14640

8. An array G[50][20] is stored in the memory along the row with each of its elements occupying 8 bytes. Find out the location of G[10][15], if G[0][0] is stored at 4200. (2011 OD) 3

Ans

Assuming LBR=LBC=0
 B=4200
 W=8 bytes
 Number of Rows(N)=50
 Number of Columns (M)=20
 LOC(ARR[I] [J]) = B +(I*M + J) *W
 LOC (Arr [10] [15]) = 4200+ (10*20+15)*8
 = 4200 + (215*8)
 = 4200+1720
 = 5920

9) An array Arr[50][10] is store in the memory along the row with each element occupying 2 bytes. Find out the Base address of the location Arr[20][50], if the location Arr[10][25] is stored at the address 10000. (2008OD)

Ans)

Assuming LBR=LBC=0
 S=2 bytes
 Number of Rows (N)=50
 Number of Columns (M)=100
 LOC (Arr [I] [J]) = B + (I*M+J)*S
 LOC (Arr [10] [25]) = B +(10*100+25)*2
 10000 = B +(1000+25)*2

B = 10000-2050
 B = 7950
 LOC (Arr [20] [50])
 = 7950+(20*100+50)*2
 = 7950 + (2050*2)
 = 7950+4100
 = 12050

OR

Assuming LBR=LBC=1
 S=2 bytes
 Number of Rows (N) = 50
 Number of Columns (M) =100

LOC (Arr [I] [J])
 =B +((I-LBR)*M+(J-LBC))*S
 LOC (Arr [10] [25])
 =B +((10-1)*100+(25-1))*2
 10000 = B +(900+24)*2
 B = 10000-1848
 B = 8152
 LOC (Arr [20] [50])
 = 8152+ ((20-1)*100+ (50-1))*2
 = 8152 + (1949*2)
 = 8152+3898
 =12050

10) An array Arr[15][20] is stored in the memory along the row with each element occupying 4 bytes. Find out the Base address of the location Arr[3][2], if the location Arr[5][2] is stored at the address 1500. (2007OD)

Solution:

Given Data: Arr[15][20] W=4 B=? R=15
 C=20 L_r=0 L_c=0
 Address of Arr[3][2] = ?
 Address of Arr[5][2] = 1500.

Address of an element (I,J) in row major = B+W(C(I-L_r)+(J-L_c))

Therefore,
 1500 = B+4(20(5-0)+(2-0))
 1500 = B+4(20*5+2)
 1500 = B+4*102
 1500 = B+408
 B =1500-408
 B=1092

Address of Arr[3][2]

=1092+4(20*3+2)
 =1092+4(62)
 =1092+248
 =1340.

11) An array MAT[20][10] is stored in the memory along the row with each element occupying 4 bytes of the memory. Find out the Base address and the address of element MAT[10][5] , if the location MAT[3][7] is stored at the address 1000. (2006OD)

Ans)

For Row wise allocation
 Address of A[I][J]
 = BA + W((I-LBR) x N + (J-LBC))
 Where
 BA = Base Address
 W = Size of each element in bytes
 = 4 bytes (given)
 N = No. of columns in the 2D Array
 = 10 (given)
 Address of MAT[3][7] given is 1000.

Therefore

(Assumption 1: LBR = LBC = 0)

$$\begin{aligned} \text{MAT}[3][7] &= 100 = \text{BA} + 4(10(3-0) + (7-0)) \\ &= \text{BA} + 148 \end{aligned}$$

$$\text{BA} = 1000 - 148 = 852$$

Therefore, Base Address = 852

$$\begin{aligned} \text{Thus, Address of MAT}[10][5] &= 852 + 4(10(10-0) + (5-0)) \\ &= 852 + 420 \\ &= 1272 \end{aligned}$$

OR

(Assumption 2: LBR = LBC = 1)

$$\begin{aligned} \text{MAT}[3][7] &= 1000 = \text{BA} + 4(10(3-1) + (7-1)) \\ &= \text{BA} + 104 \end{aligned}$$

$$\begin{aligned} \text{BA} &= 1000 - 104 \\ &= 896 \end{aligned}$$

Therefore, Base Address = 896

$$\begin{aligned} \text{Thus, Address of MAT}[10][5] &= 896 + 4(10(10-1) + (5-1)) \\ &= 896 + 376 \\ &= 1272 \end{aligned}$$

12) An array Arr[15][35] is stored in the memory along the row with each of its element occupying 4 bytes. Find out the Base address and the address of element Arr[2][5], if the location Arr[5][10] is stored at the address 4000. (2005D)

Ans)

$$\begin{aligned} \text{LOC}(\text{Arr}[I][J]) &= \text{Base}(\text{Arr}) + W * (I + \text{No. of Rows} * J) \\ \text{LOC}(\text{Arr}[5][10]) &= \text{Base}(\text{Arr}) + 8 * (5 + 15 * 10) \end{aligned}$$

$$\begin{aligned} 4000 &= \text{Base}(\text{Arr}) + 8 * (155) \\ 4000 &= \text{Base}(\text{Arr}) + 1240 \end{aligned}$$

$$\text{Base}(\text{Arr}) = 4000 - 1240$$

$$\text{Base}(\text{Arr}) = 2760$$

$$\begin{aligned} \text{LOC}(\text{Arr}[2][5]) &= \text{Base}(\text{Arr}) + 8 * (2 + 15 * 5) \\ &= 2760 + 8 * (77) \\ &= 2760 + 616 \\ &= 3376 \end{aligned}$$

OR

$$\begin{aligned} \text{LOC}(\text{Arr}[I][J]) &= \text{Base}(\text{Arr}) + W * ((I-1) + \text{No. of Rows} * (J-1)) \\ \text{LOC}(\text{Arr}[5][10]) &= \text{Base}(\text{Arr}) + 8 * [(5-1) + 15 * (10-1)] \end{aligned}$$

$$\text{LOC}(\text{Arr}[5][10]) = \text{Base}(\text{Arr}) + 8 * (139)$$

$$4000 = \text{Base}(\text{Arr}) + 8 * (139)$$

$$4000 = \text{Base}(\text{Arr}) + 1112$$

$$\text{Base}(\text{Arr}) = 4000 - 1112$$

$$\text{Base}(\text{Arr}) = 2888$$

$$\text{Base}(\text{Arr}) = 2888$$

$$\begin{aligned} \text{LOC}(\text{Arr}[2][5]) &= \text{Base}(\text{Arr}) + 8 * [(2-1) + 15 * (5-1)] \\ &= 2888 + 8 * (61) \\ &= 2888 + 488 \\ &= 3376 \end{aligned}$$

13) An array Arr[35][15] is stored in the memory along the row with each of its element occupying 4 bytes. Find out the Base address and the address of element Arr[20][5], if the location Arr[2][2] is stored at the address 3000. (2005OD)

Ans)

$$\begin{aligned} \text{LOC}(\text{Arr}[I][J]) &= \text{Base}(\text{Arr}) + W * (\text{No. of Cols} * I + J) \\ \text{LOC}(\text{Arr}[2][2]) &= \text{Base}(\text{Arr}) + 4 * (15 * 2 + 2) \end{aligned}$$

$$3000 = \text{Base}(\text{Arr}) + 4 * (32)$$

$$3000 = \text{Base}(\text{Arr}) + 128$$

$$\text{Base}(\text{Arr}) = 3000 - 128$$

$$\text{Base}(\text{Arr}) = 2872$$

$$\begin{aligned} \text{LOC}(\text{Arr}[20][5]) &= \text{Base}(\text{Arr}) + 4 * (15 * 20 + 5) \\ &= 2872 + 4 * (300 + 5) \\ &= 2872 + 4 * 305 \\ &= 2872 + 1220 \\ &= 4092 \end{aligned}$$

OR

$$\begin{aligned} \text{LOC}(\text{Arr}[I][J]) &= \text{Base}(\text{Arr}) + W * (\text{No. of Cols} * (I-1) + (J-1)) \\ \text{LOC}(\text{Arr}[2][2]) &= \text{Base}(\text{Arr}) + 4 * (15 * (2-1) + (2-1)) \end{aligned}$$

$$3000 = \text{Base}(\text{Arr}) + 4 * (16)$$

$$3000 = \text{Base}(\text{Arr}) + 64$$

$$\text{Base}(\text{Arr}) = 3000 - 64$$

$$\text{Base}(\text{Arr}) = 2936$$

$$\text{Base}(\text{Arr}) = 2936$$

$$\text{Base}(\text{Arr}) = 2936$$

$$\begin{aligned} \text{LOC}(\text{Arr}[20][5]) &= \text{Base}(\text{Arr}) + 4 * (15 * (20-1) + (5-1)) \\ &= 2936 + 4 * (289) \\ &= 2936 + 1156 \\ &= 4092 \end{aligned}$$

14) An array S[40][30] is stored in the memory along the row with each of the element occupying 2 bytes, find out the memory location for the element S[20][10], if the Base Address of the array is 5000. 3 (MP109-10)

Ans)

$$\text{Given, } W = 2$$

$$N = 40$$

$$M = 30$$

$$\text{Base}(S) = 5000$$

Row Major Formula:

$$\begin{aligned} \text{Loc}(S[I][J]) &= \text{Base}(S) + W * (M * I + J) \\ \text{Loc}(S[20][10]) &= 5000 + 2 * (30 * 20 + 10) \end{aligned}$$

$$= 5000 + 2 * (600 + 10)$$

$$= 5000 + 1220$$

$$= 5000 + 1220$$

$$= 6220$$

$$= 6220$$

15) An array S[40][30] is stored in the memory along the row with each of the element occupying 2 bytes, find out the memory location for the element S[20][10], if an element S[15][5] is stored at the memory location 5500. (MP108-09) 4

Ans)

Given,

$$W = 2$$

$$N = 40$$

$$M = 30$$

$$\text{Loc}(S[15][5]) = 5500$$

Row Major Formula:

$$\begin{aligned} \text{Loc}(S[I][J]) &= \text{Base}(S) + W * (M * I + J) \\ \text{Loc}(S[15][5]) &= \text{Base}(S) + 2 * (30 * 15 + 5) \end{aligned}$$

$$5500 = \text{Base}(S) + 2 * (450 + 5)$$

$$\text{Base}(S) = 5500 - 910$$

$$\text{Base}(S) = 4590$$

$$\text{Loc}(S[20][10]) = 4590 + 2 * (30 * 20 + 10)$$

$$= 4590 + 2 * (600 + 10)$$

$$= 4590 + 1220$$

$$= 5810$$

MODEL 3B: Address Calculation of 2-D array.
(Column-Major) (3 Marks)

1. An array S[10] [30] is stored in the memory along the column with each of its element occupying 2 bytes. Find out the memory location of S[5][10], if element S[2][15] is stored at the location 8200. 2019SP3

OPTION 1:

ASSUMING LBR=LBC=0
W=2 BYTES, NUMBER OF ROWS(M)=10,
NUMBER OF COLUMNS(N)=30
 $LOC(S[I][J]) = B + (I + J * M) * W$
 $LOC(S[2][15]) = B + (2 + 15 * 10) * 2$
 $8200 = B + (152 * 2)$
 $B = 8200 - 304$
 $B = 7896$
 $LOC(S[5][10]) = 7896 + (5 + 10 * 10) * 2$
 $= 7896 + (105 * 2)$
 $= 7896 + 210$
 $= 8106$

OPTION 2:

ASSUMING LBR=2, LBC=15 AND B = 8200
W=2 BYTES, NUMBER OF ROWS(M)=10,
NUMBER OF COLUMNS(N)=30
 $LOC(S[I][J]) = B + ((I-LBR) + (J-LBC) * M) * W$
 $LOC(S[5][10]) = 8200 + ((5-2) + (10-15) * 10) * 2$
 $= 8200 + (3 + (-5) * 10) * 2$
 $= 8200 + (3 + (-50)) * 2$
 $= 8200 + (3 - 50) * 2$
 $= 8200 + (-47) * 2$
 $= 8200 - 94$
 $= 8106$

2. An array P[30][20] is stored along the column in the memory with each element requiring 2 bytes of storage. If the base address of the array P is 26500, find out the location of P[20][10]. (2016)3

Total number of rows= 30
Total size= 2 bytes
Base Address= 26500
 $LOC(P[I][J]) = BaseAddress + ((I-LBR) + (J-LBC) * R) * W$
Assuming Lower Bound of Row(LBR)=0
Lower Bound of Column(LBC)=0
Total number of Rows(R)=30
Size of each element(W)=2
 $LOC(P[20][10]) = 26500 + ((20-0) + (10-0) * 30) * 2$
 $LOC(P[20][10]) = 26500 + 640$
 $LOC(P[20][10]) = 27140$

3) An array T[20][10] is stored in the memory along the column with each of the elements occupying 2 bytes. Find out the memory location of T[10][5], if the element T[2][9] is stored at the location 7600. (2012)3 Ans

Assuming LBR=LBC=0
W=2 bytes
Number of Rows (M) =20
Number of Columns(N)=10

$LOC(T[I][J]) = B + (I + J * M) * W$
 $LOC(T[2][9]) = B + (2 + 9 * 20) * 2$
 $7600 = B + (182 * 2)$
 $B = 7600 - 364$
 $B = 7236$
 $LOC(T[10][5]) = 7236 + (10 + 5 * 20) * 2$
 $= 7236 + (110 * 2)$
 $= 7236 + 220$
 $= 7456$

OR

Assuming LBR=2, LBC=9 and B = 7600
W=2 bytes
Number of Rows (M) = 20
Number of Columns (N) = 10
 $LOC(T[I][J]) = B + ((I-LBR) + (J-LBC) * M) * W$
 $LOC(S[10][5]) = 7600 + ((10-2) + (5-9) * 20) * 2$
 $= 7600 + (8-80) * 2$
 $= 7600 + (-72) * 2$
 $= 7600 - 144$
 $= 7456$

OR

Assuming LBR=LBC=1
W=2 bytes
Number of Rows (M) = 20
Number of Columns (N) = 10
 $LOC(T[I][J]) = B + ((I-LBR) + (J-LBC) * M) * W$
 $LOC(T[2][9]) = B + ((2-1) + (9-1) * 20) * 2$
 $7600 = B + (161 * 2)$
 $B = 7600 - 322$
 $B = 7278$
 $LOC(T[10][5]) = 7278 + ((10-1) + (5-1) * 20) * 2$
 $= 7278 + (9+80) * 2$
 $= 7278 + 178$
 $= 7456$

4) An array P[50] [60] is stored in the memory along the column with each of the element occupying 2 bytes, find out the memory location for the element P[10][20], if the Base Address of the array is 6800. (2010D)

Ans)
 $Loc(P[I][J]) = Base(P) + W((I-L1) + (J-L2) * N)$
 $Loc(P[10][20]) = 6800 + 2((10-0) + (20-0) * 50)$
 $= 6800 + 2(10+1000)$
 $= 6800 + 2 * 1010$
 $= 6800 + 2020$
 $= 8820$

OR

Address of P[i][j] = BaseAddress + W((i-L1) + (j-L2) * M)
Address of P[10][20] = 6800 + 2((10-0) + (20-0) * 50)
 $= 6800 + 2 * 1010$
 $= 6800 + 2020$
 $= 8820$

OR

Address of P[I][J] along the column
= BaseAddress + W((I-LBR) + (J-LBC) * M)
(where N is the number of rows, LBR = LBC = 1)
Address of P[10][20]
 $= 6800 + 2((10-1) + (20-1) * 50)$
 $= 6800 + 2(9 + 19 * 50)$
 $= 6800 + 2 * 959 = 6800 + 1918 = 8718$

5) An array T[90][100] is stored in the memory along the **column** with each of the elements occupying 4 bytes. Find out the memory location for the element T[10][40], if the Base Address of the array is 7200. (2010D)

Ans.

$$\begin{aligned} \text{Loc}(T[I][J]) &= \text{Base}(T) + W(I + J * N) \\ (\text{where } N \text{ is the number of rows, } LBR = LBC = 0) \\ &= 7200 + 4[10 + 40 \times 90] \\ &= 7200 + 4[10 + 3600] \\ &= 7200 + 4 \times 3610 \\ &= 7200 + 14440 \\ &= 21640 \end{aligned}$$

OR

Address of T[I][J] along the column
 $= \text{BaseAddress} + W [(I - LBR) + (J - LBC) * N]$
 (where N is the number of rows, LBR=LBC = 1)

$$\begin{aligned} \text{Address of } T[10][40] &= \text{BaseAddress} + \\ &4[(10 - 1) + (40 - 1) \times 90] \\ &= 7200 + 4[9 + 39 \times 90] \\ &= 7200 + 4[9 + 3510] \\ &= 7200 + 4 \times 3519 \\ &= 7200 + 14076 \\ &= 21276 \end{aligned}$$

6) An array S[40][30] is stored in the memory along the **column** with each of the element occupying 4 bytes, find out the base address and address of element S[20][15], if an element S[15][10] is stored at the memory location 7200. (2009 D)

Ans

$$\begin{aligned} \text{Loc}(S[I][J]) &= \text{Base}(S) + W(I + J * N) \\ \text{Loc}(S[15][10]) &= \\ &\text{Base}(S) + 4(15 + 10 * 40) \\ \text{Base}(S) &= 7200 - 4 * 415 \\ \text{Base}(S) &= 7200 - 1660 \\ \text{Base}(S) &= 5540 \\ \text{Loc}(S[20][15]) &= \\ &\text{Base}(S) + 4(20 + 15 * 40) \\ \text{Loc}(S[20][15]) &= \\ &= 5540 + 4(20 + 15 * 40) \\ &= 5540 + 4(20 + 600) \\ &= 5540 + 4 * 620 \\ &= 5540 + 2480 \\ &= 8020 \end{aligned}$$

OR

Address of S[i][j] = BaseAddress + W[(i - L1) + (j - L2) * M]
 Address of S[15][10] =
 BaseAddress + 4[(15 - 0) + (10 - 0) * 40]
 7200 = Base Address + 4 [415]
 Base Address = 7200 - 4 * 415
 = 7200 - 1660
 = 5540
 Address of S[20][15]
 = 5540 + 4 [(20 - 0) + (15 - 0) * 40]
 = 5540 + 4 * 620
 = 5540 + 2480
 = 8020

OR

Address of S[i][j] along the column =
 Base Address + W [(i - L1) + (j - L2) * M]
 Address of S[15][10] =
 BaseAddress + 4[(15 - 1) + (10 - 1) * 40]
 7200 = Base Address + 4 [374]

$$\begin{aligned} \text{Base Address} &= 7200 - 4 \times 374 \\ &= 7200 - 1496 \\ &= 5704 \\ \text{Address of } S[20][15] &= \\ &= 5704 + 4 [(20 - 1) + (15 - 1) \times 40] \\ &= 5704 + 4 \times 579 \\ &= 5704 + 2316 \\ &= 8020 \end{aligned}$$

7) An array T[50][20] is stored in the memory along the **column** with each of the elements occupying 4 bytes. Find out the base address and address of element T[30][15], if an element T[25][10] is stored at the memory location 9800. (2009 OD)

Ans)

$$\begin{aligned} \text{Loc}(T[I][J]) &= \text{Base}(T) + W(I + J * N) \\ \text{Loc}(T[25][10]) &= \text{Base}(T) + 4(25 + 10 * 50) \\ \text{Base}(T) &= 9800 - 4 * 525 \\ \text{Base}(T) &= 9800 - 2100 \\ \text{Base}(T) &= 7700 \\ \text{Loc}(T[30][15]) &= \\ &\text{Base}(T) + 4(30 + 15 * 50) \\ \text{Loc}(T[30][15]) &= \\ &= 7700 + 4(30 + 15 * 50) \\ &= 7700 + 4(30 + 750) \\ &= 7700 + 4 * 780 \\ &= 7700 + 3120 \\ &= 10820 \end{aligned}$$

OR

Address of T[i][j]
 $= \text{BaseAddress} + W [(i - L1) + (j - L2) * M]$
 Address of T[25][10] =
 BaseAddress + 4[(25 - 0) + (10 - 0) * 50]
 9800 = Base Address + 4 [525]
 Base Address = 9800 - 4 * 525
 = 9800 - 2100
 = 7700
 Address of T[30][15]
 $= 7700 + 4 [(30 - 0) + (15 - 0) \times 50]$
 $= 7700 + 4 \times 780$
 $= 7700 + 3120$
 $= 10820$

OR

Address of T[i][j] along the column
 $= \text{Base Address} + W [(i - L1) + (j - L2) * M]$
 Address of T[25][10]
 $= \text{BaseAddress} + 4[(25 - 1) + (10 - 1) \times 50]$
 9800 = Base Address + 4 [474]
 Base Address
 $= 9800 - 4 \times 474$
 $= 9800 - 1896$
 $= 7904$
 Address of T[30][15]
 $= 7904 + 4 [(30 - 1) + (15 - 1) \times 50]$
 $= 7904 + 4 \times 729$
 $= 7904 + 2916$
 $= 10820$

8) An array Arr[40][10] is store in the memory along the **column** with each element occupying 4 bytes. Find out the base address of the location Arr[3][6] if the location Arr[30][10] is stored at the address 9000. (2008D)

Solution:

Address of Array[i][j] along the column = Base Address + W [(i - L1) + (j - L2) * M]

where,

W = size of each location in bytes = 4

L1 = Lower Bound of rows = 0

L2 = Lower Bound of columns = 0

M = Number of rows per column = 40

Address of Array[30][10]

= Base Address + 4 * (30 + 10 * 40)

9000 = Base Address + 4 * 430

Base Address = 9000 - 4 x 430

= 9000 - 1720

= 7280

Address of Array[3][6]

= 7280 + 4 * (3 + 6 * 40)

= 7280 + 4 * 243

= 7280 + 972

= 8252

OR

Address of Array[i][j] along the column = Base Address + W ((i - L1) + (j - L2) * M)

where,

W = size of each location in bytes = 4

L1 = Lower Bound of rows = 1

L2 = Lower Bound of columns = 1

M = Number of rows per column = 40

Address of Array[30][10]

= Base Address + 4 * ((30 - 1) + (10 - 1) * 40)

9000 = Base Address + 4 * (29 + 9 * 40)

9000 = Base Address + 4 * (29 + 360)

9000 = Base Address + 4 * (389)

Base Address

= 9000 - 4 * 389

= 9000 - 1556

= 7444

Address of Array[3][6]

= 7444 + 4 * ((3 - 1) + (6 - 1) * 40)

= 7444 + 4 * (2 + 5 * 40)

= 7444 + 4 * (2 + 200),

= 7444 + 4 * 202

= 7444 + 808

= 8252

OR

Address of Array[i][j] along the column = Address of Array[x][y] + W [(i - x) + (j - y) * M]

where,

W = size of each location in bytes = 4

M = Number of rows per column = 40

i, j = Index value of the unknown element

x, y = Index value of the known element

Address of Array[3][6]

= Address of Array[30][10] + 4 [(3 - 30)

+ (6 - 10) * 40]

= 9000 + 4 [-27 - 160]

= 9000 - 4 x 187 = 9000 - 748 = 8252

9) An array Array[20][15] is stored in the memory along the column with each element occupying 8 bytes. Find out the base address of the element Array[2][3] if the element Array[4][5] is stored at the address 1000. (2007D)

Solution:

Given Data: Aray [20][15] W=8 B=?

R=20 C=15 L_r=0 L_c=0

Address of Array [2][3] = ?

Address of Array[4][5] = 1000.

Address of an element (I,J) in column major

= B + W ((I - L_r) + R(J - L_c))

Therefore

1000 = B + 8 * ((4 - 0) + 20(5 - 0))

1000 = B + 8 * (4 + 20 * 5)

1000 = B + 8 * 104

1000 = B + 832

B = 1000 - 832

B = 168

Therefore Address of

Array[2][3] = 168 + 8 * ((2 - 0) + 20(3 - 0))

= 168 + 8 * (2 + 20 * 3)

= 168 + 8 * 62

= 168 + 496

= 664

10) An array MAT[30][10] is stored in the memory along column wise with each element occupying 8 bytes of the memory. Find out the Base address and the address of element MAT[20][5], if the location MAT[3][7] is stored at the address 1000. (2006D) Ans)

For Column wise allocation

Address of A[I][J]

= BA + W[(J - LBC) x M + (I - LBR)]

Where

BA = Base Address

W = Size of each element in bytes

= 8 bytes (given)

M = No. of rows in the 2D Array = 30

(given)

Address of MAT[5][7] given is 1000.

Assumption 1 : LBR=LBC=0

Therefore

1000 = BA + 8 (7 x 30 + 5)

= BA + 8 x 215 = BA + 1720

BA = 1000 - 1720 = -720

Therefore, Base Address = -720

Thus, Address of MAT[20][5] = -720 + 8 (5 x 30 + 20)

= -720 + 8 x 170

= -720 + 1360

= 640

Assumption 2 : LBR=LBC=1

Therefore

1000 = BA + 8 [(7 - 1) x 30 + (5 - 1)]

= BA + 8[6 x 30 + 4]

= BA + 8 x 184

= BA + 1472

BA = 1000 - 1472 = -472

Therefore, Base Address = -472

Thus, Address of MAT[20][5]

= -472 + 8 (4 x 30 + 19)

= -472 + 8 x 139

= -472 + 1112

= 640

11) An array P[20][30] is stored in the memory along the column with each of the element occupying 4 bytes, find out the Base Address of the array, if an element P[2][20] is stored at the memory location 5000. (MP209-10) 3

Ans)

Given,

W=4

N=20

M=30

$$\text{Loc}(P[2][20]) = 5000$$

Column Major Formula:

$$\begin{aligned} \text{Loc}(P[I][J]) &= \text{Base}(P) + W * (N * J + I) \\ \text{Loc}(P[2][20]) &= \text{Base}(P) + 4 * (20 * 20 + 2) \\ \text{Base}(P) &= 5000 - 4 * (400 + 2) \\ &= 5000 - 1608 \\ &= 3392 \end{aligned}$$

12) An array P[20][30] is stored in the memory along the column with each of the element occupying 4 bytes, find out the memory location for the element P[5][15], if an element P[2][20] is stored at the memory location 5000. (MP208-09) 4 Ans)

Given,

$$\begin{aligned} W &= 4 \\ N &= 20 \\ M &= 30 \\ \text{Loc}(P[2][20]) &= 5000 \end{aligned}$$

Column Major Formula:

$$\begin{aligned} \text{Loc}(P[I][J]) &= \text{Base}(P) + W * (N * J + I) \\ \text{Loc}(P[2][20]) &= \text{Base}(P) + 4 * (20 * 20 + 2) = 5000 \\ &= \text{Base}(P) + 4 * (400 + 2) \\ \text{Base}(P) &= 5000 - 1608 \\ \text{Base}(P) &= 3392 \\ \text{Loc}(P[5][15]) &= 3392 + 4 * (20 * 15 + 5) \\ &= 3392 + 4 * (300 + 5) \\ &= 3392 + 1220 \\ &= 4612 \end{aligned}$$

13) An array ARR[5][5] is stored in the memory with each element occupying 3 bytes of space. Assuming the base address of ARR to be 1500, compute the address of ARR[2][4], when the array is stored : (2004)

Solution: Children, Try this answer as an assignment.

14) An array X[30][10] is stored in the memory with each element requiring 4 bytes storage. Find out the Base address of X is 4500, find out memory locations of X[12][8] and X[2][14], if the content is stored along the row. (2003)

Solution: Children, Try this answer as an assignment.

15) The array A[20][10] is stored in the memory with each element requiring one byte of storage if the base address of a is 0, determine the location of A[10][5] when the array A is stored by column major. (2002)

Solution: Children, Try this answer as an assignment.

16) An array X[10][20] is stored in the memory with each element requiring 4 bytes of storage. If the Base address of the array is 1000, calculate location of X[5][15] when the array X is stored using column major order. (2001)

NOTE: X[10][20] means valid row indices are 0 and 9 and valid column indices are 0 and 19

Solution: Children, Try this answer as an assignment.

17) An array VAL[1...15][1...10] is stored in the memory with each element requiring 4 bytes of storage. If the base address of the array VAL is 1500, determine the location of VAL[12][9] when the array VAL is stored (i) Row wise (ii) Column wise. (2000)

Solution: Given Data:

$$\begin{aligned} \text{VAL}[1...15][1...10] \\ \text{Word Length (W)} &= 4 \text{ Bytes} \\ \text{Base Address of VAL(B)} &= 1500 \\ \text{VAL}[12][9] &= ? \\ C &= \text{Total No of Columns} \\ R &= \text{Total No of Rows} \end{aligned}$$

$$L_r = \text{Least Row} = 1$$

$$L_c = \text{Least Column} = 1$$

(i) Row Major:

Address of an element (I,J) in row major = $B + W (C (I - L_r) + (J - L_c))$

$$\begin{aligned} \text{VAL}[12][9] &= 1500 + 4 (10 * (12 - 1) + (9 - 1)) \\ &= 1500 + 4 (10 * 11 + 8) \\ &= 1500 + 4 (118) \\ &= 1500 + 472 \end{aligned}$$

(i) Column Major:

Address of an element (I,J) in column major = $B + W ((I - L_r) + R (J - L_c))$

$$\begin{aligned} \text{VAL}[12][9] &= 1500 + 4 ((12 - 1) + 15 * (9 - 1)) \\ &= 1500 + 4 (11 + 15 * 8) \\ &= 1500 + 4 (11 + 120) \\ &= 1500 + 4 * 131 \\ &= 1500 + 524 \\ &= 2024. \end{aligned}$$

18) An array A[10][20] is stored in the memory with each element requiring 4 bytes of storage. If the base address of the array in the memory is 400, determine the location of A[8][13] when the array VAL is stored (i) Row major (ii) Column major.

Solution: Children, Try this answer.

MODEL 4: Sorts & Search

1) Write a function SORTPOINTS() in C++ to sort an array of structure Game in descending order of Points using Bubble Sort. (2009 D)

Note: Assume the following definition of structure Game

```
struct Game
{
    long PNo; //Player Number
    char PName [20];
    long Points;
};
```

Sample content of the array (before sorting)

PNo	PName	Points
103	Ritika Kapur	3001
104	John Philip	2819
101	Razia Abbas	3451
105	Tarun Kumar	2971

Sample content of the array (after sorting)

PNo	PName	Points
101	Razia Abbas	3451
103	Ritika Kapur	3001
105	Tarun Kumar	2971
104	John Philip	2819

Ans)

```
void SORTPOINTS(Game G[], int N)
{
    Game Temp;
    for (int I = 0; I < N - 1; I++)
        for (int J = 0; J < N - I - 1; J++)
            if (G[J].Points < G[J + 1].Points)
                {
```

```
Temp = G[J];
G[J] = G[J+1];
G[J+1] = Temp;
```

```
}
}
```

2) Write a function SORTSCORE() in C++ to sort an array of structure Examinee in descending order of Score using Bubble Sort.

(2009 OD)

Note: Assume the following definition of structure

Examinee

```
struct Examinee
{ long RollNo;
  char Name[20] ;
  float Score;
};
```

Sample Content of the array (before sorting)

RollNo	Name	Score
1001	Ravyank Kapur	300
1005	Farida Khan	289
1002	Anika Jain	345
1003	George Peter	297

Sample Content of the array (after sorting)

RollNo	Name	Score
1002	Anika Jain	345
1001	Ravyank Kapur	300
1003	George Peter	297
1005	Farida Khan	289

Ans)

```
void SORTSOORE (Examinee E[ ], int N)
{ Examinee Temp;
  for (int I = 0; I<N-1; I++)
    for (int J = 0; J<N-I-1; J++)
      if(E[J].Score < E[J+1].Score)
      {
        Temp = E[J];
        E[J] = E[J+1];
        E[J+1] = Temp;
      }
}
```

3) Assume a array E containing elements of structure Employee is required to be arranged in descending order of Salary. Write a C++ function to arrange same with the help of bubble sort, the array and its size is required to be passed as parameters to the function. Definition of structure Employee is as follows:

```
Struct Employee
{ intEno;
  char name[25];
  float Salary;
};
```

(2003)

Solution:

```
void bubble(Employee E[ ],int n)
{ inti,j;
  Employee Etemp;
  for(i=0;i<n;++i)
    for(j=0;j<(n-1)-i;j++)
      if(E[j].salary<E[j+1].salary)
        { Etemp=E[j];
```

```
E[j]=E[j+1];
E[j+1]=temp;
}
```

```
cout<<"The details of the employee
in ascending order of salary ";
for(i=0;i<n;i++)
  cout<<E[i].Eno<<"\t"<<E[i].name
  <<"\t"<<E[i].Salary<<endl;
}
```

4) Considering the following key set: 42,29,74,11,65,58, use insertion sort to sort the data in ascending order and indicate the sequences of steps required. (2002)

Solution:

In this, Suppose an array A with n elements A[1],A[2],...A[N] is in memory. The insertion sort algorithm scans A from A[1] to A[N], insertion each element A[K] into its proper position in the previously sorted subarray A[1],A[2],...,A[K-1].

This sorting algorithm is frequently used when n is small.

The array contains 6 elements as follows: 42,29,74,11,65,58

Pass	A[0]	A[1]	A[2]	A[3]	A[4]	A[5]	A[6]
K=1	-32768	42	29	74	11	65	58
K=2	-32768	42	29	74	11	65	58
K=3	-32768	29	42	74	11	65	58
K=4	-32768	29	42	74	11	65	58
K=5	-32768	11	29	42	74	65	58
K=6	-32768	11	29	42	65	74	58
Sorted	-32768	11	29	42	58	65	74

5) Given two arrays of integers X and Y of sizes m and n respectively. Write a function named MERGE() which will third array named Z, such that the following sequence is followed.(2001)

- All odd numbers of X from left to right are copied into Z from left to right.
- All even numbers of X from left to right are copied into Z from right to left.
- All odd numbers of Y from left to right are copied into Z from left to right.
- All even numbers of Y from left to right are copied into Z from right to left.

X, Y and Z are passed as arguments to MERGE().

Eg. X is {3, 2, 1, 7, 6, 3} and {9, 3, 5, 6, 2, 8, 10}

The resultant array Z is

{3, 1, 7, 3, 9, 3, 5, 10, 8, 2, 6, 6, 2}

Ans)

```
void MERGE(int X[ ], intm,int Y[ ], intn,int Z[ ])
```

```
{ intmn,i,,left=0,right=mn-1;
```

```
mn=m+n;
```

```
for(i=0;i<m;i++)
```

```
if (X[i]%2== 1)
```

```
Z[left++]=X[i];
```

```
//For copying odd numbers of
```

```
//X into Z from left to right else
```

```
Z[right--]=X[i];
```

```
//For copying even number of
```

```
//X into Z from right to left
```

```
for(i=0;i<n;i++)
```

```
if (X[i]%2= = 1)
```

```

Z[left++]=Y[i];
//For copying odd numbers of
//Y into Z from left to right
else
Z[right--]=Y[i];
//For copying even number of
// X into Z from right to left
}

```

6) Suppose A, B, C are arrays of integers of size M, N and M+N respectively. The numbers in array A appear in ascending order while numbers in array in descending order. Write user defined function in C++ to produce third array C by merging array A by B in ascending order. Use A, B and C as arguments in the function.

(2000)

```

void Merge(int A[ ],intM,int B[ ], intN,int C[ ])
{
inta,b,c;
for(a=0,b=N-1,c=0;a<M&&b>=0;)
{ if(A[a]<=B[b])
C[c++]=A[a++];
else
C[c++]=B[b--];
}
if(a<M)
{ while(a<M)
C[c++]=A[a++];
}
else
{
while(b>=0)
C[c++]=B[b--];
}
}

```

7) Suppose a 1D array AR containing integers is arranged in ascending order. Write a user defined function in C++ to search for one integer from AR with the help of binary search method, to show presence of the number in the array. The function should have three parameters: (1) an array AR (2) the number to be searched and (3) the number of elements N in the array.

```

void BinSearch(int AR[ ], intSno, int N)
{ int l=0,u=N-1,m,flag=0;
while(l<=u)
{ m=(l+u)/2;
if (Sno== AR[m])
{ flag=1;
break;
}
else if(Sno<AR[m])
u=m-1;
else
l=m+1;
}
if( flag == 0)
cout<<"\nThe Search Element
"<<Sno<<" is not available";
else
cout<<"\nThe Search Element
"<<Sno<<" is available";
}

```

8) Suppose an array P containing float is arranged in ascending order. Write a user defined function in C++ to search for one float from p with the help of binary search method. The function should return an integer 0 to show absence of the number in the array. The function should have the parameters as (1) an array P (2) the number DATA to be searched (3) number of elements N.(1998)

```

intBinSearch(float P[ ], float DATA, int N)
{ int l=0,u=N-1,m;
while(l<=u)
{
m=(l+u)/2;
if (DATA== P[m])
return 1;
else if(DATA<P[m])
u=m-1;
else
l=m+1;
}
return 0;
}

```

9) Write a function in C++ to merge the contents of two sorted arrays A & B into third array C. Assuming array A and B are sorted in ascending order and the resultant array C is also required to be in ascending order. 3 (MP109-10)

Ans)

```

void AddNSave(int A[ ],int B[ ],int C[ ],
intN,int M, int&K)
{ int I=0,J=0;
K=0;
while (I<N && J<M)
if (A[I]<B[J])
C[K++]=A[I++];
else if (A[I]>B[J])
C[K++]=B[J++];
else
{
C[K++]=A[I++];
J++;
}
for (;I<N;I++)
C[K++]=A[I];
for (;J<M;J++)
C[K++]=B[J];
}

```

10. Write a function in C++ to merge the contents of two sorted arrays A & B into third array C. Assuming array A is sorted in ascending order, B is sorted in descending order, the resultant array is required to be in ascending order. (MP108-09) 4

Answer:

```

void AddNSave(int A[],int B[],int C[],intN,int M,
int&K)
{ int I=0,J=M-1;
K=0;
while (I<N && J>=0)
{ if (A[I]<B[J])
C[K++]=A[I++];
else if (A[I]>B[J])
C[K++]=B[J--];
else
{

```

```

    C[K++]=A[I++];
    J--;
}
}
for (int T=I;T<N;T++)
    C[K++]=A[T];
for (T=J;T>=0;T--)
    C[K++]=B[T];
}

```

MODEL 5: Theory / Miscellaneous
--

1) Define array and pointer. (2002)

Solution: An array refer to a named list of a finite number n of similar data elements. Each of the data elements can be referenced respectively by a set of consecutive numbers.

Arrays can be one dimensional, two dimensional or multi dimensional.

An array can be declared as :

Syntax: data_type Array_name[size];

Eg: int A[10]; //Then location of
//the array are A[0], A[1],.....A[9].

int B[5][4];

//This array can holds 5 X 4 = 20 elements.

MODEL 1: Program on Stack

1) Write a complete program in c++ to implement a dynamically allocated Stack containing names of Countries. (D 2010)

Ans)

```
#include<iostream.h>
#include<stdio.h>
struct Node
{ char Country [20] ;
  Node *Link;
};
class Stack
{
  Node *Top;
public:
Stack()
{ Top = NULL;
}
void Push() ;
void Pop() ;
void Display() ;
~Stack () ;
};
void Stack::Push( )
{ Node *Temp = new Node;
gets(Temp -> Country);
Temp -> Link = Top;
Top = Temp;
}
void Stack::Pop( )
{ if (Top !=NULL)
{ Node *Temp = Top;
Top = Top -> Link;
delete Temp;
}
else
cout<<"stack Empty";
}
void Stack::Display( )
{
Node *Temp = Top;
while (Temp!= NULL)
{
cout<<Temp -> Country <<endl;
Temp = Temp -> Link;
}
}
Stack::~Stack ( )
{ while (Top!=NULL)
{ NODE *Temp=Top;
Top=Top->Link;
delete Temp;
}
}
void main ( )
{ Stack ST;
char Ch;
do
{ cout<<"p/O/D/Q" ;
cin>>Ch;
switch (Ch)
{
case 'P' : ST.Push( ); break;
```

```
case 'O' :ST.Pop(); break;
case 'D' :ST.Disp();
}
} while (Ch!='Q');
}
```

2)Each node of a STACK contains the following information, in addition to pointer field: (2001)

- (i).Pin code of city
- (ii).Name of city

Give the structure of node for the linked STACK in question. TOP is a pointer that points to the topmost node of the STACK. Write the following functions:4
a)PUSH() – To push a node into the STACK, which is allocated dynamically.

b)POP() – To remove a node from the STACK, and release the memory.

Solution:

```
struct City
{ longCpin ;
charCName[20] ;
City *Next ;
};
class Stack
{ City *Top;
public:
Stack( ) { Top = NULL; }
void Push( );
void Pop( );
void Display( );
};
void Stack::PUSH( )
{ City *Temp;
Temp=new City;
if(Temp==NULL)
{ cout<<"\nNo memory to create the node...";
exit(1);
}
cout<<"\nEnter the City Pin Code to be inserted: ";
cin>>Temp->Cpin;
cout<<"\nEnter the City Name to be inserted: ";
gets(Temp->CName);
Temp->Next=Top;
Top=Temp;
}
void Stack::POP( )
{ City *Temp;
if( Top== NULL)
cout<<"Stack Underflow...";
else
{ cout<<"\nThe City Pin Code for the element to delete: ";
Temp->Cpin;
cout<<"\nThe City name of the element to delete: ";
Temp->CName;
Temp=Temp;
Top=Temp->Next;
delete Temp;
}
}
```

1. Write the definition of a member function PUSHGIFT() for a class STACK in C++, to add a GIFT in a dynamically allocated stack of GIFTS considering the following code is already written as a part of the program: (2017)4

```
struct GIFT
{
int GCODE; //Gift Code
char GDESC[20]; //Gift Description
GIFT *Link;
};
class STACK
{
Gift *TOP;
public:
STACK(){TOP=NULL;}
void PUSHGIFT();
void POPGIFT();
~STACK();
};
Ans)
void STACK::PUSHGIFT()
{
GIFT *T = new GIFT;
cin>>T->GCODE;
gets(T->GDESC);
T->Link = TOP;
TOP = T;
}
```

2. Write the definition of a member function push() for a class Library in C++ to insert a book information in a dynamically allocated stack of books considering the following code is already written as a part of the program: (2017MP) 4

```
struct book
{
intbookid;
charbookname[20];
book *next;
};
class Library
{
book *top;
public:
Library()
{
top=NULL;
}
void push();
void pop();
void disp();
~Library();
};
Ans)
void Library::push()
{
book *nptr;
nptr=new book;
cout<<"Enter values for bookid and bookname";
```

```
cin>>nptr->bookid;
gets(nptr->bookname);
nptr->next=NULL;
if(top==NULL)
top=nptr;
else
{
nptr->next=top;
top=nptr;
}
}
```

3. Write the definition of a member function PUSH() in C++, to add a new book in a dynamic stack of BOOKS considering the following code is already included in the program: (2015) 4

```
struct BOOKS
{
char ISBN[20], TITLE[80];
BOOKS *Link;
};
class STACK
{
BOOKS *Top;
public:
STACK()
{Top=NULL;}
void PUSH();
void POP();
~STACK();
};
A)
void STACK::PUSH()
{
BOOKS *Temp;
Temp=new BOOKS;
gets(Temp>
ISBN);
gets(Temp>
TITLE);
Temp>
Link=Top;
Top=Temp;
}
```

4. Write a function PUSHBOOK() in C++ to perform insert operation on a Dynamic Stack, which contains Book_No and Book_Title. Consider the following definition of NODE, while writing your C++ code. (2014)

```
Struct NODE
{intBook_No;
charBook_Title[20];
NODE *Next;
};
Answer)
voidPOPBook()
{ NODE *P=new NODE;
cout<<"Enter Book No, and Book Title";
cin>>p->Book_No;
gets(P->Book_Title);
if(top= = NULL)
p->Next=NULL;
top=p;
else
{
```

```

p→Next=top;
top=p;
}
}

```

5) Write a function in C++ to perform PUSH operation on a dynamically allocated stack containing real numbers. (D 2006)

```

struct Node
{ float Number ;
  Node *Link ;
};
class STACK
{ Node *Top ;
public :
STACK()
{ Top = NULL;
}
void PUSH() ;
void POP() ;
~STACK() ;
};

```

Solution:

```

struct Node
{
float Number ;
  Node *Link ;
};
class STACK
{
  Node *Top ;
public :
STACK()
{
  Top = NULL;
}
void PUSH() ;
void POP() ;
~STACK() ;
};
void STACK::PUSH()
{ Node *Temp;
  Temp=new Node;
if(Temp= =NULL)
{
cout<<"\nNo memory to create the node...";
exit(1);
}
cout<<"\nEnter the Number to be inserted: ";
cin>>Temp→Number;
  Temp→Link=Top;
  Top=Temp;
}

```

6) Write a function in C++ to perform a PUSH operation in a dynamically allocated stack considering the following : (O2005)

```

struct Node
{int X,Y ;
  Node *Link ;
};
class STACK
{Node *Top ;
public :
  STACK()
  {Top = Null ;}

```

```

void PUSH() ;
void POP() ;
~STACK() ;
};

```

Solution:

```

struct Node
{int X,Y ;
  Node *Link ;
};
class STACK
{ Node *Top ;
public :
  STACK()
  { Top = NULL;
  }
  void PUSH() ;
  void POP() ;
  ~STACK() ;
};
void STACK::PUSH()
{Node *Temp;
  Temp=new Node;
if(Temp= =NULL)
{
  cout<<"\nNo memory to
  create the node...";
  exit(1);
}
  cout<<"Enter the value of X and Y";
  cin>>Temp→X>>Temp→Y;
  Temp→Link=Top;
  Top=Temp;
}

```

7) Write a function in C++ to perform Push operation on a dynamically allocated Stack containing real numbers.4 (MP209-10)

Ans)

```

struct NODE
{ float Data;
  NODE *Link;
};
class STACK
{ NODE *Top;
public:
STACK( );
void Push();
void Pop();
void Display();
~STACK();
};
void STACK::Push()
{NODE *Temp;
Temp=new NODE;
cin>>Temp->Data;
Temp->Link=Top;
Top=Temp;
}

```

8) Write a function in C++ to perform Push operation on a dynamically allocated Stack containing real numbers. (MP208-09)4

Ans)

```

struct NODE
{ float Data;
  NODE *Link;
};

```

```

class STACK
{
    NODE *Top;
public:
    STACK();
    void Push();
    void Pop();
};
void STACK::Push()
{
    NODE *Temp;
    Temp=new NODE;
    cin>>Temp->Data;
    Temp->Link=Top;
    Top=Temp;
}

```

MODEL 1B: Stack (Delete – Pop)

1. Write a function in C++ to delete a node containing Books information ,from a dynamically allocated stack of Books implemented with the help of the following structure: 2019MP4

```

struct Book
{
    int BNo;
    char BName[20];
    Book *Next;
};

```

Answer:

```

struct Book
{
    int BNo;
    char BName[20];
    Book *Next;
} *temp,*top;
void pop()
{
    temp=new Book ;
    temp=top;
    top=top->next;
    delete temp;
}

```

2)Write a function in C++ to delete a node containing Book’s information, from a dynamically allocated Stack of Books implemented with the help of the following structure. (D 2007)

```

struct Book
{
    intBNo ;
    charBName[20] ;
    Book *Next ;
};

```

Solution:

```

struct Book
{
    intBNo ;
    charBName[20] ;
    Book *Next ;
};

```

```

class Stack
{
    Book *Top;
public:
    Stack()
    {
        Top = NULL;
    }
    void Push();
    void Pop();
    void Display();
};
void Stack::Pop()
{
    Book *Temp;
    if( Top= = NULL)
        cout<<"Stack Underflow...";
    else
    {
        cout<<"\nThe Book number of the
        element to delete: "<<Top->BNo;
        cout<<"\nThe Book name of the
        element to delete: "<<Top->BName;
        Temp=Top;
        Top=Top->Next;
        delete Temp;
    }
}

```

3) Give the necessary declaration of a linked implemented stack containing integer type numbers; also write a user defined function in C++ to pop a number from this stack.(1998)

Solution:

```

struct Node
{
    float Number;
    Node *Next ;
};
class Stack
{
    Node *Top;
public:
    Stack()
    {
        Top = NULL;
    }
    void Push();
    void Pop();
    void Display();
};
void Stack::Pop()
{
    Node *Temp;
    if( Top= = NULL)
        cout<<"Stack Underflow...";
    else
    {cout<<"\nThe Number of the element to
    delete: "<<Top->Number;
        Temp=Top;
        Top=Top->Next;
        delete Temp;
    }
}

```

MODEL 1D: Stack (Using Arrays)

1) Introduction (OD2006)

```
class stack
{ int data[10] ;
int top ;
public :
stack ( )
{ top = - 1;
}
void push ( ) ; //to push an element into the stack
void pop ( ) ; //to pop an element from the stack
void Delete(int ITEM) ; //To delete all elements which
are
//equal to ITEM.
};
Complete the class with all function definitions. Use
another stack to transfer data temporarily.
```

Solution:

```
void stack::push ( )
{ if(top>=9)
cout<<"Stack Overflow...";
else
{ top++;
cout<<"\nEnter the element to be
inserted...";
cin>>data[top];
}
}
void stack::pop ( )
{ if(top== -1)
cout<<"\nStack Underflow";
else
{ cout<<"\nThe element to be
deleted = "<<data[top];
top--;
}
}
void stack::Delete(int ITEM)
{ //Dear children, try to complete this function.
}
```

OR

```
void stack::push ( )
{ int n;
cout<<"Enter a value";cin>>n;
if (top==10)
cout<<"Stack Overflow";
else
data[++top]=n;
}
void stack::pop ( )
{ if (top== -1)
cout<<"Stack Underflow";
else
cout<<data[top--];
}
void stack::Delete(int ITEM); //Ignore this part
```

2) Given the following class, (2002)4

```
char *msg[ ]={"over flow","under flow"};
class Stack
{ int top; //the stack pointer
intstk[5]; //the elements
voiderr_rep(inte_num)
```

```
{ cout<<msg[e_enum]; //report error
message
}
public:
voidinit ( )
{ top=0;
} //initialize the stack pointer
void push(int); //put new value in stk
void pop ( ) ; //get the top value.
};
```

Define pop outside the Stack. In your definition take care of under flow condition. Function pop should invoke err_rep to report under flow.

Solution:

```
void Stack::pop ( )
{ //Dear children, try to complete this function.
```

```
}
```

MODEL 2: Program on Queue

1) Write a complete program in C++ to implement a dynamically allocated Queue containing names of Cities.(OD2010)4

Ans)

```
#include <iostream.h>
#include <conio.h>
struct NODE
{ char City[20];
NODE *Next;
};
class Queue
{ NODE *Rear,*Front;
public:
Queue ( )
{ Rear=NULL;Front=NULL;
}
voidQinsert ( );
voidQdelete ( );
voidQdisplay ( );
~Queue ( );
};
void Queue::Qinsert ( )
{
NODE *Temp;
Temp=new NODE;
cout<<"Data:";
gets (Temp->City);
Temp->Next=NULL;
if (Rear==NULL)
{ Rear=Temp;
Front=Temp;
}
else
{ Rear->Next=Temp;
Rear=Temp;
}
}
void Queue::Qdelete ( )
{ if (Front!=NULL)
```

```

{ NODE *Temp=Front;
cout<<Front->City<<"Deleted \n";
    Front=Front->Next;
delete Temp;
if (Front==NULL)
    Rear=NULL;
}
else
cout<<"Queue Empty..";
}
Queue::Qdisplay( )
{ NODE *Temp=Front;
while (Temp!=NULL)
{ cout<<Temp->City<<endl;
  Temp=Temp->Next;
}
}
Queue::~~Queue( )//Destructor Function
{ while (Front!=NULL)
{ NODE *Temp=Front;
  Front=Front->Next; delete Temp;
}
}
void main( )
{ Queue QU;
char Ch;
do
{
:
:
} while (Ch!='Q');
}

```

2) Define member functions **queins()** to insert nodes and **quedel()** to delete nodes of the **linked list implemented class queue**, where each node has the following structure:(2004)

```

struct node
{ char name[20] ;
int age ;
node *Link ;
};
class queue
{
node *rear, *front ;
public :
queue( )
{ rear = NULL; front = NULL } ;
void queins( ) ;
void quedel( ) ;
};

```

Solution:

```

void queue::queins( )
{
node *ptr;
ptr=new node;
if(ptr= = NULL)
{
cout<<"\nNo memory to create a new node....";
exit(1);
}
cout<<"\nEnter the name....";
gets(ptr->name);
cout<<"\nEnter the age...";
cin>>ptr->age;
}

```

```

ptr->Link=NULL;
if(rear= = NULL)
    front=rear=ptr;
else
    {rear->Link=ptr;
    rear=ptr;
}
}
void queue::quedel( )
{
node *temp;
if(front= = NULL)
    cout<<"Queue Underflow";
else
    {
cout<<"\nThe name of the
element to delete: "<<front->name;
cout<<"\nThe age of the element to
delete: "<<front->age;
    temp=front;
    front=front->Link;
    delete temp;
}
}
}
}

```

MODEL 2A: Queue (Insert)

1) Write a function in C++ to perform **Insert** operation in a static circular **Queue** containing Book's information (represented with the help of any array of structure **BOOK**) (2012) 4

```

struct BOOK
{
long Accno; //Book Accession Number
char Title [20] //Book Title
};
Anconstint Max = 10;
void insert(Book B[], int&a, int F)
{
if ( (R+1) %Max! =F)
{
R= (R+1) %Max;
cin>>B [R] . Accno;
//cin>>B[R].Title OR cin.getline(B[R] .Title,20); OR
gets(B[R].Title) ;
}
else
cout<<"Queue Full";
}

```

OR

```

constintmax =10;
void insert( long newAC, char newTitle[], Book B
[],int&F,int&R)
{
if ( ( F = 0 && R=max-1) II (F=R+1))
cout<<"Queue Overflow";
else
{
if (R -1)
F=0; R=0;
else if (R = max-i)
R = 0;
else
R = R + 1;
B[R].Accno = newAC;//oRcin>>B[R].Accno;
strcpy(B[R].Title, newTitle);
}
}

```

```
// OR gets(B[R].Title); OR cin>>B[R].Title OR
//cin.getline(B[R].Title,20) ;
}
}
```

2) Write a function QUEINS() in C++ to insert an element in a dynamically allocated Queue containing nodes of the following given structure: **(D 2009)** 4

```
struct Node
{
intPID ;           //Product Id
charPname [20] ;
    NODE *Next ;
} ;
Ans)
class Queue
{ Node *Front, *Rear;
public:
QUEUE()
    //Constructor to initialize Front and Rear
    { Front = NULL;
      Rear = NULL;
    }
void QUEINS(); //Function to insert a node
void QUEDEL(); //Function to delete a node
void QUEDISP(); //Function to display nodes
~Queue(); //Destructor to delete all nodes
} ;
void Queue::QUEINS()
{ Node *Temp;
  Temp = new Node;
  cin>>Temp->PID;
  gets(Temp->Pname);
  //Or cin>>Temp->Pname;
  //cin.getline(Temp->Pname);
  Temp->Next = NULL;
if (Rear == NULL)
{ Front = Temp;
  Rear = Temp;
}
else
{ Rear->Next = Temp;
  Rear = Temp;
}
}
```

OR

```
void QUEINS (Node *&Front, Node *&Rear)
{ Node *Temp = new Node;
cin>>Temp->PID;
gets (Temp->Pname);
    //or cin>>Temp->Pname;
    //cin.getline(Temp->Pname);
  Temp->Next = NULL;
if(Rear == NULL)
  Front = Temp;
else
  Rear -> Next = Temp;
  Rear = Temp;
}
```

3) Write a function in C++ to **insert** an element into a **dynamically allocated Queue** where each node contains a name (of type string) as data. **(D 2008)**
Assume the following definition of THENODE for the same.

```
struct THENODE
{
char Name[20];
    THENODE *Link;
};
```

Solution:

```
struct THENODE
{ char Name[20];
  THENODE *Link;
};
class Queue
{ THENODE *front,*rear;
public:
Queue()
  {
front = rear = NULL;
  }
void Insert();
void Delete();
void Display();
};
void Queue::Insert()
{
  THENODE *ptr;
ptr=new THENODE;
if(ptr== NULL)
  {
cout<<"\nNo memory to create a
new node....";
exit(1);
  }
cout<<"\nEnter the name....";
gets(ptr->Name);
ptr->Link=NULL;
if(rear== NULL)
front=rear=ptr;
else
  {
rear->Link=ptr;
rear=ptr;
  }
}
```

4) Write a function in C++ to perform **Insert** operation in **dynamically allocated Queue** containing names of students.

(OD2006)

```
Struct NODE
{ char Name[20];
  NODE *Link;
};
```

Solution:

```
class Queue
{
  NODE *front,*rear;
public:
Queue()
  {
front = rear = NULL;
  }
void Insert();
void Delete();
void Display();
};
```

```

void Queue::Insert()
{
    NODE *ptr;
    ptr=new NODE;
    if(ptr= = NULL)
    {
        cout<<"\nNo memory to create a new
        node....";
        exit(1);
    }
    cout<<"\nEnter the name....";
    gets(ptr->Name);
    ptr->Link=NULL;
    if(rear= = NULL)
        front=rear=ptr;
    else
    {
        rear->Link=ptr;
        rear=ptr;
    }
}

```

5) Consider the following portion of a program, which implements passengers Queue for a train. Write the definition of function. **Insert** (whose prototype is shown below); to insert a new node in the queue with required information. (2003)

```

struct NODE
{
    long Ticketno;
    char PName[20]; //Passengers Name
    NODE * Next;
};
class Queueoftrain
{
    NODE * Rear, * Front;
public :
    Queueoftrain()
    { Rear = NULL; Front = NULL; }
    void Insert( );
    void Delete( );
    ~Queueoftrain( );
};

```

Solution:

```

void Queueoftrain::Insert( )
{
    NODE *ptr;
    ptr=new NODE;
    if(ptr= = NULL)
    {
        cout<<"\nNo memory to create a new node....";
        exit(1);
    }
    cout<<"\nEnter the Ticket
    Number....";
    cin>>ptr->Ticketno;
    cout<<"\nEnter the Passenger Name..";
    gets(ptr->PName);
    ptr->Next=NULL;
    if(rear= = NULL)
        front=rear=ptr;
    else
    {
        rear->Next=ptr;
        rear=ptr;
    }
}

```

6) Give necessary declarations for a queue containing float type numbers; also write a user defined function in C++ to **insert** a float type number in the queue. You should use **linked representation of queue.** (2000)

Solution:

```

struct NODE
{
    float Number;
    NODE *Link;
};
class Queue
{
    NODE *front,*rear;
public:
    Queue( )
    {
        front = rear = NULL;
    }
    void Insert( );
    void Delete( );
    void Display( );
};
void Queue::Insert( )
{
    NODE *ptr;
    ptr=new NODE;
    if(ptr= = NULL)
    {
        cout<<"\nNo memory to
        create a new node....";
        exit(1);
    }
    cout<<"\nEnter the Number....";
    cin>>ptr->Number;
    ptr->Link=NULL;
    if(rear= = NULL)
        front=rear=ptr;
    else
    {
        rear->Link=ptr;
        rear=ptr;
    }
}

```

7) Write a function in C++ to perform Insert operation in a dynamically allocated Queue containing names of students. (MP109-10) 4

Ans)

```

struct NODE
{
    char Name[20];
    NODE *Link;
};
class QUEUE
{
    NODE *R,*F;
public:
    QUEUE();
    void Insert();
    void Delete();
};
void QUEUE::Insert()
{
    NODE *Temp;
    Temp=new NODE;
    gets(Temp->Name);
    Temp->Link=NULL;
    if (Rear==NULL)
    {

```

```

    Rear=Temp;
    Front=Temp;
}
else
{
    Rear->Link=Temp;
    Rear=Temp;
}
}
}

```

8) Write a function in C++ to perform Insert operation in a dynamically allocated Queue containing names of students. (MP108-09) 4

```

struct NODE
{
    char Name[20];
    NODE *Link;
};
class QUEUE
{
    NODE *R,*F;
public:
    QUEUE();
    void Insert();
    void Delete();
};
void QUEUE::Insert()
{
    NODE *Temp;
    Temp=new NODE;
    gets(Temp->Name);
    Temp->Link=NULL;
if (Rear==NULL)
    {
        Rear=Temp;
        Front=Temp;
    }
else
    {
        Rear->Link=Temp;
        Rear=Temp;
    }
}

```

MODEL 2B: Queue (Delete)

1) Write the definition of a member function AddPacket() for a class QUEUE in C++, to remove/delete a Packet from a dynamically allocated QUEUE of Packets considering the following code is already written as a part of the program. 2018 (4)
 (Note: In the given problem, we should write a function to remove/delete a packet with function name AddPacket())

```

struct Packet
{
    int PID;
    char Address[20];
    Packet *LINK;
};
class QUEUE
{
    Packet *Front, *Rear;
public:
    QUEUE( )
{
    Front = NULL; Rear = NULL;
}
}

```

```

void AddPacket( );
void DeletePacket( );
~QUEUE( );
};

```

Answer:

```

void QUEUE::AddPacket()
{
if( Front !=NULL)
{
    Packet *T = Front;
    cout<<Front -> PID<<Front-> Address<<" is removed"<<endl;
//OR cout<<T->PID<<T->Address<<" removed"<<endl;
    Front= Front->LINK;
    delete T;
    if(Front == NULL)
    {
        Rear=NULL;
    }
}
else
    cout<<"Queue Empty"<<endl;
}
}

```

2. Write the definition of a member function DELETE() for a class QUEUE in C++, to remove a product from a dynamically allocated Queue of products considering the following code is already written as a part of the program. (2016) 4

```

struct PRODUCT
{
    int PID; char PNAME[20];
    PRODUCT *Next;
};
class QUEUE
{
    PRODUCT *R,*F;
public:
    QUEUE(){R=NULL;F=NULL;}
    void INSERT();
    void DELETE();
    ~QUEUE();
};

```

A)

```

void QUEUE::DELETE()
{
if( F!=NULL)
{
    PRODUCT *T = F;
    cout<<T --> PID<<T --> PNAME;
    F= F--> Next;
    delete T;
    if(F==NULL)
    {
        R=NULL;
    }
}
else
    cout<<"Queue Empty";
}
}

```

3. Write a function QDELETE() in C++ to perform delete operation on a linked queue, which contains Passenger no and Passenger name. Consider the following definition of node in the code. (2013) 4

```

struct node
{
    longint Pno;

```

```
char Pname[20];
node *Link;
};
```

Ans)

```
class Queue
{ node *front,*rear;
Queue()
{ front=NULL;
rear=NULL;
}
public:
void Add( );
void Delete( );
};
void Queue::Delete()
{ if(front==NULL)
cout<<"Queue is empty";
else
{
node *t=front;
front=front->Link;
if(front==NULL)
rear=NULL;
delete t;
}
}
```

4. Write a function in C++ to perform Delete operation on a dynamically allocated Queue containing Members details as given in the following definition of NODE: (2011 OD) 4

```
struct NODE
{
longMno //Member Number
charMname[20]; //Member Name
NODE *Link;
};
```

Ans

```
class Queue
{
NODE *Front, *Rear;
public:
Queue () {Front = NULL; Rear = NULL; }
voidQueAdd ( );
voidQueDel ( );
voidQueDis ( );
~Queue();
};
void Queue: :QueDel ( )
{
if (Front!=NULL)
{
NODE *Temp=Front;
cout<<Front->Mno<<" ";
cout<<Front->Mname<<" Deleted";
Front=Front->Link;
delete Temp;
if (Front==NULL) Rear=NULL;
}
else
cout<<"Underflow ! Queue is empty. .";
}
```

5) Write a function QUEDEL() in C++ to display and delete an element from a dynamically allocated Queue containing nodes of the following given structure: (OD 2009) 4

```
struct NODE
{ intItemno;
charItemname[20];
NODE *Link;
};
```

Ans)

```
class Queue
{
Node *Front, *Rear;
public:
QUEUE() //Constructor to initialize Front and Rear
{ Front = NULL;
Rear = NULL;
}
void QUEINS(); //Function to insert a
node
void QUEDEL(); //Function to delete a node
void QUEDISP(); //Function to display nodes
~Queue(); //Destructor to delete all
nodes
};
void Queue::QUEDEL()
{ if (Front!=NULL)
{ NODE *Temp=Front;
cout<<Front->Itemno<<" ";
cout<<Front->Itemname<<" Deleted";
Front=Front->Link;
delete Temp;
if (Front NULL)
Rear=NULL;
}
else
cout<<"Queue Empty..";
}
```

OR

```
void QUEDEL(Node *&Front, Node *&Rear)
{ if (Front !=NULL)
{
NODE *Temp=Front;
cout<<Front->Itemno<<" ";
cout<<Front->Itemname<<" Deleted";
Front=Front->Link;
delete Temp;
if (Front == NULL)
Rear=NULL;
}
else
cout<<"Queue Empty..";
}
```

6) Write a function in C++ to Delete an element into a dynamically allocated Queue where each node contains a real number as data.(OD 2008) 4

Assume the following definition of MYNODE for the same:

```
struct MYNODE
{ float NUM;
MYNODE * Link;
};
```

Solution:

```

struct MYNODE
{ float NUM;
  MYNODE *Link;
};
class Queue
{ MYNODE *front,*rear;
public:
Queue()
{ front=rear=NULL; }
void Insert( );
void Delete( );
void Display( );
};
void Queue::Delete( )
{ MYNODE *temp;
if(front== NULL)
    cout<<"Queue Underflow";
else
{
cout<<"\nThe content of the
element to delete: "<<front->NUM;
temp=front;
front=front->Link;
delete temp;
}
}

```

7) Write a function in C++ to **delete** a node containing customer's information, from a **dynamically allocated Queue** of Customers implemented with the help of the following structure: (OD 2007)

```

struct Customer
{ intCNo ;
charCName[20] ;
Customer *Link ;
};

```

Solution:

```

struct Customer
{
intCNo ;
charCName[20] ;
Customer *Link ;
};
class Queue
{ Customer *front,*rear;
public:
Queue( )
{ front=rear=NULL;
}
void Insert( );
void Delete( );
void Display( );
};
void Queue::Delete( )
{ Customer *Temp;
if(front==NULL)
    cout<<"Queue Underflow. No
element to delete";
else
{
cout<<"\n The customer number for the
element to delete"<<front->CNo;
cout<<"\n The customer name for the
element to delete"<<front->CName;
Temp=front;

```

```

front = front->Link;
delete Temp;
}
}

```

8) Write a function in C++ to perform a **DELETE operation in a dynamically allocated queue considering the following description : (OD2005)**

```

struct Node
{
float U, V ;
Node *Link ;
};
class QUEUE
{
Node *Rear, *Front ;
public :
QUEUE( )
{
Rear = NULL;
Front = NULL;
}
void INSERT( ) ;
void DELETE( ) ;
~ QUEUE( ) ;
};

```

Solution:

```

void Queue::DELETE( )
{ NODE *temp;
if(front== NULL)
    cout<<"\nQueue Underflow";
else
{ cout<<"\nThe value of U of the
element to delete: "<<Front->U;
cout<<"\nThe value of V of the
element to delete: "<<Front->V;
temp=Front;
Front=Front->Link;
delete temp;
}
}

```

9) Give the necessary declaration of a linked list implemented queue containing float type elements. Also write a user defined function in C++ to delete a float type number from the queue.

```

struct MYNODE(1999)
{ float NUM;
MYNODE * Link;
};

```

Solution:

```

struct MYNODE
{ float NUM;
MYNODE *Link;
};
class Queue
{ MYNODE *front,*rear;
public:
Queue( )
{ front=rear=NULL; }
void Insert( );
void Delete( );
void Display( );
};
void Queue::Delete( )

```

```

{ MYNODE *temp;
if(front== NULL)
    cout<<"Queue Underflow";
else
    {   cout<<"\nThe content of the
element to delete: "<<front->NUM;
temp=front;
front=front->next;
delete temp;
    }
}

```

MODEL 2D: Queue (Using Arrays)

1. Write the definition of a member function `Ins_Player()` for a class `CQUEUE` in C++, to add a Player in a statically allocated circular queue of PLAYERS considering the following code is already written as a part of the program: 2019MP4

```

struct Player
{
long Pid;
char Pname[20];
};
const int size=10;
class CQUEUE
{
Player Ar[size];
int Front, Rear;
public:
CQUEUE()
{
Front = -1;
Rear=-1;
}
void Ins_Player(); // To add player in a static
circular queue
void Del_Player(); // To remove player from a
static circular queue
void Show_Player(); // To display static circular
queue
};

```

Answer:

```

void CQUEUE :: Ins_Player()
{
if((Front==0 && Rear==size-1) ||
(Front==Rear+1)
{
cout<< "Overflow";
return;
}
else if(Rear == -1)
{
Front=0;
Rear=0;
}
else if(Rear==size-1)

```

```

{
Rear=0;
}
else
{
Rear++;
}
cout<< "Enter Player Id=";
cin>>Ar[Rear].Pid;
cout<< "Enter Player Name=";
gets(Ar[Rear].Pname);
}

```

2)(D 2006)

```

class queue
{
int data[10];
int front, rear;
public :
queue()
{
front = - 1;
rear = - 1 ;
}
void add(); //to add an element into the queue
void remove(); //to remove an element from the queue
void Delete(int ITEM());//to delete all elements which are equal
to ITEM
};
Complete the class with all function definitions for a
circular array Queue. Use another queue to transfer data
temporarily.

```

Solution:

```

void queue::add()
{
if((front== 0 && rear == 9) ||
(front== rear+1)
cout<<"\nQueue Overflow";
else if (rear== -1)
{
front=rear=0;
cout<<"\nEnter the element to be inserted";
cin>>data[rear];
}
else if(rear==9)
{
rear=0;
cout<<"\nEnter the element to be inserted";
cin>>data[rear];
}
else
{
rear++;
cout<<"\nEnter the element to be inserted";
cin>>data[rear];
}
}
void queue::remove()
{
if(front== -1)
cout<<"\nQueue Underflow...";
else
{
cout<<"\nThe element to be
deleted"<<data[front];
}
}

```

```

        if(front==rear)
        front=rear=-1;
        else if (front==9)
        front=0;
        else
        front++;
    }
}
void queue::Delete(int ITEM )
{//Children, try to complete this function.
}
OR
void queue::add( )
{
if ( (rear + 1) % 10 != front )
{
if (rear == -1 )
front = rear = 0 ;
else
rear = (rear + 1) % 10;
cin>>data[rear];
}
else
cout<<"Queue full !! Overflow Error !!\n";
}
void queue::remove( )
{
if (front != -1)
{cout<<data[front]<<" deleted ";
if(front==rear)
front=rear=-1;
else
front = (front+1)%10;
}
else
cout<<"Queue empty ! Underflow Error!!\n"; }

```

OR

```

void queue::add( )
{
if ( (rear + 1) % 10 != front )
//Ignoring -1 initial values
{
rear = (rear + 1) % 10;
cin>>data[rear];
}
else
cout<<"Queue full !! Overflow Error !!\n";
}
void queue::remove()
{
if (front != rear) //Ignoring -1 initial values
{
front = (front+1)%10;
cout<<data[front]<<" deleted...";
}
else
cout<<"Queue empty ! Underflow Error!!\n";
}

```

OR

```

void queue::add( )
{
int item;
if((front==0 && rear==9) ||
front==rear+1)
cout<<"\nQueue overflow error";
else
{

```

```

cout<<"\nEnter an item to add : ";
cin>>item;
if(front==rear)
{
front=0;rear=0;
}
else
rear=rear+1;
if(rear==10)
rear=0;
data[rear]=item;
}
}

```

OR

```

void queue::remove( )
{
if((front==rear) ||
front==0)
cout<<"\nQueue Underflow Error";
else
{
int item=data[front];
if(front==rear)
front=rear=-1;
else if(front==9)
front=0;
else
front=front+1;
cout<<"\nDeleted item is : "<<item;
}
}

```

MODEL 3: Evaluate the Postfix Notation using Stack

**1. Evaluate the following Postfix expression :
4,10,5,+,*,15,3,/,- (2)**

Answer: 55 2019SP2

2. Evaluate the following POSTFIX expression. Show the status of Stack after execution of each operation separately:

45, 45, +, 32, 20, 10, /, -, * **(2017MP) 2**

Ans)

Element Scanned	Stack Status
45	45
45	45, 45
+	90
32	90, 32
20	90, 32, 20
10	90, 32, 20, 10
/	90, 32, 2
-	90, 30
*	2700

Hence the final result is 2700

3. Evaluate the following postfix expression. Show the status of stack after execution of each operation separately. (2014) 2

T,F,NOT,AND,T,OR,F,AND

Symbol	Operation	Stack
T	PUSH	T
F	PUSH	T,F
NOT	Pop One Element Apply NOT	T,T
AND	Pop Two Elements. Apply AND	T
T	PUSH	T,T
OR	Pop Two elements. Apply OR	T
F	PUSH	T,F
AND	Pop two elements. Apply AND	F

4. Evaluate the following postfix expression. Show the status of stack after execution of each operations: 5,2,*,50,5/,5,-,+ (2013)

Element Scanned	STACK
5	5
2	5,2
*	10
50	10,50
5	10,50,5
-	10,45
+	55

5) Evaluate the following POSTFIX notation. Show status of Stack after every step of evaluation (i.e. after each operator): (2012) 2

True, False, NOT, AND, False, True, OR, AND

True, False, NOT, AND, False, True, OR, AND

Element Scanned	Stack Status
True	True
False	True, False
NOT	True, True
AND	True
False	True, False
True	True, False, True
OR	True, True
AND	True

Final Answer: True

6. Evaluate the following postfix notation of expression: (2011 OD) 2
True, False, NOT, AND, True, True, AND, OR

Element Scanned	STACK Status
True	TRUE
False	TRUE, FALSE
NOT	TRUE, TRUE
AND	TRUE
True	TRUE, TRUE
True	TRUE, TRUE, TRUE
AND	TRUE, TRUE
OR	TRUE
	Final Result: TRUE

7. Evaluate the following postfix notation of expression: (D 2010)2
(Show status of Stack after each operation)

False, True, NOT, OR, True, False, AND, OR
Ans.

Element Scanned	Stack
False	False
True	False, True
NOT	False, False
OR	False
True	False, True
False	False, True, False
and	False, False
OR	False

RESULT = False

OR

Step 1: Push

False

Step 2: Push

True
False


Step 3: NOT

False

Push

Pop
Op2=True

False
False



Operator Scanned	Stack Content
5	5
20	5, 20
15	5, 20, 15
-	5, 5
*	25
25	25, 25, 2
2	25, 25, 2
*	25, 50,
+	75

11) Evaluate the following postfix notation of expression :

$$25 \ 8 \ 3 \ - \ / \ 6 \ * \ 10 \ + \quad (\text{D 2007})$$

Operator Scanned	Stack Content
25	25
8	25, 8
3	25, 8, 3
-	25, 5
/	5
6	5, 6
*	30
10	30, 10
+	40

8) Evaluate the following postfix notation of expression: (OD 2010)

2

(Show status of Stack after each operation)
True, False, NOT, OR, False, True, OR, AND

Element Scanned	Stack Content
True	True
False	True, False
NOT	True, True
OR	True
False	True, False
True	True, False, True
OR	True, True
AND	True

OR

9) Evaluate the following postfix notation of expression (Show status of stack after execution of each operation): (D2008)2

$$4, 10, 5, +, *, 15, 3, /, -$$

Result : 55

10) Evaluate the following postfix notation of expression (Show status of stack after execution of each operations):

$$5, 20, 15, -, *, 25, 2, *, + \quad (\text{OD 2008})2$$

Ans)

12) Evaluate the following postfix notation of expression : (OD2007)

$$15 \ 3 \ 2 \ + \ / \ 7 \ + \ 2 \ *$$

Ans)

Operator Scanned	Stack Content
15	15
3	15, 3
2	15, 3, 2
+	15, 5
/	3
7	3, 7
+	10
2	10, 2
*	20

13) Evaluate the following postfix notation of expression :

$$10 \ 20 \ + \ 25 \ 15 \ - \ * \ 30 \ / \ (\text{O2005})$$

Ans)

Operand/Operator	Stack Status
10	10
20	10, 20
+	30
25	30, 25
15	30, 25, 15
-	30, 10
*	300
30	300, 30
/	10

Result : 10

14) Evaluate the following postfix notation of expression :

20 10 + 5 2 * - 10 /(OD2005)

Ans)

20	20
10	20, 10
+	30
5	30, 5
2	30, 5, 2
+	30, 10
-	20
10	20, 10
/	2

Result : 2

15) Evaluate the following postfix expression using a stack and show the contents of stack after execution of each operation:

20, 45, +, 20, 10, -, 15, +, *(2003)

Ans) Children, Try this answer as an assignment.

16) Evaluate the following postfix expression using a stack. Show the contents of stack after execution of each operation: 20, 8, 4, /, 2, 3, +, *, -(2000)

Ans) Children, Try this answer as an assignment.

17) Evaluate the following postfix expression using a stack and show the contents of the stack after execution of each operation

5, 11, -, 6, 8, +, 12, *, /(1999)

Ans) Children, Try this answer as an assignment.

18) Evaluate the following postfix expression using a stack and show the contents of stack after execution of each operation:


50, 40, +, 18, 14, -, 4, *, +(1998)

Ans) Children, Try this answer as an assignment.


19) Evaluate the following postfix notation of expression: 2

20, 30, +, 50, 40, -, *(MP109-10)


Step 1: Push




Step 2: Push




Step 3: +




Step 4: Push




Step 5: Push




Step 6: -



Step 7: *





Step 8: Pop





20) Evaluate the following postfix notation of expression: (MP209-10)

True, False, AND, True, True, NOT, OR, AND 2
Ans)




21) Evaluate the following postfix notation of expression: 2

20,30,+,50,40,-,*(MP108-09)



22) Evaluate the following postfix notation of expression: (MP208-09) 2
True, False, AND, True, True, NOT, OR, AND
Ans)



MODEL 4: Convert infix expression to postfix expression

1. Convert the following Infix expression to its equivalent Postfix expression, showing the stack contents for each step of conversion.

$A/B+C*(D-E)$ 2019MP2

Element	Stack	Postfix
A		A
/	/	A
B	/	AB
+	+	AB/
C	+	AB/C
*	+	AB/C
(+(AB/C
D	+(AB/CD
-	+(AB/CD
E	+(AB/CDE
)	+	AB/CDE-
	+	AB/CDE.*
		AB/CDE.*+

2. Convert the following infix expression to the equivalent Postfix expression, showing the stack contents for each step of conversion:

$U * V + (W - Z) / X$ (2018)

$((U * V) + ((W - Z) / X))$

INFIX	STACK	POSTFIX
U		U
*	*	U
V	*	UV
)		UV*
+	+	UV*
W		UV*W
-	+ -	UV*W
Z	+ -	UV*WZ
)	+	UV*WZ-
/	+ /	UV*WZ-
X	+ /	UV*WZ-X
)	+	UV*WZ-X/
)		UV*WZ-X/+

OR

$U * V + (W - Z) / X$

INFIX	STACK	POSTFIX
U		U
*	*	U
V	*	UV
+	+	UV*
(+(UV*
W	+(UV*W
-	+(UV*W
Z	+(UV*WZ
)	+	UV*WZ-
/	+/	UV*WZ-
X	+/	UV*WZ-X
		UV*WZ-X/+

3. Convert the following Infix expression to its equivalent Postfix expression, showing the stack contents for each step of conversion:

$X - (Y + Z) / U * V$ (2017)2

ELEMENT	Stack	POSTFIX
X		X
-	-	X
(-(X
Y	-(XY
+	-(XY
Z	-(XYZ
)	-	XYZ+
/	-/	XYZ+
U	-/	XYZ+U
*	-*	XYZ+U/
V	-*	XYZ+U/V
		XYZ+U/V*-

OR

$X - (Y+Z) / U * V = (X - ((Y+Z) / U) * V)$

ELEMENT	Stack	POSTFIX
(
X		X
-	-	
(
(
(
Y		XY
+	- +	
Z		XYZ
)	-	XYZ+
/	-/	
U		XYZ+U
)	-	XYZ+U/
*	-*	
V		XYZ+U/V
)		XYZ+U/V*
)		XYZ+U/V*-

Postfix= XYZ+U/V*-

4. Convert the following Infix expression to its equivalent Postfix expression, showing the stack contents for each step of conversion. (2016) 2

$P/(QR)*S+T$

$P/(Q-R)*S+T = (P / (Q-R) * S + T)$

Element	Stack of Operators	Postfix Expression
((
P	(P
/	(/	P
((/(P
Q	(/(PQ
-	(/(-	PQ
R	(/(-	PQR
)	(/	PQR-
*	(/*	PQR-/
S	(/*	PQR-/S
+	(+)	PQR-/S*
T	(+)	PQR-/S*T
)		PQR-/S*T+

= PQR-/S*T+

OR

$$P/(Q-R)*S+T = ((P / (Q-R)) * S) + T$$

Element	Stack of Operators	Postfix Expression
(
(
P		P
/	/	
(
Q		PQ
-	/-	
R		PQR
)	/	PQR-
)		PQR-/
*	*	
S		PQR-/S
)		PQR-/S*
+	+	
T		PQR-/S*T
)		PQR-/S*T+

$$= PQR-/S*T+$$

5. Convert the following infix expression to its equivalent Postfix expression, showing the stack contents for each step of conversion. (2015)
 $U * V + R / (ST)$

Ans)

$$U * V + R / (S-T)$$

$$= ((U * V) + (R / (S-T)))$$

Element	Stack	Postfix
(
(
U		U
*	*	
V		UV
)		UV*
+	+	
(
R		UV*R
/	+/	
(
S		UV*RS
-	+/-	
T		UV*RST
)		UV*RST-
)		UV*RST-/+

OR

Element	Stack	Postfix
U		U
*	*	
V		UV
+	+	UV*
R		UV*R
/	+/	
(+/(UV*R
S	+/ (UV*RS
-	+/(-	UV*RS
T	+/(-	UV*RST
)	+/	UV*RST-
	+	UV*RST-/+

6) Convert the following infix expression to its equivalent postfix expression showing stack contents for the conversion: (D2009) 2

$$X - Y / (Z + U) * V$$

Ans) $X - Y / (Z + U) * v = (X - ((Y / (Z + U)) * v))$

Element Scanned	Stack	Postfix
(
X		X
-	-	
(
(
Y		XY
/	-/	
(
Z		XYZ
+	-/+	
U		XYZU
)	-/	XYZU+
)	-	XYZU+ /
*	-*	
V		XYZU+ / V
)	-	XYZU+ / V *
)		XYZU+ / V * -

OR

Element Scanned	Stack	Postfix
((
X	(X
-	(-	X
Y	(-	XY
/	(-/	XY
((-/(XY
Z	(-/(XYZ
+	(-/(+	XYZ
U	(-/(+	XYZU
)	(-/	XYZU+
*	(-*	XYZU+ /
V	(-*	XYZU+ / V
)		XYZU+ / V * -

7) Convert the following infix expression to its equivalent postfix expression showing stack contents for the conversion: (OD2009) 2

$$A + B * (C - D) / E$$

Ans) $A + B * (C - D) / E = (A + ((B * (C - D)) / E))$

Element Scanned	Stack	Postfix
(
A		A
+	+	
(
(
B		AB
*	++	
(
C		ABC
-	+-	
D		ABCD
)	++	ABCD-
)	+	ABCD-*
/	+/	
E		ABCD-*E
)	+	ABCD-*E/
)		ABCD-*E/+

OR

Element Scanned	Stack	Postfix
((
A	(A
+	(+	A
B	(+	AB
*	(+*	AB
((+*(AB
C	(+*(ABC
-	(+*(-	ABC
D	(+*(-	ABCD
)	(+*	ABCD-
/	(+(/	ABCD-*
E	(+(/	ABCD-*E
)		ABCD-*E/+

8) Obtain the postfix notation for the following infix notation of expression showing the contents of the stack and postfix expression formed after each step of conversion : $(P-Q)/(R*(S-T)+U)$ (2004)

Ans) $((P-Q)/((R*(S-T))+U))$

S No	Symbol Scanned	Stack	Expression Y
1	((
2	(((
3	P	((P
4	-	((-	P
5	Q	((-	P Q
6)	(P Q -
7	/	(/	P Q -
8	((/(P Q -
9	((/(P Q -
10	R	(/(P Q - R
11	*	(/(P Q - R
12	((/(P Q - R

13	S	(/((*(P Q - R S
14	-	(/((*(-	P Q - R S
15	T	(/((*(-	P Q - R S T
16)	(/((*(P Q - R S T -
17)	(/((P Q - R S T - *
18	+	(/((+	P Q - R S T - *
19	U	(/((+	P Q - R S T - * U
20)	(/((P Q - R S T - * U +
21)		P Q - R S T - * U + /

Postfix Form: $PQ-RST-*U+ /$

9) Write an algorithm to convert an infix expression to postfix expression. (2001)

Ans) The following algorithm transforms the infix expression X into its equivalent postfix expression Y. The algorithm uses a stack to temporarily hold operators and left parentheses. The postfix expression Y will be constructed from left to right using the operands from X and the operators which are removed from STACK. We begin by pushing a left parenthesis onto STACK and adding a right parenthesis at the end of X. The algorithm is completed when STACK is empty.

Algorithm:

Suppose X is an arithmetic expression written in infix notation. This algorithm finds the equivalent postfix expression Y.

1. Push "(" onto STACK, and add ")" to the end of X.
2. Scan X from left to right and REPEAT Steps 3 to 6 for each element of X UNTIL the STACK is empty.
3. If an operand is encountered, add it to Y.
4. If a left parenthesis is encountered, push it onto STACK.
5. If an operator is encountered, then:
 - (a) Repeatedly pop from STACK and add to Y each operator (on the top of STACK) which has the same precedence as or higher precedence than operator.
 - (b) Add operator to STACK.
6. If a right parenthesis is encountered, then:
 - (a) Repeatedly pop from STACK and add to Y each operator (on the top of STACK) until a left parenthesis is encountered.
 - (b) Remove the left parenthesis. (Do not add the left parenthesis to Y).
7. End.

MODEL 5: Write the equivalent infix expression

1) Write the equivalent infix expression for

a, b, AND, a, c, AND, OR. (D 2006)

Ans) a, b, AND, a, c, AND, OR
(a AND b), (a AND c), OR
(a AND b) OR (a AND c)

S.No.	Element scanned	Operation	Infix Expression
1	A	Push a	a
2	B	Push b	a, b
3	AND	Pop, Pop, Push (a AND b)	a AND b
4	A	Push a	a AND b, a
5	C	Push c	a AND b, a, c
6	AND	Pop, Pop, Push(aANDc)	a AND b, a AND c
7	OR	Pop, Pop, a AND b OR a AND c	Push (a AND b OR a AND c)

2) Write the **equivalent infix** expression for **10, 3, *, 7, 1, --, *, 23, +(OD2006)**

Solution:

10, 3, *, 7, 1, -, *, 23, +

This is in Postfix form

(ie Operator will come after the operand(s));

Infix form means Operator must come in between the operands.

10, 3, *, 7, 1, -, *, 23, +

Prefix:

$10 * 3, 7 - 1, *, 23, +$

$(10 * 3) * (7 - 1), 23, +$

$(10 * 3) * (7 - 1) + 23$

(Infix form)

OR

$10 * 3 * (7 - 1) + 23$

3) Change the following **infix expression into postfix** expression. **(A+B)*C+D/E-F (2002) 3**

Ans) Children, Try this answer as an assignment.

11. DATA BASE CONCEPTS (2M)

Model 1: For a given table, key/cardinality/ etc

1. Observe the following table and answer the parts(i) and(ii) accordingly . 2019SP2

Table:Product

Pno	Name	Qty	PurchaseDate
101	Pen	102	12-12-2011
102	Pencil	201	21-02-2013
103	Eraser	90	09-08-2010
109	Sharpener	90	31-08-2012
113	Clips	900	12-12-2011

Answer:

(i) Write the names of most appropriate columns, which can be considered as candidate keys.

Ans)

Candidate Key: Pno, Name

(ii) What is the degree and cardinality of the above table?

Ans)

Degree:4

Cardinality:5

2) Observe the following tables VIDEO and MEMBER carefully and write the name of the RDBMS operation out of (i) SELECTION (ii) PROJECTION (iii) UNION (iv) CARTESIAN PRODUCT, which has been used to produce the output as shown below. Also, find the Degree and Cardinality of the final result. 2018

TABLE: VIDEO

VNO	VNAME	TYPE
F101	The Last Battle	Fiction
C101	Angels and Devils	Comedy
A102	Daredevils	Adventure

TABLE : MEMBER

MNO	MNAME
M101	Namish Gupta
M102	Sana Sheikh
M103	Lara James

TABLE : FINAL RESULT

VNO	VNAME	TYPE	MNO	MNAME
F101	The Last Battle	Fiction	M101	Namish Gupta
F101	The Last Battle	Fiction	M102	Sana Sheikh
F101	The Last Battle	Fiction	M103	Lara James
C101	Angels and Devils	Comedy	M101	Namish Gupta
C101	Angels and Devils	Comedy	M102	Sana Sheikh
C101	Angels and Devils	Comedy	M103	Lara James
A102	Daredevils	Adventure	M101	Namish Gupta
A102	Daredevils	Adventure	M102	Sana Sheikh
A102	Daredevils	Adventure	M103	Lara James

Ans) Cartesian Product

Degree = 5

Cardinality = 9

3. Observe the following table MEMBER carefully and write the name of the RDBMS operation out of (i) SELECTION (ii) PROJECTION (iii) UNION (iv) CARTESIANPRODUCT, which has been used to produce the output as shown in RESULT. Also, find the Degree and Cardinality of the RESULT. (2017)

MEMBER

NO	MNAME	STREAM
M001	JAYA	SCIENCE
M002	ADIYTA	HUMANITIES
M003	HANSRAJ	SCIENCE
M004	SHIVAK	COMMERCE

RESULT

NO	MNAME	STREAM
M002	ADITYA	HUMANITIES

Ans) (i) SELECTION

Degree=3

Cardinality=1

4.Observe the table 'Club' given below:(2017MP)

Club

Member_id	Member_Name	Address	Age	Fee
M001	Sumit	New Delhi	20	2000
M002	Nisha	Gurgaon	19	3500
M003	Niharika	New Delhi	21	2100
M004	Sachin	Faridabad	18	3500

i. What is the cardinality and degree of the above given table?

ii. If a new column contact_no has been added and three more

members have joined the club then how these changes will affect the

degree and cardinality of the above given table.

A) i. Cadinality: 4 Degree: 5

ii. Cardinality: 7 Degree: 6

5.The following STUDENTS and EVENTS tables carefully and write the name of the RDBMS operation which will be used to produce the output as shown in LIST ? Also, find the Degree and Cardinality of the LIST. (2016 D)

STUDENTS

NO	NAME
1	Tara Mani
2	Jaya Sarkar
3	Tarini Trikha

EVENTS

EVENTCODE	EVENTNAME
1001	Programming
1002	IT Quiz

LIST

NO	NAME	EVENTCODE	EVENTNAME
1	Tara Mani	1001	Programming
1	Tara Mani	1002	IT Quiz
2	Jaya Sarkar	1001	Programming
2	Jaya Sarkar	1002	IT Quiz
3	Tarini Trikha	1001	Programming
3	Tarini Trikha	1002	IT Quiz

A) Cartesian Product

Degree = 4

Cardinality = 6

6) Observe the following table carefully and write the names of the most appropriate columns, which can be considered as (i) candidate keys and (ii) primary key. (2015)

Code	Item	Qty	Price	Transaction Date
1001	Plastic Folder 14"	100	3400	2014-12-14
1004	Pen Stand Standard	200	4500	2015-01-31
1005	Stapler Mini	250	1200	2015-02-28
1009	Punching Machine Small	200	1400	2015-03-12
1003	Stapler Big	100	1500	2015-02-02

Ans) Candidate keys : Code, Item

Primary keys : Code

Model 2: Theory Question

1. Explain the concept of Cartesian Product between tables, with the help of appropriate example. (2014) 2

Answer) Refer answer in 2001 Paper

2) Explain the concept of candidate key with the help of an appropriate example. (2013) 2

3) Give a suitable example of a table with sample data and illustrate Primary and Candidate Keys in it. (2012 D)

Ans A table may have more than one such attribute/group of attribute that identifies a row/tuple uniquely, all such attribute(s) are known as Candidate Keys. Out of the Candidate keys, one is selected as Primary Key

Ex: Table: Stock

Ino	Item	Qty
101	Pen	560
102	Pencil	780
104	CD	450
109	Floppy	700
105	Eraser	300
103	Duster	200

Here: Ino – Primary Key

Ino, Item – Candidate Keys,

4) Give a suitable example of a table with sample data and illustrate Primary and Alternate Keys in it. (2012 OD)

Ans A table may have more than one such attribute/group of attribute that identifies a row/tuple uniquely, all such attribute(s) are known as Candidate Keys. Out of the Candidate keys, one is selected as Primary Key. while the rest are the Alternate Keys.

Ex: Table: Stock

Ino	Item	Qty
101	Pen	560
102	Pencil	780
104	CD	450
109	Floppy	700
105	Eraser	300

103	Duster	200
-----	--------	-----

Here:

Ino, Item – Candidate Keys,

Ino – Primary Key

Item – Alternate Key

5) What do you understand by Union & Cartesian Product operations in relational algebra? (2011 D) 2

Ans Cartesian Product (binary operator): It operates on two relations and is denoted by X. For example Cartesian product of two relations R1 and R2 is

Example:

Relation: R1

Roll No	Student Name	Class
1	Akash	XII
4	Debakar	X
10	Rishi	XI

Relation: R2

Teacher Code	Teacher Name
102	Ms Rinee
309	Mr Tanmoy

Resultant: R = R1 × R2

Col1	Col2	Col3	Col4	Col5
1	Akash	XII	102	Ms Rinee
1	Akash	XII	309	Mr Tanmoy
4	Debakar	X	102	Ms Rinee
4	Debakar	X	309	Mr Tanmoy
10	Rishi	XI	102	Ms Rinee
10	Rishi	XI	309	Mr Tanmoy

Union (binary operator): It operates on two relations and is indicated by U.

For example, R=R1 U R2 represents union operation between two relations R1 and R2. The degree of R is equal to degree of R1. The cardinality of R is sum of cardinality of R1 and cardinality of R2.

Following have to be considered for the operation R1 U R2.

_ Degree of R1 = Degree of R2

_ jth attribute of R1 and jth attribute of R2 must have a common domain.

Example:

Relation: R1

Student_ID	Name
R490	Fatima
R876	Faraz
R342	Gauri

Relation: R2

Student_Code	Student_Name
S123	Rekha
S456	Tushi

Resultant Relation: R = R1 U R2

Column 1	Column2
R490	Fatima
R876	Faraz
R342	Gauri
S123	Rekha
S456	Tushi

6) What do you understand by Selection & Projection operations in relational algebra? (2011 OD)2

Ans Projection for selecting the columns of table
Selection for selecting the rows of table

7) What do you understand by Candidate Keys in a table? Give a suitable example of Candidate Keys from a table containing some meaningful data. (2010D) 2

Ans) A table may have more than one such attribute/group of attribute that identifies a tuple uniquely, all such attribute(s) are known as Candidate Keys.

Table: Item

Ino	Item	Qty
I01	Pen	560
I02	Pencil	780
I04	CD	450
I09	Floppy	700
I05	Eraser	300
I03	Duster	200

8) What do you understand by Primary Key? Give a suitable example of Primary Key from a table containing some meaningful data. (OD 2010) 2

Ans. An attribute or set of attributes which are used to identify a tuple uniquely is known as Primary Key.

Table: Item

Ino	Item	Qty
I01	Pen	300
I02	Pencil	780
I04	CD	450
I09	Floppy	700

9) What are candidate keys in a table? Give a suitable example of candidate keys in a table. (D2009) 2

Ans A table may have more than one such attribute/group of attribute that identifies a tuple uniquely, all such attribute(s) are known as Candidate Keys.

Table:Item

Ino	Item	Qty
I01	Pen	560
I02	Pencil	780
I04	CD	450
I09	Floppy	700
I05	Eraser	300
I03	Duster	200

10) What is the purpose of a key in a table? Give an example of a key in a table. (OD 2009)2

Ans) An attribute/group of attributes in a table that identifies each tuple uniquely is known as a Key.

OR

Any correct definition of Key / Primary Key / Candidate Key / Alternate Key

Table:Item

Ino	Item	Qty
I01	Pen	560
I02	Pencil	780
I04	CD	450
I09	Floppy	700
I05	Eraser	300
I03	Duster	200

11) Differentiate between Candidate key and Primary key in context of RDBMS. (D2008)

Ans:

Candidate Key: All attribute combinations inside a relation that can serve primary key are Candidate Keys as they are candidates for the primary key position.

Primary Key: A primary key is a set of one or more attributes that can uniquely identify tuples within the relations.

12) Differentiate between Candidate Key and alternate Key in context of RDBMS. (OD 2008)

Ans:

Candidate Key: All attribute combinations inside a relation that can serve as primary key are Candidate Keys as they are candidates for the primary key position.

Alternate Key: A candidate key that is not the primary key is called an Alternate Key.

(Where Candidate Key: All attribute combinations inside a relation that can serve primary key (uniquely identifies a row in a relation) are Candidate Keys as they are candidates for the primary key position.)

13) Differentiate between primary key and alternate key. (D2007)

Ans: **Primary Key:** A primary key is a set of one or more attributes that can uniquely identify tuples within the relations.

Alternate Key: A candidate key that is not the primary key is called an Alternate Key.

(Where Candidate Key: All attribute combinations inside a relation that can serve primary key (uniquely identifies a row in a relation) are Candidate Keys as they are candidates for the primary key position.)

14) What is the importance of a primary key in a table? Explain with suitable example.

(OD 2007)

Ans:Primary Key: A primary key is a set of one or more attributes that can uniquely identify tuples within the relations. A primary key comprises a single column or set of columns. No two distinct rows in a table can have the same value (or combination of values) in those columns. Depending on its designing, a table may have arbitrarily many candidate keys but at most one primary key. The primary key is non redundant. It does not have duplicate values in the same relation. **Eg:** Consider a table consists the following attributes: AdmnNo,FirstName, LastName,SirName, M1,M2,M3>Total,Avg,FName Here we can uniquely identify the rows in the relation with following key combinations:

- a)AdmnNo
- b)FirstName,LastName,SirName
- c)FirstName,LastName,FName, etc.

We can set any one of the above candidate keys as primary key, others are called as alternate keys.

15) What is an alternate key? (D2006)

Ans: Alternate Key: A candidate key that is not the primary key is called an Alternate Key. (Where Candidate Key: All attribute combinations inside a relation that can serve primary key(uniquely identifies a row in a relation) are Candidate Keys as they are candidates for the primary key position.)

16) What are DDL and DML? (OD 2006)

Ans: DDL means Data Definition Language. DDL provides statements for the creation and deletion of tables and indexes. **DML** Means Data Manipulation Language. The DML provides statements to enter, update,delete data and perform complex queries on these tables. The SQL DDL (Data Definition Language) provides commands for defining relation schemas, deleting relations, creating indexes and modifying relation schemas. The SQL DML (Data Manipulation Language) includes a query language to insert, delete and modify tuples in the database.

DML is used to put values and manipulate them in tables and other database objects and DDL is used to create tables and other database objects.

17)What do you understand by the terms primary key and degree of a relation in relational data base? (D2005)

Ans:
Primary Key: A primary key is a set of one or more attributes that can uniquely identify tuples within the relations.The number of attributes in a relation is called Degree of a relation in relational data base.

18) What do you understand by the candidate key and cardinality of a relation in relational data base? (OD 2005)

Ans:
Candidate Key: All attribute combinations inside a relation that can serve as primary key(uniquely identifies a row in a relation) are Candidate Keys as they are candidates for the primary key position.The number of rows in a relation is known as **cardinality** of a relation.

19) What is primary key in a table? (2003)

(Define first normal form.- This is out of syllabus now)

Ans: Primary Key: A primary key is a set of one or more attributes that can uniquely identify tuples within the relations.

20) Differentiate between data definition language and data manipulation language. (2002)

Ans: The SQL DDL(Data Definition Language) provides commands for defining relation schemas, deleting relations, creating indexes and modifying relation schemas.

The SQL DML (Data Manipulation Language) includes a query language to insert, delete and modify tuples in the database.

DML is used to put values and manipulate them in tables and other database objects and DDL is used to create tables and other database objects.

21) Explain Cartesian product of two relations. (2001)

Ans: The Cartesian product is a binary operation and is denoted by a cross(x). The Cartesian product of two relations A and B is written as AXB. The Cartesian product yields a new relation which has a degree (number of attributes) equal to the sum of the degrees of the two relations operated upon. The number of types (cardinality) of the new relation is the product of the number of tuples of the two relations operated upon. The Cartesian product of two relations yields a relation with all possible combinations of the tuples of the two relations operated upon. All tuples of first relation are concatenated with all the tuples of second realtion to form the tuples of the new relation.

Eg: There are two relations as follows:

Relation 1: Student

StudentNu mber	StudentName	Hosteler
1	Ravi	Y
2	Robert	N
3	Raheem	Y

Relation 2: Instructor

InstructorName	Subject
K.Suman	Computer Science
P.Pavan	Electronics

The Cartesian product of these two relations, Student X Instructor, will yield a relation that have a degree of 5(3+2:sum of degrees of Student and Instructor) and a cardinality 6 (3 X 2: Product of cardinalities of two relations).

The resulting relation is as follows:

Student Number	Student Name	Hosteler	Instructor Name	Subject
1	Ravi	Y	K.Suman	Computer Science
1	Ravi	Y	P.Pavan	Electronics
2	Robert	N	K.Suman	Computer Science
2	Robert	N	P.Pavan	Electronics
3	Raheem	Y	K.Suman	Computer Science
3	Raheem	Y	P.Pavan	Electronics

The resulting relation contains all possible combinations of tuples of the two relations.

22) What is a relation? What is the difference between a tuple and an attribute? (1998)

Ans: In relational data model, the data is organized into table (rows and columns). These tables are called relations. A row in a table represents a relationship among a set of values.

Rows of the relations are called as tuples and columns of the relations are called as attributes.

23) What do you understand by Degree and Cardinality of a table? (MP109-10) 2

Ans)

Degree: Number of Columns in a table

Cardinality: Number of rows in a table

24) What do you understand by Primary Key & Candidate Keys?(MP2 09-10) 2

Ans)

An attribute or set attributes which are used to identify a tuple uniquely is known as Primary Key. If a table has more than one such attributes which identify a tuple uniquely than all such attributes are known as Candidate Keys.

25) What do you understand by Degree and Cardinality of a table?(MP1 08-09)2

Answer:

Degree of a table is total number of attributes.

Cardinality of a table is total number of rows.

26)What do you understand by Primary Key & Candidate Keys? (MP2 08-09) 2

Answer:

An attribute or set attributes which are used to identify a tuple uniquely is known as Primary Key. If a table has more than one such attributes which identify a tuple uniquely than all such attributes are known as Candidate Keys.

12.STRUCTURED QUERY LANGUAGE (6 Marks)

STUDENT MARKS TABLE

In the following section many of the commands is explained through the example “Student marks table”.

S.no	Attribute	Type
1	AdmnNo	Integer
2	SName	Character
3	Sub1	Real Number
4	Sub2	Real Number
5	Sub3	Real Number
6	Total	Real Number
7	Avg	Real Number
8	Divison	Character

1. Create Table:

CREATE TABLE <table-name> (<column name><data type>[(size>)],<column name><data type>[(size>)],...);

Example: To create a table consisting the Admnno, SName, Sub1, Sub2, Sub3, Total,Avg,Divison attributes.

CREATE TABLE Student (AdmnNo integer,SName char(20), Sub1 number(5,2), sub2 number(5,2), sub3 number(5,2), Total number(5,2),Avg number(5,2), Div Char(10));

2.Constraints:

- (i) **NOT NULL :** The attribute that contains this constraints should not be vacant.
- (ii) **Unique constraints:** This constraint ensures that no two rows have the same value in the specified column(s).
- (iii) **Primary key constraints:** This constraint declares a column as the primary key of the table.(Primary keys cannot allow NULL values)
- (iv) **Default constraints:** A default value can be specified for a column using DEFAULT clause. When a user does not enter a value for the column, automatically the defined default value is inserted in the field.
- (v) **Check constraints:** this constraint limits values that can be inserted into a column of a table.

Above table can be created using the constraints as follows:

CREATE TABLE Student (AdmnNo number(4) NOT NULL PRIMARY KEY, SName char(20), Sub1 number(5,2) CHECK(Sub1<=100.0), Sub2 number(5,2) CHECK(Sub2<=100.0), Sub3 number(5,2) CHECK (Sub3<=100.0), Total number(5,2),Avg number(5,2),Div char(10));

3.INSERT Command:

INSERT INTO <tablename>[<column list>] VALUES(<value>,<value>...);

Eg:

i) To insert our desired attributes only:

INSERT INTO Student (Admnno,SName,Sub1,Sub2,Sub3) Values (1000,'pradeep',75.5,90.5,57.0);

ii) To insert all the attributes:

INSERT INTO Student Values (1001, 'sudeep',77.50,95.0,68.50, 41.0,80.33,'First');
(for inserting number of rows in a easy way...

INSERT INTO STUDENT(Admnno,SName,Sub1,Sub2,Sub3) VALUES (&Admnno, &SName, &Sub1, &Sub2, &Sub3);

Then it will ask first student data....Enter the data...then press / at command prompt. It will ask you next student data, etc.)

Sample Data Inserted

Admn No	SName	Sub1	Sub2	Sub3	Total	Avg	Div
1000	Pradeep	75.5	95.0	57.0			
1001	Sudeep	77.5	95.0	68.5	241.0	80.33	First
1002	Philip	32.5	60.0	59.5			
1003	Pradeep	45.5	65.5	70.0			
1004	Naidu	77.5	25.5	65.5			
1005	Sudeep	80.5	72.5	67.0			

4. Select command: Select command of SQL lets you make queries on the database. A query is a command that is given to produce certain specified information from the database table(s).

Form:

AdmnNo	SName
1003	Pradeep
1004	Naidu
1005	Sudeep

Simple

SELECT <column name>[,<column name>...] FROM <table name>;

Eg: Select AdmnNo,SName from Student.

(Will display only AdmnNo and SName attributes of the table student.)

Select * from Student.

(Will display all the attributes of the table Student.)

5. DISTINCT Keyword: This keyword eliminates duplicate rows from the results of a SELECT statement.

Eg: Select DISTINCT SName from Student

SName

Pradeep

Sudeep

Philip

Naidu

6. ALL Keyword: This keyword will not eliminate duplicate rows from the results of a SELECT statement.

Eg: Select ALL SName from student

SName

Pradeep

Sudeep

Philip

Pradeep

Naidu

Sudeep

7. Selecting specific rows using WHERE clause with SELECT:

Syntax:

SELECT <column name>[<column name>,...] FROM <table name> WHERE <condition>;

Eg:

SELECT Admnno,SName FROM Student WHERE Sub1>=40 AND Sub2>=40 AND Sub3>=40;

SELECT SName FROM Student WHERE SName='Sudeep' OR SName='Philip';

SName

Sudeep

Philip

Sudeep

SELECT SName FROM Student WHERE SName<>'Naidu'

OR

SELECT SName FROM Student WHERE (NOT SName='Naidu')

SName

Pradeep

Sudeep

Philip

Pradeep

Sudeep

SELECT Sname from student WHERE SName in('Pradeep','Sudeep');

SName

Pradeep

Sudeep

Pradeep

Sudeep

SELECT SName FROM Student WHERE SName NOT IN('Sudeep','Pradeep');

SName

Philip

Naidu

8. Condition based on a Range using BETWEEN:

Eg: SELECT AdmnNo, SName FROM Student WHERE AdmnNo BETWEEN 1003 AND 1005;

9. ORDER BY:

SELECT AdmnNo, SName from student ORDER BY SName ASC;

Admn No	SName
1004	Naidu
1002	Philip
1000	Pradeep
1003	Pradeep
1001	Sudeep
1005	Sudeep

SELECT AdmnNo, SName from student ORDER BY AdmnNo DESC;

Admn No	SName
1005	Sudeep
1004	Naidu
1003	Pradeep
1002	Philip
1001	Sudeep
1000	Pradeep

10. UPDATE COMMAND:

UPDATE Student SET Total= Sub1+Sub2+Sub3;

UPDATE Student SET Avg=Total/3;

UPDATE Student SET Div='First' WHERE (Avg>=60.0);

UPDATE Student SET Div='Second' WHERE (Avg>=50.0 AND Avg<60.0);

UPDATE Student SET Div='Third' WHERE (Avg>=35.0 AND Avg<50.0);

UPDATE Student SET Div='Fail' WHERE (Sub1<35.0 OR Sub2<35.0 OR Sub3<35.0);

After the execution of the above commands, the sample data will be as follows:

Admn No	SName	Sub1	Sub2	Sub3	Total	Avg	Div
1000	Pradeep	75.5	95.0	57.0	227.5	75.85	First
1001	Sudeep	77.5	95.0	68.5	241.0	80.33	First
1002	Philip	32.5	60.0	59.5	152.0	50.66	Fail
1003	Pradeep	45.5	65.5	70.0	181	60.3	First
1004	Naidu	77.5	25.5	65.5	168.5	56.16	Fail
1005	Sudeep	80.5	72.5	67.0	220	73.3	First

11. ALTER TABLE:

ALTER TABLE student MODIFY (Div Char(6));
ALTER TABLE student ADD(CNo NUMBER(10));

12. Functions:

SELECT Min(Sub1) FROM Student;
(Will give the Minimum marks of Subject1)

Min(SUB1)

32.5

SELECT Max(Sub2) FROM Student;
(Will give the Maximum marks of Subject2)

MAX(SUB2)

95

SELECT Sum(Sub3) FROM Student;
(Will give the Sum of marks of Subject3)

SUM(SUB3)

387.5

SELECT Avg(Sub1) FROM Student;
(Will give the Average of Subject1)

AVG(SUB1)

64.83

SELECT Count(DISTINCT SName) FROM Student;
(Will display 4)

COUNT(DISTINCT SNAME)

4

SELECT Count(SName) FROM Student;
(Will display 6)

COUNT(SNAME)

6

Count – To count non-null values in a column

Count(*) – To count total number of rows in a table.

13. Creating table from Existing Table:

CREATE TABLE PassStudent as (SELECT AdmnNo, SName FROM Student WHERE (Sub1>=40.0 AND Sub2>=40.0 AND Sub3>=40.0));

14. Inserting the Results of a Query:

INSERT INTO PassStudent(admnno,sname)
SELECT AdmnNO, SName FROM Student
WHERE (Sub1>=40.0 AND Sub2>=40.0 AND Sub3>=40.0);

15. CREATE VIEW:

CREATE VIEW FailStudent AS SELECT * FROM Student WHERE Div='Fail';

16. DELETE:

DELETE FROM Student WHERE AdmnNo=1004;
(To delete a record, whose AdmnNo=1004)

DELETE FROM Student;
(To delete all records of student)

17.DROP TABLE:

DROP TABLE Student;

18. DROP VIEW:

DROP VIEW Failstudent;

19.Commit (To save the changes)

20.Rollback (for Undo)

1. Write SQL queries for (i) to (iv) and find outputs for SQL queries (v) to (viii), which are based on the tables.

2019SP6

TRAINER

TID	TNAME	CITY	HIREDATE	SALARY
101	SUNAINA	MUMBAI	1998-10-15	90000
102	ANAMIKA	DELHI	1994-12-24	80000
103	DEEPTI	CHANDIGARG	2001-12-21	82000
104	MEENAKSHI	DELHI	2002-12-25	78000
105	RICHA	MUMBAI	1996-01-12	95000
106	MANIPRABHA	CHENNAI	2001-12-12	69000

COURSE

CID	CNAME	FEES	STARTDATE	TID
C201	AGDCA	12000	2018-07-02	101
C202	ADCA	15000	2018-07-15	103
C203	DCA	10000	2018-10-01	102
C204	DDTP	9000	2018-09-15	104
C205	DHN	20000	2018-08-01	101
C206	O LEVEL	18000	2018-07-25	105

(i) Display the Trainer Name, City & Salary in descending order of their Hiredate.

Ans:

SELECT TNAME, CITY, SALARY FROM TRAINER ORDER BY HIREDATE;

(ii) To display the TNAME and CITY of Trainer who joined the Institute in the month of December 2001.

Ans:

SELECT TNAME, CITY FROM TRAINER WHERE HIREDATE BETWEEN '2001-12-01' AND '2001-12-31';

OR

SELECT TNAME, CITY FROM TRAINER WHERE HIREDATE >= '2001-12-01' AND HIREDATE <= '2001-12-31';

OR

SELECT TNAME, CITY FROM TRAINER WHERE HIREDATE LIKE '2001-12%';

(iii) To display TNAME, HIREDATE, CNAME, STARTDATE from tables TRAINER and COURSE of all those courses whose FEES is less than or equal to 10000.

Ans:

SELECT TNAME, HIREDATE, CNAME, STARTDATE FROM TRAINER, COURSE WHERE TRAINER.TID=COURSE.TID AND FEES <= 10000;

(iv) To display number of Trainers from each city.

Ans: SELECT CITY, COUNT(*) FROM TRAINER GROUP BY CITY;

(v) SELECT TID, TNAME, FROM TRAINER
WHERE CITY NOT IN('DELHI', 'MUMBAI');

Ans:

TID TNAME
103 DEEPTI
106 MANIPRABHA

(vi) SELECT DISTINCT TID FROM COURSE;

Ans:

DISTINCT TID
101
103
102
104
105

vii) SELECT TID, COUNT(*), MIN(FEES)
FROM COURSE GROUP BY TID HAVING
COUNT(*)>1;

Ans:

TIDCOUNT(*)MIN(FEES)
101 2 12000

viii) SELECT COUNT(*), SUM(FEES) FROM
COURSE WHERE STARTDATE< '2018-09-
15';

Ans:

COUNT(*)SUM(FEES)
4 65000

2) Write SQL queries for (i) to (iv) (2018)

TABLE: ACCOUNT

ANO	ANAME	ADDRESS
101	Nirja Singh	Bangalore
102	Rohan Gupta	Chennai
103	Ali Reza	Hyderabad
104	Rishabh Jain	Chennai
105	Simran Kaur	Chandigarh

TABLE : TRANSACT

TRNO	ANO	AMOUNT	TYPE	DOT
T001	101	2500	Withdraw	2017-12-21
T002	103	3000	Deposit	2017-06-01
T003	102	2000	Withdraw	2017-05-12
T004	103	1000	Deposit	2017-10-22
T005	101	12000	Deposit	2017-11-06

(i) To display details of all transactions of TYPE Deposit
from Table TRANSACT.

Ans: **SELECT * FROM TRANSACT
WHERE TYPE = 'Deposit' ;**

(ii) To display the ANO and AMOUNT of all Deposits
and Withdrawals done in the month of October 2017
from table TRANSACT.

Ans:

**SELECT ANO,AMOUNT FROM
TRANSACT WHERE DOT>= ' 2017-10-01 '
AND DOT <= ' 2017-10-31 ' ;**
OR

**SELECT ANO,AMOUNT FROM
TRANSACT WHERE DOT BETWEEN
'2017-10-01 ' AND ' 2017-10-31 ' ;**

(iii) To display the last date of transaction (DOT) from
the table TRANSACT for the Accounts having ANO as
103.

Ans:

**SELECT MAX(DOT) FROM TRANSACT
WHERE ANO = 103;**

(iv) To display all ANO, ANAME and DOT of those
persons from tables ACCOUNT and TRANSACT who
have done transactions less than or equal to 3000.

Ans:

**SELECT ACCOUNT.ANO,ANAME,DOT
FROM ACCOUNT,TRANSACT WHERE
ACCOUNT.ANO=TRANSACT.ANO AND
AMOUNT <=3000;**

OR

**SELECT A.ANO,ANAME,DOT FROM
ACCOUNT A,TRANSACT T WHERE
A.ANO=T.ANO AND AMOUNT <=3000;**

(v)SELECT ANO, ANAME FROM ACCOUNT
WHERE ADDRESS NOT IN ('CHENNAI',
'BANGALORE');

Ans:

ANO ANAME
103 Ali Reza
105 Simran Kaur

OR

ANO ANAME
101 Nirja Singh
102 Rohan Gupta
103 Ali Reza
104 Rishabh Jain
105 Simran Kaur

(vi) SELECT DISTINCT ANO FROM TRANSACT;

Ans:

DISTINCT ANO
101
102
103

(vii) SELECT ANO, COUNT(*), MIN(AMOUNT)
FROM TRANSACT GROUP BY ANO HAVING
COUNT(*)>1;

Ans:

ANO COUNT(*) MIN(AMOUNT)
101 2 2500
103 2 1000

(viii) SELECT COUNT(*), SUM(AMOUNT) FROM
TRANSACT WHERE DOT<='2017-06-01';

Ans:

COUNT(*) SUM(AMOUNT)
2 5000

3. Write SQL queries for (i) to (iv) and find outputs for SQL queries (v) to (viii), which are based on the tables (2017) 6

DVD

DCODE	DTITLE	DTYPE
F101	Henry Martin	Folk
C102	Dhrupad	Classical
C101	The Planets	Classical
F102	Universal Soldier	Folk
R102	A day in life	Rock

MEMBER

MID	NAME	DCODE	ISSUEDATE
101	AGAM SINGH	R102	2017-11-30
103	ARTH JOSEPH	F102	2016-12-13
102	NISHA HANS	C101	2017-07-24

(i) To display all details from the table MEMBER in descending order of ISSUEDATE.

Ans) **SELECT * FROM MEMBER ORDER BY ISSUEDATE DESC;**

(ii) To display the DCODE and DTITLE of all Folk Type DVDs from the table DVD

Ans) **SELECT DCODE,DTITLE FROM DVD WHERE DTYPE='Folk';**

(iii) To display the DTYPE and number of DVDs in each DTYPE from the table DVD

Ans) **SELECT COUNT(*),DTYPE FROM DVD GROUP BY DTYPE;**

(iv) To display all NAME and ISSUEDATE of those members from the table MEMBER who have DVDs issued (i.e ISSUEDATE) in the year 2017

Ans) **SELECT NAME, ISSUEDATE FROM MEMBER WHERE ISSUEDATE>='2017-01-01' AND ISSUEDATE<='2017-12-31';**

OR

SELECT NAME, ISSUEDATE FROM MEMBER WHERE ISSUEDATE BETWEEN '2017-01-01' AND '2017-12-31';

OR

SELECT NAME, ISSUEDATE FROM MEMBER WHERE ISSUEDATE LIKE '2017%';

(v) **SELECT MIN(ISSUEDATE) FROM MEMBER;**

Ans) **MIN(ISSUEDATE)**
2016-12-13

(vi) **SELECT DISTINCT DTYPE FROM DVD;**

Ans) **DISTINCT DTYPE**
Folk
Classical
Rock

4. Write SQL commands for the queries (i) to (iv) and output for (v) to (viii) based on the tables 'Watches' and Sale given below. (2017MP)

Watches

Watchid	Watch Name	Price	Type	Qty_Store
W001	HighTime	10000	Unisex	100
W002	LifeTime	15000	Ladies	150
W003	Wave	20000	Gents	200
W004	HighFashion	7000	Unisex	250
W005	GoldenTime	25000	Gents	100

Sale

Watchid	Qty_Sold	Quarter
W001	10	1
W003	5	1
W002	20	2
W003	10	2
W001	15	3
W002	20	3
W005	10	3
W003	15	4

i. To display all the details of those watches whose name ends with 'Time'

i. select * from watches where watch_name like '%Time'

ii. To display watch's name and price of those watches which have price range in between 5000-15000.

ii. select watch_name, price from watches where price between 5000 and 15000;

iii. To display total quantity in store of Unisex type watches.

iii. select sum(qty_store) from watches where type like 'Unisex';

iv. To display watch name and their quantity sold in first quarter.

iv. select watch_name,qty_sold from watches w,sale s where w.watchid=s.watchid and quarter=1;

v. **select max(price), min(qty_store) from watches;**

max(price)	min(qty_store)
25000	100

vi. **select quarter, sum(qty_sold) from sale group by quarter;**

vi.

quarter	sum(qty_sold)
1	15
2	30
3	45
4	15

vii. **select watch_name,price,type from watches w, sale s where w.watchid!=s.watchid;**

vii.

watch_name	price	type
HighFashion	7000	Unisex

viii. **select watch_name, qty_store, sum(qty_sold), qty_store - sum(qty_sold) "Stock" from watches w, sale s where w.watchid=s.watchid group by s.watchid;**

watch_name	qty_store	qty_sold	Stock
HighTime	100	25	75
LifeTime	150	40	110
Wave	200	30	170
GoldenTime	100	10	90

5. Write SQL queries for (i) to (iv) and find outputs for SQL queries (v) to (viii), which are based on the tables (2016)

Table: VEHICLE

VCODE	VEHICLETYPE	PERKM
V01	VOLVO BUS	150
V02	AC DELUXE BUS	125
V03	ORDINARY BUS	80
V05	SUV	30
V04	CAR	18

Note: PERKM is Freight Charges per kilometer

Table: TRAVEL

CNO	CNAME	TRAVELDATE	KM	VCODE	NOP
101	K.Niwal	2015-12-13	200	V01	32
103	Fredrick Sym	2016-03-21	120	V03	45
105	Hitesh Jain	2016-04-23	450	V02	42
102	Ravi Anish	2016-01-13	80	V02	40
107	John Malina	2015-02-10	65	V04	2
104	Sahanubhuti	2016-01-28	90	V05	4
106	Ramesh Jaya	2016-04-06	100	V01	25

Note:

- Km is Kilometers travelled
- NOP is number of passengers travelled in vehicle

(i) To display CNO, CNAME, TRAVELDATE from the table TRAVEL in descending order of CNO.

Ans **SELECT CNO, CNAME, TRAVELDATE FROM TRAVEL ORDER BY CNO DESC;**

(ii) To display the CNAME of all the customers from the table TRAVEL who are traveling by vehicle with code V01 or V02.

Ans **SELECT CNAME FROM TRAVEL WHERE VCODE='V01' OR VCODE='V02';**
OR

SELECT CNAME FROM TRAVEL WHERE VCODE IN ('V01', 'V02');

(iii) To display the CNO and CNAME of those customers from the table TRAVEL who travelled between '2015-12-31' and '2015-05-01'.

Ans **SELECT CNO, CNAME from TRAVEL WHERE TRAVELDATE >='20150501' AND TRAVELDATE <= '20151231';**

OR

SELECT CNO, CNAME from TRAVEL WHERE TRAVELDATE BETWEEN '20150501'

AND '20151231' ;

OR

SELECT CNO, CNAME from TRAVEL WHERE TRAVELDATE <= '20151231' AND TRAVELDATE >= '20150501' ;

OR

SELECT CNO, CNAME from TRAVEL WHERE TRAVELDATE BETWEEN '20151231'

AND '20150501';

(iv) To display all the details from table TRAVEL for the customers, who have travel distance more than 120 KM in ascending order of NOP.

Ans **SELECT * FROM TRAVEL WHERE KM > 120 ORDER BY NOP;**

(v) **SELECT COUNT(*),VCODE FROM TRAVEL GROUP BY VCODE HAVING COUNT(*)>1;**

Ans **COUNT(*) VCODE**

2 V01

2 V02

(vi) **SELECT DISTINCT VCODE FROM TRAVEL;**

Ans **DISTINCT VCODE**

V 01

V 02

V 03

V 04

V 05

(vii) **SELECT**

A.VCODE,CNAME,VEHICLETYPE FROM TRAVEL A,VEHICLE B WHERE A.VCODE=B.VCODE AND KM<90;

Ans **VCODE C NAME VEHICLETYPE**
V02 Ravi Anish AC DELUXE BUS
V04 John Malina CAR

(viii) **SELECT CNAME,KM*PERKM FROM TRAVEL A,VEHICLE B WHERE A.VCODE=B.VCODE AND A.VCODE='V05';**

Ans **CNAME KM*PERKM**
Sahanubhuti 2700

6. Consider the following DEPT and EMPLOYEE tables. Write SQL queries for (i) to (iv) and find outputs for SQL queries (v) to (viii). (2015)

Table: DEPT

DCODE	DEPARTMENT	LOCATION
D01	INFRASTRUCTURE	DELHI
D02	MARKETING	DELHI
D03	MEDIA	MUMBAI
D05	FINANCE	KOLKATA
D04	HUMAN RESOURCE	MUMBAI

Table: EMPLOYEE

ENO	NAME	DOJ	DOB	GENDER	DCODE
1001	George K	2013-09-02	1991-09-01	MALE	D01
1002	Ryma Sen	2012-12-11	1990-12-15	FEMALE	D03
1003	Mohitesh	2013-02-03	1987-09-04	MALE	D05
1007	Anil Jha	2014-01-17	1984-10-19	MALE	D04
1004	Manila Sahai	2012-12-09	1986-11-14	FEMALE	D01
1005	R SAHAY	2013-11-18	1987-03-31	MALE	D02
1006	Jaya Priya	2014-06-09	1985-06-23	FEMALE	D05

Note: DOJ refers to date of joining and DOB refers to date of Birth of employees.

(i) To display Eno, Name, Gender from the table EMPLOYEE in ascending order of Eno.

Ans **SELECT Eno,Name,Gender FROM Employee**

ORDER BY Eno;

(ii) To display the Name of all the MALE employees from the table EMPLOYEE.

Ans **SELECT Name FROM Employee WHERE Gender='MALE';**

(iii) To display the Eno and Name of those employees from the table EMPLOYEE who are born between '1987-01-01' and '1991-12-01'.

Ans **SELECT Eno,Name FROM Employee WHERE DOB BETWEEN '19870101' AND '19911201'** OR

SELECT Eno,Name FROM Employee WHERE DOB >='19870101' AND DOB <='19911201' ;

OR

SELECT Eno,Name FROM Employee WHERE DOB >'19870101' AND DOB <'19911201';

(iv) To count and display FEMALE employees who have joined after '1986-01-01'.

Ans **SELECT count(*) FROM Employee WHERE GENDER='FEMALE' AND DOJ > '19860101';**

OR

SELECT * FROM Employee WHERE GENDER='FEMALE' AND DOJ > '19860101';

(v) **SELECT COUNT(*),DCODE FROM EMPLOYEE GROUP BY DCODE HAVING COUNT(*)>1;**

Ans **COUNT DCODE**

2 D01

2 D05

(vi) **SELECT DISTINCT DEPARTMENT FROM DEPT;**

Ans **Department
INFRASTRUCTURE
MARKETING
MEDIA
FINANCE**

HUMAN RESOURCE

(vii) **SELECT NAME, DEPARTMENT FROM EMPLOYEE E, DEPT D WHERE E.DCODE=D.DCODE AND EN0<1003;**

Ans **NAME DEPARTMENT**

George K INFRASTRUCTURE

Ryma Sen MEDIA

(viii) **SELECT MAX(DOJ), MIN(DOB) FROM EMPLOYEE;**

Ans **MAX(DOJ) MIN(DOB)**

2014-06-09 1984-10-19

7. Answer the question (b) and (c) on the basis of the following tables SHOPPE and ACCESSORIES. (2014)

Table: SHOPPE

ID	SName	Area
S01	ABC Computronics	CP
S02	All Infotech Media	GK II
S03	Tech Shoppe	CP
S04	Geeks Techno Soft	Nehru Place
S05	Hitech Store	Nehru Place

Table: ACCESSORIES

ID	Iname	Price	Sno
A01	Mother Board	12000	S01
A02	Hard Disk	5000	S01

A03	Keyboard	500	S02
A04	Mouse	300	S01
A05	Mother Board	13000	S02
A06	Keyboard	400	S03
A07	LCD	6000	S04
A08	LCD	5500	S05
A09	Mouse	350	S05
A10	Harddisk	4500	S03

Write a SQL query (1 to 4)

4

1. To display Name and Price of all the Accessories in ascending order of their Price.

A) Select Name, Price from ACCESSORIES order by Price.

2. To display Id and Sname of all Shoppe located in Nehru Place;

A) Select Id, Sname from SHOPPE where Area = 'Nehru Place';

3. To display Minimum and Maximum price of each Name of Accessories.

A) Select Min(Price), Max(Price) from ACCESSORIES group by Name;

4. To display Name, Price of all the Accessories and their respective SName where they are available.

A) Select Name, Price, SName from SHOPPE, ACCESSORIES where SHOPPE.Id= ACCESSORIES.ID;

8. Write the output of the following SQL command (1 to 4) (2014) 2

1. **SELECT DISTINCT NAME FROM ACCESSORIES WHERE PRICE >= 5000;**

INAME
Mother Board
Hard Disk
LCD

2. **SELECT AREA, COUNT(*), FROM SHOPPE GROUP BY AREA;**

AREA	Count(*)
CP	2
GK II	1
Nehru Place	2

3. **SELECT COUNT(DISTINCT AREA) FROM SHOPPE;**

COUNT(DISTINCT AREA)
3

4. **SELECT NAME, PRICE*0.05 DISCOUNT FROM ACCESSORIES WHERE SNO IN('S02', 'S03');**

INAME	DISCOUNT
Keyboard	25
Motherboard	650
Keyboard	20
Hard Disk	225

9. Write SQL queries for (b) to (g) and write the outputs for the SQL queries mentioned shown in (h1) to (h4) on basis of tables PRODUCTS and SUPPLIERS. (2013)

Table: PRODUCTS

PI D	PNAME	QTY	PRICE	COMPANY	UPCODE
101	DIGITAL CAMERA 14X	120	12000	RENIX	S01
102	DIGITAL PAD 11i	100	22000	DIGI POP	S02
104	PEN DRIVE 16 GB	500	1100	STOREKING	S01
106	LED SCREEN 32	70	28000	DISPEX PERTS	S02
105	CAR GPS SYSTEM	60	12000	MOVEON	S03

Table: SUPPLIERS

SUPCODE	SNAME	CITY
S01	GET ALL INC	KOLKATA
S03	EASY MARKET CORP	DELHI
S02	DIGI BUSY GROUP	CHENNAI

(b) To display the details of all the products in ascending order of product names (ie PNAME)

A) **SELECT * FROM PRODUCTS ORDER BY PNAME;**

(c) To display product name and price of all those products whose price is in range of 10000 and 15000 (both values inclusive).

A) **SELECT PNAME, PRICE FROM PRODUCTS WHERE PRICE >=10000 AND PRICE <=15000;**

(d) To display the number of products, which are supplied supplier. Ie, the expected output should be
S01 2
S02 2
S03 1

A) **SELECT SUPCODE, COUNT(SUPCODE) FROM PRODUCTS GROUP BY SUPCODE;**

(E) To display the price, product name and quantity (ie qty) of those products which have quantity more than 100

A) **SELECT PRICE,PNAME, QTY FROM PRODUCTS WHERE QTY>100;**

(f) To display the names of those suppliers, who are either from DELHI or from CHENNAI.

A) **SELECT SNAME FROM SUPPLIERS WHERE CITY="DELHI" OR CITY="KOLKATA";**

(g) To display the name of the companies and the name of the products in descending order of company names.

A) **SELECT COMPANY, PNAME FROM PRODUCTS ORDER BY COMPANY DESC.**

(h) Obtain the outputs of the following SQL queries based on the data given in tables PRODUCTS and SUPPLIERS above.

(h1) **SELECT DISTINCT SUPCODE FROM PRODUCTS;**

A)

SUPCODE
S01
S02
S03

(h2) **SELECT MAX(PRICE), MIN(PRICE) FROM PRODUCTS;**

A)

MAX (PRICE)	MIN(PRICE)
28000	1100

(h3) **SELECT PRICE*QTY AMOUNT FROM PRODUCTS WHERE PID=104;**

A)

AMOUNT
55000

(h4) **SELECT PNAME, SNAME FROM PRODUCTS P, SUPPLIERS S WHERE P.SUPCODE=S.SUPCODE AND QTY>100;**

PNAME	SNAME
DIGITAL CAMERA 14X	GET ALL INC
PEN DRIVE 16GB	GET ALL INC

10)

(2012)

Consider the following tables CARDEN and CUSTOMER and answer (b) and (c) parts of this question:

Table: CARDEN

Ccode	CarName	Make	Color	Capacity	Charges
501	A-Star	Suzuki	RED	3	14
503	Indigo	Tata	SILVER	3	12
502	Imnova	Tovota	WHITE	7	15
509	SX4	Suzuki	SILVER	4	14
510	C Class	Mercedes	RED	4	35

Table: CUSTOMER

CCode	Cname	Ccode
1001	Hemant Sahu	501
1002	Raj Lal	509
1003	Feroza Shah	503
1004	Ketan Dhal	502

(b) Write SQL commands for the following statements: 4

(i) To display the names of all silver colored Cars.
Ans **SELECT CarName FROM CARDEN**

WHERE Color = 'SILVER';

(ii) To display name of car, make and capacity of cars in descending order of their sitting capacity.

Ans **SELECT CarName, Make, Capacity FROM CARDEN ORDER BY Capacity DESC;**

(iii) To display the highest charges at which a vehicle can be hired from CARDEN.

Ans **SELECT MAX(Charges) FROM CARDEN ;**
OR

SELECT CarName, MAX(Charges) FROM CARDEN GROUP BY CarName;

(iv) To display the customer name and the corresponding name of the cars hired by them.

Ans **SELECT CName, CarName FROM CUSTOMER, CARDEN WHERE CUSTOMER.Ccode = CARDEN.Ccode;**

OR

SELECT CUSTOMER. CName, CARDEN. CarName FROM CUSTOMER, CARDEN WHERE

CUSTOMER.Ccode = CARDEN.Ccode;
OR

SELECT CName, CarName FROM CUSTOMER A, CARDEN B WHERE A.Ccode = B.Ccode;

OR

SELECT A. CName, B. CarName FROM CUSTOMER A, CARDEN B WHERE A.Ccode = B.Ccode;

(c) Give the output of the following SOL queries:

(i) SELECT COUNT (DISTINCT Make) FROM CARDEN;

Ans

COUNT (DISTINCT Make)

4

(ii) SELECT MAX (Charges), MIN (Charges) FROM CARDEN;

Ans **MAX (Charges) MIN (Charges)**

35 12

(iii) SELECT COUNT (*), Make FROM CARDEN;

Ans (Ignoring Make for display)

COUNT (*)

5

OR

(assuming the presence of GROUP By Make)

COUNT(*) Make

2 SUZUKJ:

1 TATA

1 TOYOTA

1 MERCEDES

(iv) SELECT CarName FROM CARDEN WHE~

Capacity = 4;

Ans **CarName**

Sx4

C Class

11)

(2011)

Consider the following tables EMPLOYEE and SALGRADE and answer (b) and (c) parts of this question:

Table: EMPLOYEE

ECODE	NAME	DESIG	SGRADE	DOJ	DOB
101	AbdulAhmad	EXECUTIVE	S03	23-Mar-2003	13-Jan-1980
102	Ravi. Chander	HEAD-IT	S02	12-Feb-2010	22-Jul-1987
103	John Ken	RECEPTIONIST	S03	24-June-2009	24-Feb-1983
105	Nazim Ameen	GM	S02	11-Aug-2006	03-Mar-1984
108	Priyam Sen	CEO	S01	29-Dec-2004	19-Jan-1982

Table: SALGRADE

SGRADE	SALARY	HRA
S01	56000	18000
S02	32000	12000
S03	24000	8000

(b) Write SQL commands for the following statements:

(i) To display the details of all EMPLOYEES, in descending order of DOJ

Ans **SELECT * FROM EMPLOYEE ORDER BY DOJ DESC;**

(ii) To display NAME and DESIG of those EMPLOYEES, whose SALGRADE is either 502 or 503

Ans **SELECT NAME, DESIG FROM EMPLOYEE WHERE SGRADE = 'S02' OR SGRADE= 'S03'; OR SELECT NAME, DESIG FROM EMPLOYEE WHERE SALGRADE ='S02' OR SALGRADE='S03';**

(iii) To display the content of all the EMPLOYEES table, whose DOJ is in between '09-Feb-2006' and '08-Aug-2009'.

Ans **SELECT * FROM EMPLOYEE WHERE DOJ BETWEEN '09-Feb-2006' and '08-Aug-2009'; OR SELECT * FROM EMPLOYEE WHERE DOJ >= '09-Fab-2006' and DOJ <='08-Aug-2009';**

OR

SELECT * FROM EMPLOYEE WHERE DOJ > '09-Feb-2006' and DOJ < '08-Aug-2009' ;

(iv) To add a new row with the following:

109, 'Harish Roy', 'HEAD-IT', 'S02', '09-Sep-2007', '21-Apr-1983'

Ans **INSERT INTO EMPLOYEE**

VALUES(109,'Harish Roy' , 'HEAD-IT' , 'S02' , '09-Sep-2007' , '21-Apr-1983') ;

(c) Give the output of the following SQL queries: 2

(i) SELECT COUNT (SGRADE),SGRADE FROM EMPLOYEE GROUP

BY SGRADE;

Ans **COUNT (SGRADE) SGRADE**

1 S01

2 S02

2 S03

(ii) SELECT MIN(DOB), MAX (DOJ) FROM EMPLOYEE;

Ans **MIN (DOB) MAX (DOJ)**

13-Jan-1980 12-Feb-2010

(iii) SELECT NAME , SALARYFROM EMPLOYEE E, SALGRADE S WHERE

E.SGRADE= S.SGRADE AND E.ECODE<103;

Ans **Name Salary**

Abdul Ahmad 24000

Ravi Chander 32000

(iv) SELECT SGRADE, SALARY+HRA ET:):M

SALGRADE WHERE SGRADE= 'S02';

Ans **SGRADE SALARY+HRA**

S02 44000

12) Consider the following tables STORE and SUPPLIERS and answer (b1) and (b2) parts of this question: (D 2010)

Table: STORE

ItemNo	Item	Scode	Qty	Rate	LastBuy
2005	Sharpener Classic	23	60	8	31-Jun-09
2003	Ball Pen 0.25	22	50	25	01-Feb-10
2002	Gel Pen Premium	21	150	12	24-Feb-10
2006	Gel Pen Classic	21	250	20	11-Mar-09
2001	Eraser Small	22	220	6	19-Jan-09
2004	Eraser Big	22	110	8	02-Dec-09
2009	Ball Pen 0.5	21	180	18	03-Nov-09

Table: SUPPLIERS

Scode	Sname
21	Premium Stationers
23	Soft Plastics
22	Tetra Supply

b1)Write SQL commands for the following statements:4 (i)

To display details of all the items in the Store table in ascending order of LastBuy.

Ans. **SELECT * FROM STORE ORDER BY LastBuy;**

(ii) To display ItemNo and Item name of those items from Store table whose Rate is more than 15 Rupees.

Ans. **SELECT ItemNo, Item..In FROM STORE WHERE Rate >15;**

(iii) To display the details of those items whose Supplier code (Scode) is 22 or Quantity in Store (Qty) is more than 110 from the table Store.

Ans. **SELECT * FROM STORE WHERE Scode = 22 OR Qty >110;**

(iv) To display Minimum Rate of items for each Supplier individually as per Scode from the table Store.

Ans. **SELECT Scode, MIN(Rate) FROM STORE GROUP BY Scode;**

b2) Give the output of the following SQL queries:2

Note: In all output Questions ignore Column Headings

(i) **SELECT COUNT(DISTINCT Scode) FROM Store;**

Ans. **COUNT(DISTINCT Scode)**

3

(ii) **SELECT Rate*Qty FROM Store WHERE ItemNo=2004;**
Ans.

RATE*QTY

880

(iii) **SELECT Item,Sname FROM Store S, Suppliers P WHERE S.Scode=P.Scode AND ItemNo=2006;**

Ans. **ITEM SNAME Gel Pen Classic Premium Stationers**

(iv) **SELECT MAX(LastBuy) FROM Store;**

Ans.

MAX (LASTBUY)

24-Feb-10

13) Consider the following tables GARMENT and FABRIC. Write SQL commands for the statements (i) to (iv) and give outputs for SQL queries (v) to (viii) (D2009)6

Table: GARMENT

GCODE	DESCRIPTION	PRICE	F0CODE	READYDATE
10023	PENCIL SKIRT	1150	F03	19-DEC-08
10001	FORMAL SHIRT	1250	F01	12-JAN-08
10012	INFORMAL SHIRT	1550	F02	06-JUN-08
10024	BABY TOP	750	F03	07-APR-07
10090	TULIP SKIRT	850	F02	31-MAR-07
10019	EVENING GOWN	850	F03	06-JUN-08
10009	INFORMAL PANT	1500	F02	20-OCT-08
10007	FORMAL PANT	1350	F01	09-MAR-08
10020	FROCK	850	F04	09-SEP-07
10089	SLACKS	750	F03	20-OCT-08

Table: FABRIC

F0CODE	TYPE
F04	POLYSTER
F02	COTTON
F03	SILK
F01	TERELENE

(i) To display GCODE and DESCRIPTION of each GARMENT in descending order of GCODE

Ans **SELECT Gcode, DESCRIPTION FROM GARMENT ORDER BY GCODE DESC;**

(ii) To display the details of all the GARMENTS, which have READYDATE in between 08-DEC-07 and 16-JUN-08(inclusive of both the dates).

Ans) **SELECT * FROM GARMENT WHERE READYDATE BETWEEN '08-DEC-07' AND '16-JUN-08' ;**

OR
SELECT * FROM DRESS WHERE LAUNCHDATE >= '08-DEC-07' AND LAUNCHDATE <= '16-JUN-08';

(iii) To display the average PRICE of all the GARMENTS, which are made up of FABRIC with F0CODE as F03.

Ans) **SELECT AVG (PRICE) FROM GARMENT WHERE F0CODE = 'F03';**

(iv) To display FABRIC wise highest and lowest price of GARMENTS from GARMENT table. (Display F0CODE of each GARMENT along with highest and lowest price)

Ans **SELECT F0CODE, MAX (PRICE), MIN(PRICE) FROM GARMENT GROUP BY F0CODE;**

(v) **SELECT SUM (PRICE) FROM GARMENT WHERE F0CODE = 'F01' ;**

Ans **SUM (PRICE)**

2600

(vi) **SELECT DESCRIPTION, TYPE FROM GARMENT, FABRIC WHERE GARMENT.F0CODE = FABRIC.F0CODE AND GARMENT. PRICE >= 1260 ;**

Ans) **DESCRIPTION TYPE**

INFORMAL SHIRT COTTON

INFORMAL PANT COTTON

FORMAL PANT TERELENE

(vii) **SELECT MAX (F0CODE) FROM FABRIC;**

Ans **MAX (F0CODE)**

F04

(viii) **SELECT COUNT (DISTINCT PRICE) FROM GARMENT ;**

Ans **COUNT(DISTINCT PRICE)**

7

(14) Consider the following tables DRESS and MATERIAL. Write SQL commands for the statements (i) to (iv) and give outputs for SQL queries (v) to (viii). (2009 OD) 6

Table: DRESS

DCODE	DESCRIPTION	PRICE	M0CODE	LAUNCHDATE
10001	FORMAL SHIRT	1250	M001	12-JAN-08
10020	FROCK	750	M004	09-SEP-07
10012	INFORMAL SHIRT	1450	M002	06-JUN-08
10019	EVENING GOWN	850	M003	06-JUN-08
10090	TULIP SKIRT	850	M002	31-MAR-07
10023	PENCIL SKIRT	1250	M003	19-DEC-08
10089	SLACKS	850	M003	20-OCT-08
10007	FORMAL PANT	1450	M001	09-MAR-08
10009	INFORMAL PANT	1400	M002	20-OCT-08
10024	BABY TOP	650	M003	07-APR-07

Table: MATERIAL

M0CODE	TYPE
M001	TERELENE
M002	COTTON
M004	POLYESTER
M003	SILK

(i) To display DCODE and DESCRIPTION of each dress in ascending order of DCODE.

Ans **SELECT DCODE. DESCRIPTION FROM DRESS ORDER BY DCODE ;**

(ii) To display the details of all the dresses which have LAUNCHDATE in between 05-DEC-07 and 20-JUN-08 (inclusive of both the dates).

Ans **SELECT * FROM DRESS WHERE LAUNCHDATE BETWEEN '05-DEC-07' AND '20-JUN-08'**

OR
SELECT * FROM DRESS WHERE LAUNCHDATE >= '05-DEC-07' AND LAUNCHDATE <= '20-JUN-08'

(iii) To display the average PRICE of all the dresses which are made up of material with M0CODE as M003.

Ans **SELECT AVG(PRICE) FROM GARMENT WHERE M0CODE = 'M003'**

(iv) To display materialwise highest and lowest price of dresses from DRESS table. (Display MCODE of each dress along with highest and lowest price)

Ans **SELECT MCODE, MAX(PRICE), MIN(PRICE) FROM DRESS GROUP BY MCODE**

(v) SELECT SUM(PRICE) FROM DRESS WHERE MCODE='M001';

Ans **SUM(PRICE)**
2700

(vi) SELECT DESCRIPTION, TYPE FROM DRESS, MATERIAL WHERE DRESS.DCODE = MATERIAL.MCODE AND DRESS.PRICE >= 1250;

Ans **DESCRIPTION TYPE**
(NO OUTPUT)

(vii) SELECT MAX(MCODE) FROM MATERIAL;

Ans **MAX (MCODE)**
MOO4

(viii) SELECT COUNT(DISTINCT PRICE) FROM DRESS;

Ans **COUNT(DISTINCT PRICE)**
6

15) Consider the following tables Product and Client. Write SQL commands for the statement (i) to (iv) and give outputs for SQL queries (v) to (viii) (D 2008)

Table: **PRODUCT**

P_ID	Product Name	Manufacturer	Price
TP01	Talcom Powder	LAK	40
FW05	Face Wash	ABC	45
BS01	Bath Soap	ABC	55
SH06	Shampoo	XYZ	120
FW12	Face Wash	XYZ	95

Table: **CLIENT**

C_ID	Client Name	City	P_ID
01	Cosmetic Shop	Delhi	FW05
06	Total Health	Mumbai	BS01
12	Live Life	Delhi	SH06
15	Pretty Woman	Delhi	FW12
16	Dreams	Bangalore	TP01

(i) To display the details of those Clients whose city is Delhi.

Ans: **Select all from Client where City="Delhi"**

(ii) To display the details of Products whose Price is in the range of 50 to 100 (Both values included).

Ans: **Select all from product where Price between 50 and 100**

(iii) To display the ClientName, City from table Client, and ProductName and Price from table Product, with their corresponding matching P_ID.

Ans: **Select ClientName, City, ProductName, Price from Product, Client where Product.P_ID=Client.P_ID.**

(iv) To increase the Price of all Products by 10

Ans: **Update Product Set Price=Price +10**

(v) SELECT DISTINCT Address FROM Client.

Ans: (The above question may consist DISTINCT City. If it is DISTINCT City, the following is the answer)

City

Delhi

Mumbai

Bangalore

(vi) SELECT Manufacturer, MAX(Price), Min(Price), Count(*) FROM Product GROUP BY Manufacturer;

Ans:

Manufacturer	Max(Price)	Min(Price)	Count(*)
LAK	40	40	1
ABC	55	45	2
XYZ	120	95	2

(vii) SELECT ClientName, ManufacturerName FROM Product, Client WHERE Client.Prod_Id=Product.P_Id;

ClientName	ManufacturerName
Cosmetic Shop	ABC
Total Health	ABC
Live Life	XYZ
Pretty Woman	XYZ
Dreams	LAK

(viii) SELECT ProductName, Price * 4 FROM Product.

ProductName	Price*4
Talcom Powder	160
Face Wash	180
Bath Soap	220
Shampoo	480
Face Wash	380

16) Consider the following tables Item and Customer. Write SQL commands for the statement (i) to (iv) and give outputs for SQL queries (v) to (viii) (OD 2008)

Table: **ITEM**

I_ID	Item Name	Manufacturer	Price
PC01	Personal Computer	ABC	35000
LC05	Laptop	ABC	55000
PC03	Personal Computer	XYZ	32000
PC06	Personal Computer	COMP	37000
LC03	Laptop	PQR	57000

Table: **CUSTOMER**

C_ID	Customer Name	City	I_ID
01	N.Roy	Delhi	LC03
06	H.Singh	Mumbai	PC03
12	R.Pandey	Delhi	PC06
15	C.Sharma	Delhi	LC03
16	K.Agarwal	Bangalore	PC01

(i) To display the details of those Customers whose city is Delhi.

Ans: **Select all from Customer Where City="Delhi"**

(ii) To display the details of Item whose Price is in the range of 35000 to 55000 (Both values included).

Ans: **Select all from Item Where Price >= 35000 and Price <= 55000**

(iii) To display the CustomerName, City from table Customer, and ItemName and Price from table Item, with their corresponding matching I_ID.

Ans: **Select CustomerName, City, ItemName, Price from Item, Customer where Item.I_ID=Customer.I_ID.**

(iv) To increase the Price of all Items by 1000 in the table Item.

Ans: **Update Item set Price=Price+1000**

(v) SELECT DISTINCT City FROM Customer.

Ans: **City**

Delhi

Mumbai

Bangalore
 (vi)SELECT ItemName, MAX(Price), Count(*) FROM
 Item GROUP BY ItemName;

Ans: ItemName Max(Price) Count(*)

Personal Computer	37000	3
Laptop	57000	2

(vii)SELECT CustomerName, Manufacturer FROM
 Item, Customer WHERE

Item.Item_Id=Customer.Item_Id;

Ans: CustomerName ManufacturerName

N.Roy	PQR
H.Singh	XYZ
R.Pandey	COMP
C.Sharma	PQR
K.Agarwal	ABC

(viii)SELECT ItemName, Price * 100 FROM Item
 WHERE Manufacturer = 'ABC';

Ans: ItemName Price*100

Personal Computer	3500000
Laptop	5500000

(vi) SELECT A.CnorName A, B.CneeName B FROM
 Consignor A, Consignee B WHERE

A.CnorID=B.CnorID AND B.CneeCity='Mumbai';

Ans)

CnorName	CneeName
R singhal	Rahul Kishore
Amit Kumar	S mittal

(vii)SELECT CneeName,CneeAddress FROM
 Consignee WHERE CneeCity Not IN ('Mumbai',
 'Kolkata');

Ans:

CneeName CneeAddress

P Dhingra	16/J,Moore Enclave
B P Jain	13,Block D,A Vihar

(viii) SELECT CneeID, CneeName FROM Consignee
 WHERE CnorID = 'MU15' OR CnorID = 'ND01';

Ans: CneeID CneeName

MU05	Rahul Kishore
KO19	A P Roy

17) Consider the following tables Consignor and
 Consignee. Write SQL command for the
 statements(i)to(iv) And give outputs for the SQL
 queries (v) to (viii). (OD2007) 6

TABLE : CONSIGNOR

CnorID	CnorName	CnorAddress	City
ND01	R singhal	24,ABC Enclave	New Delhi
ND02	Amit Kumar	123,Palm Avenue	New Delhi
MU15	R Kohil	5/A,South,Street	Mumbai
MU50	S Kaur	27-K,Westend	Mumbai

TABLE : CONSIGNEE

CneeID	CnorID	CneeName	CneeAddress	CneeCity
MU05	ND01	Rahul Kishore	5,Park Avenue	Mumbai
ND08	ND02	P Dhingra	16/j,Moore Enclave	New Delhi
KO19	MU15	A P Roy	2A,Central/avenue	Kolkata
MU32	ND02	S mittal	P 245, AB Colony	Mumbai
ND48	MU50	B P jain	13,Block d,a,viha	New Delhi

(i)To display the names of all consignors from Mumbai.

Ans: Select CnorName from Consignor where
 city="Mumbai";

(ii)To display the cneeID, cnorName, cnorAddress,
 CneeName, CneeAddress for every Consignee.

Ans: Select CneeId, CnorName, CnorAddress,
 CneeName, CneeAddress from Consignor,Consignee
 where Consignor.CnorId=Consignee.CnorId;

(iii)To display the consignee details in ascending order
 of CneeName.

Ans: Select * from Consignee Orderby CneeName Asc;

(iv)To display number of consignors from each city.

Ans: Select city, count(*) from Consignors group by
 city;

(v)SELECT DISTINCT City FROM CONSIGNEE;

Ans: CneeCity

Mumbai
New Delhi
Kolkata

18)Consider the following tables. Write SQL
 command for the statements (i)to(iv)and give outputs
 for the SQL queries (v) to (viii). (D2006) 6

TABLE : SENDER

SenderID	SenderName	Sender Address	Sender City
ND01	R jain	2,ABC Appts	New Delhi
MU02	H sinha	12, Newton	Mumbai
MU15	S haj	27/ A,Park Street	New Delhi
ND50	T Prasad	122-K,SDA	Mumbai

TABLE : RECIPIENT

RecID	SenderID	ReCName	RecAddress	ReCCity
KO05	ND01	R Bajpayee	5,Central Avenue	Kolkata
ND08	MU02	S Mahajan	116, A Vihar	New Delhi
MU19	ND01	H sing	2A,Andheri East	Mumbai
MU32	MU15	P K swamy	B5, CS Terminus	Mumbai
ND48	ND50	S Tripathi	13, B1 D,Mayur Vihar	New Delhi

(i)To display the names of all senders from Mumbai.

Ans: Select * from Sender where
 SenderCity='Mumbai';

(ii)To display the recID, senderName, senderAddress,
 RecName, RecAddress for every receipt.

Ans: Select recID, SenderName, SenderAddress,
 RecName, RecAddress from Sender, Recipient where
 Sender.Senderid=Recipient.RenderId;

(iii)To display the sender details in ascending order of
 SenderName.

Ans: Select * from Sender order by SenderName;

(iv)To display number of Recipients from each city.

Ans: Select RecCity,Count(*) from Recipient group by
 RecCity;

(v) SELECT DISTINCT SenderCity FROM Sender;

Ans:

senderCity

New Delhi
Mumbai

(vi) SELECT A.SenderName A, B.RecName FROM Sender A, Recipient B WHERE A.SenderID=B.SenderID AND B.RecCity='Mumbai';

Ans: SenderName RecName
R.Jain H.Singh
S.Jha P.K.Swamy

(vii)SELECT RecName,RecAddress FROM Recipient WHERE RecCity Not IN ('Mumbai', Kolkata);

Ans: RecName RecAddress
S Mahajan 116, A Vihar
S Tripathi 13, B1 D, Mayur Vihar

(viii) SELECT RecID, RecName FROM Recipient WHERE SenderID = 'MU02' OR SenderID = 'ND50';

Ans: RecID RecName
ND08 S Mahajan
ND48 S Tripathi

19) Study the following tables FLIGHTS and FARES and write SQL commands for the questions (i) to (iv) and give outputs for SQL queries (v) to(vi). (OD 2006)
6

TABLE: FLIGHTS

FL_NO	STARTING	ENDING	NO. FLIGHTS	NO. STOPS
IC301	MUMBAI	DELHI	8	0
IC799	BANGALORE	DELHI	2	1
MC101	INDORE	MUMBAI	3	0
IC302	DELHI	MUMBAI	8	0
AM812	KANPUR	BANGALORE	3	1
IC899	MUMBAI	KOCHI	1	4
AM501	DELHI	TRIVENDRUM	1	5
MU499	MUMBAI	MADRAS	3	3
IC701	DELHI	AHMEDABAD	4	0

TABLE:FARES

FL_NO	AIRLINES	FARE	TAX%
IC701	INDIAN AIRLINES	6500	10
MU499	SAHARA	9400	5
AM501	JET AIRWAYS	13450	8
IC899	INDIAN AIRLINES	8300	4
IC302	INDIAN AIRLINES	4300	10
IC799	INDIAN AIRLINES	1050	10
MC101	DECCAN AIRLINES	3500	4

(i) Display FL_NO and NO_FLIGHTS from "KANPUR" TO "BANGALORE" from the table FLIGHTS.

Ans: Select FL_NO, NO_FLIGHTS from FLIGHTS where Starting="KANPUR" AND ENDING="BANGALORE"

(ii) Arrange the contents of the table FLIGHTS in the ascending order of FL_NO.

Ans: SELECT * FROM FLIGHTS ORDER BY FL_NO;

(iii) Display the FL_NO and fare to be paid for the flights from DELHI to MUMBAI using the tables FLIGHTS and FARES, where the fare to be paid = FARE+FARE+TAX%/100.

Ans: Select FL_NO, FARE+FARE+(TAX%/100) from FLIGHTS, FARES where Starting="DELHI" AND Ending="MUMBAI"

(iv) Display the minimum fare "Indian Airlines" is offering from the tables FARES.

Ans: Select min(FARE) from FARES Where AIRLINES="Indian Airlines"

v)Select FL_NO,NO_FLIGHTS, AIRLINES from FLIGHTS, FARES Where STARTING = "DELHI" AND FLIGHTS.FL_NO = FARES.FL_NO

FL_NO	NO_FLIGHTS	AIRLINES
IC302	8	Indian Airlines
AM501	1	Jet Airways

Ans: IC701 4 Indian Airlines

(vi) SELECT count (distinct ENDING) from FLIGHTS.

Ans: 7

20) Study the following tables DOCTOR and SALARY and write SQL commands for the questions (i) to (iv) and give outputs for SQL queries (v) to (vi) (D2006):

TABLE: DOCTOR

ID	NAME	DEPT	SEX	EXPERIENCE
101	Johan	ENT	M	12
104	Smith	ORTHOPEDIC	M	5
107	George	CARDIOLOGY	M	10
114	Lara	SKIN	F	3
109	K George	MEDICINE	F	9
105	Johnson	ORTHOPEDIC	M	10
117	Lucy	ENT	F	3
111	Bill	MEDICINE	F	12
130	Murphy	ORTHOPEDIC	M	15

TABLE: SALARY

ID	BASIC	ALLOWANCE	CONSULTATION
101	12000	1000	300
104	23000	2300	500
107	32000	4000	500
114	12000	5200	100
109	42000	1700	200
105	18900	1690	300
130	21700	2600	300

(i) Display NAME of all doctors who are in "MEDICINE" having more than 10 years experience from the Table DOCTOR.

Ans: Select Name from Doctor where Dept="Medicine" and Experience>10

(ii) Display the average salary of all doctors working in "ENT" department using the tables DOCTORS and SALARY Salary =BASIC+ALLOWANCE.

Ans: Select avg(basic+allowance) from Doctor,Salary where Dept="Ent" and Doctor.Id=Salary.Id

(iii) Display the minimum ALLOWANCE of female doctors.

Ans: Select min(Allowance) from Doctro,Salary where Sex="F" and Doctor.Id=Salary.Id

(iv) Display the highest consultation fee among all male doctors.

Ans: Select max(Consulation) from Doctor,Salary where Sex="M" and Doctor.Id=Salary.Id

(v) SELECT count (*) from DOCTOR where SEX = "F"
Ans: 4

(vi) SELECT NAME, DEPT , BASIC from DOCTOR, SALRY Where DEPT = "ENT" AND DOCTOR.ID = SALARY.ID

Ans: Name Dept Basic
Jonah Ent 12000

21) Consider the following tables EMPLOYEES and EMPMSALARY. write SQL commands for the Statements (i) to (iv) and give outputs for SQL queries (v) to (viii).(D2005) EMPLOYEES

EM PID	FIRSTN AME	LASTNA ME	ADDRESS	CITY
010	GEORGE	Smith	83 First Street	Howard
105	MARY	Jones	842VineAve	Losantiville
152	SAM	Tones	33 Elm st	Paris
215	SARAH	Ackerman	440 U.S.110	Upton
244	MANILA	Sengupta	24 Friends Street	New Delhi
300	ROBERT	Samuel	9 Fifth Cross	Washington
335	HENRY	Williams	12 Moore Street	Boston
400	RACHEL	Lee	121 Harrison	New York
441	PETER	Thompson	11 Red road	Paris

EMPSALRAY

EMP ID	SALAR Y	BENEF ITS	DESIGNAT ION
010	75000	15000	Manager
105	65000	15000	Manager
152	80000	25000	Director
215	75000	12500	Manager
244	50000	12000	Clerk
300	45000	10000	Clerk
335	40000	10000	Clerk
400	32000	7500	Salesman
441	28000	7500	Salesman

(i) To display Firstname, Lastname, Address and City of all employees living in Paris from the table EMPLOYEES.

Ans: Select Firstname,Lastname,Address,City from Employees where City="Paris"

(ii) To display the content of EMPLOYEES table in descending order of FIRSTNAME.

Ans: Select * from Employees Order By Firstname Desc

(iii) To display the Firstname, Lastname, and Total Salary of all managers from the tables, where Total Salary is calculated as Salary+Benefits.

Ans: Select Firstname,Lastname,Salary+Benefits from Employees, Empsalary where Designation="Manager" and Employees.EmpId=EmpSalary.EmpId

(iv) To display the Maximum salary among Managers and Clerks from the table EMPSALARY.

Ans: Select Designation,max(Salary) from EmpSalary where Designation="Manager" or Designation="Clerk"

(v) SELECT FIRSTNAME,SALARY
FROM EMPLOYEES,EMPSALARY
WHERE DESTINATION
='Salesman' AND

EMPOLYEEES.EMPID=EMPSALARY.EMPID;

Ans:

Firstname	Salary
Rachel	32000
Peter	28000

(vi) SELECT COUNT (DISTINT DESIGNATION)
FROM EMPSALARY

Ans: 4

(vii) SELECT DESIGNATION , SUM(SALARY)
FROM EMPSALARY GROUP BY DESIGNATION
HAVING COUNT(*)>2;

Ans:

Designation	Sum(Salary)
Manager	215000
Clerk	135000

(viii)SELECT SUM (BENEFITS) FROM
EMPSALARY WHERE DESIGNATION='Clerk';

Ans: 32000

22) Consider the following tables WORKERS and DESIG. Write SQL commands for the statements (i) to (iv) and give outputs for SQL queries (v) to (viii).(OD 2005)

WORKERS

W_I D	FIRST NAME	LASTNAM E	ADDRESS	CITY
102	Sam	Tones	33 Elm St.	Paris
105	Sarah	Ackerman	44 U.S.110	New York
144	Manila	Sengupta	24 Friends Street	New Delhi
210	George	Smith	83 First Street	Howard
255	Mary	Jones	842 Vine Ave.	Losantiville
300	Robert	Samuel	9 Fifth Cross	Washington
335	Henry	Williams	12 Moore Street	Boston
403	Ronny	Lee	121 Harrison St.	New York
451	Pat	Thompson	11 Red Road	Paris

DESIG

W_I D	SALAR Y	BENEFIT S	DESIGINATI ON
102	75000	15000	Manager
105	85000	25000	Director
144	70000	15000	Manager
210	75000	12500	Manager
255	50000	12000	Clerk
300	45000	10000	Clerk
335	40000	10000	Clerk
400	32000	7500	Salesman
451	28000	7500	Salesman

(i) To display W_ID Firstname, address and City of all employees living in New York from the Table WORKERS

Ans: select W_ID ,firstname,address,city from workers where city="New York"

(ii) To display the content of workers table in ascending order of LASTNAME.

Ans:Select * from Worker Order By lastname Asc

(iii) To display the FIRSTNAME, LASTNAME and Total Salary of all Clerks from the tables WORKERS And DESIG, where Total

salary is calculated as Salary + benefits.

Ans: Select firstname, lastname, salary+benefits where worker.w_id=desg.w_id and Designation="Clerk"

(iv) To display the minimum salary among managers and Clerks from the tables DESIG.

Ans:

SELECT MIN(SALARY), DESIGNATION FROM
DESIG WHERE
DESIGNATION IN ('Manager','Clerk') GROUP BY
DESIGNATION; **OR**

SELECT MIN(SALARY), DESIGNATION FROM
DESIG WHERE

DESIGNATION= 'Manager' OR

DESIGNATION='Clerk' GROUP BY DESIGNATION;

OR

SELECT MIN(SALARY) FROM DESIG WHERE

DESIGNATION='Manager' OR

DESIGNATION='Clerk';

OR

SELECT MIN(SALARY) FROM DESIG WHERE

DESIGNATION IN ('Manager','Clerk');

(v) SELECT FIRSTNAME, SALARY FROM WORKERS, DESIG WHERE DESIGNATION = "MANAGER" AND WORKERS.W_ID = DESIGN.W_ID

Ans:

FIRSTNAME	SALARY
Sam	75000
Manila	70000
George	75000

(vi) SELECT COUNT(DISTINCT DESIGNATION) FROM DESIGN ;

Ans: 4

(vii) SELECT DESIGNATION, SUM(SALARY) FROM DESIG GROUP BY DESIGNATION HAVING COUNT (*)

Ans:

Designation	Sum(Salary)
Director	85000
Salesman	60000

(viii) SELECT SUM(BENIFTS) FROM DESIG WHERE DESIGNATION="salesman";

Ans: 15000

23. Give the following table for database a LIBRARY. (2004)

TABLE : BOOKS

BOOK_ID	BOOK_NAME	AUTHORNAME	PUBLISHER	PRICE	TYPE	QUANTITY
F0001	The Tears	William Hopkins	First Publ.	750	Fiction	10
F0002	Thunder bolts	Anna Roberts	First Publ.	700	Fiction	5
T0001	My first C++	Brains & Brooke	EPB	250	Text	10
T0002	C++ Brain works	A.W.Rossaine	TDH	325	Text	5
C001	Fast Cook	Lata Kapoore	EPB	350	Cookery	8

TABLE:ISSUED

BOOK_ID	QUANTITY_ISSUED
F0001	3
T0001	1
C0001	5

Write SQL queries from b to g.

(b) To show Book name, Author name and Price of books of EPB publisher.

Ans: select Book_name, Author_name, price from books where Publisher ="EPB"

(c) To list the names of the books of FICTIONS type.

Ans: Select Book_name from books where type="FICTION"

(d) To display the names and prices of the books in descending order of their price.

Ans: Select Book_name, price from books order by price desc;

(e) To increase the price of all books of First Pub.by 50.

Ans: update books set price= price+50 where publishers = "First Publ"

(f) To Display the Book_ID, Book_Name and Quantity Issued for all books Which have been issued.

Ans: Select Book_ID, Book_Name, Quantity_Issued from Books, Issued where Books.BookId= Issued.BookId;

(g) To insert a new row in the table Issued having the following data: "F0002",4

Ans: insert into Issued values("F0002",4)

(h) Give the output of the following queries on the above tables

(i) Select Count(Distinct Publishers) From Books

Ans: 3

(ii) Select Sum(Price) From Books Where Quantity>5

Ans: 1350

(iii) Select Book_Name, Author_Name From Books Where Price<500

Ans:

Book Name	Author Name
My First C++	Brian & Brooks
C++ Brainworks	A.W.Rossaine
Fast Cook	Lata Kapoor

(iv) Select Count(*) From Books

Ans: 5

24. Write SQL commands for (b) to (g) and write the outputs for (h) on the basis of tables INTERIORS and NEWONES. (2003)

TABLE: INTERIORS

NO	ITEMNAME	TYPE	DATEOF STOCK	PRICE	DISCOUNT
1	Red rose	Double Bed	23/02/02	32000	15
2	Soft touch	Baby cot	20/01/02	9000	10
3	Jerry's home	Baby cot	19/02/02	8500	10
4	Rough wood	Office Table	01/01/02	20000	20
5	Comfort zone	Double Bed	12/01/02	15000	20
6	Jerry look	Baby cot	24/02/02	7000	19
7	Lion king	Office Table	20/02/02	16000	20
8	Royal tiger	Sofa	22/02/02	30000	25
9	Park sitting	Sofa	13/12/01	9000	15
10	Dine paradise	Dinning Table	19/02/02	11000	15

TABLE:NEWONES

NO	ITEM NAME	TYPE	DATEOF STOCK	PRICE	DISCOUNT
11	White wood	Double bed	23/03/03	20000	20
12	James 007	Sofa	20/02/03	15000	15
13	Tom look	Baby cot	21/02/03	7000	10

(b) To show all information about the sofas from the INTERIORS table.

Ans: Select * from INTERIORS where type= "sofa"

(d) To list ITEMNAME and TYPE of those items, in which DATEOFSTOCK is before 22/01/02 from the INTERIORS table in descending order of ITEMNAME.

Ans: Select Itemname, Type From Interiors Where Dateofstock < {22/01/02} order by Itemname

(e) To display ITEMNAME and DATEOFSTOCK of those items in which the Discount percentage is more than 15 from INTERIORS.

Ans: Select Itemname, Dateofstock from Interiors Where Discount > 15

(f) To count the number of items whose type is "Double bed";

Ans: Select Count(*) from Interiors Where Type="Double Bed"

(g) To insert new row in the NEWONES table with the following data:

14, "True Indian ", "Office Table ", {28/03/03},15000,20

Ans: Insert into Newones values(14,"True Indian","Office Table", " {28/03/03},15000,20)

(h) Give the outputs for the following SQL statements.

(i) Select COUNT (distinct TYPE) from INTERIORS;
Ans: 5

(ii) Select AVG(DISCOUNT)from INTERIORS where TYPE ="Baby cot"; **Ans:** 13

(iii) Select SUM(price)from INTERIORS where DATEOFSTOCK<{12/02/02};

Ans: 53000

25. Given the following Teacher Relation. (2002)

Write SQL Commands fro (b) to (g)

No	Name	Department	DateofJoining	Salary	Sex
1	Raja	Computer	21/5/98	8000	M
2	Sangita	History	21/5/97	9000	F
3	Ritu	Sociology	29/8/98	8000	F
4	Kumar	Linguistics	13/6/96	10000	M
5	Venkatraman	History	31/10/99	8000	M
6	Sindhu	Computer	21/5/86	14000	M
7	Aishwarya	Sociology	11/1/1998	12000	F

(b) To select all the information of teacher in computer department

Ans: Select * from Teacher where Department="Computer"

(c) To list the name of female teachers in History Department.

Ans: Select Name from Teacher Where Sex="F" And Department="History"

(d) To list all names of teachers with date of admission in ascending order.

Ans: Select Name from Teacher Order By Dateofjoining Asc

(e) To display Teacher's Name, Department, and Salary of female teachers

Ans: Select Name,Department,Salary from Teacher Where Sex="F"

(f)To count the number of items whose salary is less than 10000

Ans: Select Count(*) from Teacher Where Salary<10000

(g) To insert a new record in the Teacher table with the following data:

8,"Mersha", "Computer", (1/1/2000),12000,"M".

Ans: Insert into Teacher values ,"Mersha", "Computer", {1/1/2000},12000,"M");

26) Write the SQL commands for (i) to (vii) on the basis of the table SPORTS (2001)

TABLE: SPORTS

Stud no	Class	Name	Game1	Grade1	Game2	Grade2
10	7	Smeer	Criquet	B	Swimming	A
11	8	Sujit	Tennis	A	Skating	C
12	7	Kamala	Swimming	B	Football	B
13	7	Veena	Tennis	C	Tennis	A
14	9	Archana	Basket ball	A	Cricket	A
15	10	Arpit	Cricket	A	Athletics	C

(i) Display the names of the students who have grade 'C' in either Game1 or Game2 or both.

Ans: Select Name From Sports Where Grade1="C" OR Grade2="C"

(ii) Display the number of students getting grade 'A' in Cricket.

Ans: Select Count(*) from Sports Where (Game1="Cricket" and Grade1="A") or (Game2="Cricket" and Grade2="A")

(iii) Display the names of the students who have same game for both game1 and game2

Ans: Select Name From Sports Where Game1=Game2

(iv) Display the games taken up by the students, whose name starts with 'A'.

Ans: Select Game1,Game2 From Sports Where Name Like "A%"

(v) Add a new column named 'marks'.

Ans: Alter Table Sports Add Marks Number(5);

(vi) Assign a value 200 for marks for all those who are getting grade 'B' or 'A' in both Game1 and Game2.

Ans: (Children, Try This Answer as an assignment)

(vii) Arrange the whole table in the alphabetical order of name.

Ans: Select * from Sports Order By Name

27. Write SQL commands for the (b) to (e) and write the outputs for (g) on the basis of table CLUB. (2000)

TABLE: CLUB

COACH H-ID	COACH NAME	AGE	SPORTS	DATEOF APP	PAY	SEX
1	KUKREJA	35	KARATE	27/03/96	1000	M
2	RAVINA	34	KARATE	20/01/98	1200	F
3	KARAN	34	SQUASH	19/01/98	2000	M
4	TARUN	33	BASKET BAL	01/01/98	1500	M
5	ZUBIN	36	SWIMMING	12/01/98	750	M
6	KETAKI	36	SWIMMING	24/02/98	800	F
7	ANKITA	39	SQUASH	20/02/98	2200	F
8	ZAREEN	37	KARATE	22/02/98	1100	F
9	KUSH	41	SWIMMING	13/01/98	900	M
10	SHAILYA	37	BASKETBALL	19/02/98	1700	M

(b) To show all information about the swimming coaches in the club.

Ans: Select * from Club

(c) To list names of all coaches with their date of appointment (DATEOFAPP) in descending order.

Ans: Select Coachname from Club order by Dataofapp desc

(d) To display a report, showing coachname, pay, age and bonus(15% of pay) for all coaches.

Ans:

Select Coachname,Pay,Age,Pay*0.15 from Club

(e) To insert a new row in the CLUB table with following data: 11,"PRAKASH",37,"SQUASH", {25/02/98},2500,"M"

Ans: Insert into Club Values

(11,"PRAKASH",37,"SQUASH",{25/02/98},2500,"M")

(f) Give the output of the following SQL statements:

(i) select COUNT (distinct SPORTS)from CLUB;

Ans: 4

(ii) select MIN(AGE) from CLUB where SEX ="F";

Ans: 34

(iii) select AVG(PAY) from CLUB where SPORTS = "KARATE";

Ans: 1100

(iv) select SUM(PAY) from CLUB where DATAOFAPP>{31/01/98};

Ans: 7800

(G) Assuming that there is one more table COACHES in the database as shown below:

TABLE:COACHES

SPORTS PERSON	SEX	COACH_NO
AJAY	M	1
SEEMA	F	2
VINOD	M	1
TANEJA	F	3

What will be the output of the following query:

```
SELECT SPORTS PERSON, COACHNAME
FROM CLUB,COACHES
WHERE COACH_ID=COACH_NO
```

SPORTS PERSON	COACHNAME
AJAY	KUKREJA
SEEMA	RAVINA
VINOD	KUKREJA
TANEJA	KARAN

Ans:

28) Given the following Teacher relation: Write SQL commands for questions (b) to (g). (1999)

TEACHER

N O	NAME	Age	DEPARTMENT	DATEOF JOINING	SALARY	SEX
1	RAJA	45	COMPUTER	21/5/98	8000	M
2	SANGITA	32	History	21/5/97	9000	F
3	RITU	22	MATHS	29/8/98	8000	F
4	KUMAR	41	HISTORY	13/6/96	10000	M
5	VENKAT	44	MATHS	31/10/99	8000	M
6	SINDU	51	HISTORY	21/5/86	14000	F
7	ASHWARYA	37	MATHS	11/1/98	12000	F

(b)To show all information about the teachers of history department.

Ans:select * from teacher where department='history';

(c) To list names of female teacher who are in math department.

Ans: select name from teacher where sex='female' and department='maths';

d) To list names of all teacher with their date of joining in ascending order.

Ans:Select Name From Teacher order by dateofjoining;

(f) To count the number of teachers with age >23.

Ans: Select count(name) from teacher where age>23;

(g) To insert a new row in the teacher table with the following data:

9, "raja", 26, "computer", {13/5/95 }, 2300, "M".

Ans: Insert into Teacher values(9,"raja",26, "computer", {13/05/95},2300,"M");

29. Write SQL commands for (b) to (g) and write the outputs for (h) on the basis of table HOSPITAL (1998)

N O	NAME	AGE	DEPARTMENT	DATEOF ADM	CHARGES	SEX
1	Arpit	62	Surgery	21/1/98	300	M
2	Zareena	22	Ent	12/12/97	250	F
3	Kareem	32	Arthopedic	19/2/98	200	M
4	Arun	12	Surgery	11/1/98	300	M
5	Zubin	30	Ent	12/1/98	250	M
6	Karin	16	Ent	24/2/98	250	F
7	Ankita	29	cardiology	22/2/98	800	F
8	Zareen	45	Gynecology	22/2/98	300	F
9	Kush	19	Cardiology	13/1/98	800	M
10	Shilpa	23	Nuclear medicine	21/2/98	400	F

(b) To select all the information of patients of all cardiology department.

Ans: Select all from Hospital where department="Cardiology"

(c) To list the names of female patients who are in ent department.

Ans:select name from Hospital where Department="Ent" and Sex="F"

(d) To list names of all patients with their date of admission in ascending order.

Ans: Select name,dateofadm from Hospital dateofadm.

(e) To display patients name, charges, age, for only female patients.

Ans: Select Name,Charges,age from Hospital where sex="F"

(f) To count the number of patients with age <30.

Ans: Select count(*) from hospitals where age<30

(g) To insert the new row in the hospital table with the following data: 11, "aftab", 24, "surgery", {25/2/98}, 300, "M".

Ans: insert into Hospital values(11, "aftab", 24, "surgery", {25/02/98}, 300, "M")

(h) Give the output of the following SQL statements:

(i) Select count (distinct charges)from hospital;

Ans: 5

(ii) Select min(age) from hospital where sex = "f";

Ans: 16

(iii) Select sum(charges) from hospital where department = "ent";

Ans: 750

(iv) Select avg(charges) from hospital where date of admission is <{12/02/98};

Ans:380

30)Consider the following tables ACTIVITY and COACH and answer (b) and (c) parts of this question: (MP109-10)

A Code	ActivityName	Stadium	Participants Num	Prize Money	Schedule Date
1001	Relay 100x4	StarAnnex	16	10000	23-Jan-2004
1002	High jump	StarAnnex	10	12000	12-Dec-2003
1003	Shot Put	Super Power	12	8000	14-Feb-2004
1005	Long Jump	StarAnnex	12	9000	01-Jan-2004
1008	Discuss Throw	Super Power	10	15000	19-Mar-2004

Table: COACH

PCode	Name	Acode
1	Ahmad Hussain	1001
2	Ravinder	1008
3	Janila	1001
4	Naaz	1003

b) Write SQL commands for the following statements: 4

(i) To display the names of all activities with their ACodes in descending order.

Ans) SELECT Acodes, ActivityName FROM ACTIVITY ORDER BY Acode DESC;

(ii) To display sum of PrizeMoney for the Activities played in each of the Stadium separately.

Ans) SELECT SUM(PrizeMoney), Stadium FROM ACTIVITY GROUP BY Stadium;

(iii) To display the coach's name and ACodes in ascending order of ACode from the table COACH

Ans) SELECT Name, Acode FROM COACH ORDER BY Acode;

(iv) To display the content of the Activity table whose ScheduleDate earlier than 01/01/2004 in ascending order of ParticipantsNum.

Ans) SELECT * FROM ACTIVITY WHERE SchduleDate<'01-Jan-2004' ORDER BY ParticipantsNum;

c) Give the output of the following SQL queries: 2

(i) SELECT COUNT(DISTINCT ParticipantsNum) FROM ACTIVITY;

Ans) 3

(ii) SELECT MAX(ScheduleDate), MIN(ScheduleDate) FROM ACTIVITY;

Ans) 19-Mar-2004 12-Dec-2003

(iii) SELECT Name, ActivityName FROM ACTIVITY A, COACH C WHERE A.Acode= C.Acode AND A.ParticipantsNum = 10;

Ans) Ravinder Discuss Throw

(iv) SELECT DISTINCT Acode FROM COACH;

Ans)

1001

1003

1008

31) Consider the following tables GAMES and PLAYER and answer (b) and (c) parts of this question (MP209-10)

GCode	GameName	Type	Number	Prize Money	Schedule Date
101	Carom Board	Indoor	2	5000	23-Jan-2004
102	Badminton	Outdoor	2	12000	12-Dec-2003
103	Table Tennis	Indoor	4	8000	14-Feb-2004
105	Chess	Indoor	2	9000	01-Jan-2004
108	Lawn Tennis	Outdoor	4	25000	19-Mar-2004

PCode	Name	Gcode
1	Nabi Ahmad	101
2	Ravi Sahai	108
3	Janin	101
4	Nazneen	103

b) Write SQL commands for the following statements: 4

(i) To display the name of all GAMES with their GCodes

Ans) SELECT GameName, Gcode FROM GAMES;

(ii) To display details of those GAMES which are having PrizeMoney more than 7000.

Ans) SELECT * FROM Games WHERE Prizemoney>7000;

(iii) To display the content of the GAMES table in ascending order of Schedule Date.

Ans) SELECT * FROM Games ORDER BY ScheduleDate;

(iv) To display sum of PrizeMoney for each Type of GAMES Ans) SELECT SUM(Prizemoney), Type FROM Games GROUP BY Type;

c) Give the output of the following SQL queries: 2

(i) SELECT COUNT(DISTINCT Number) FROM GAMES;

Ans) 2

(ii) SELECT MAX(ScheduleDate), MIN(ScheduleDate) FROM GAMES;

Ans) 19-Mar-2004 12-Dec-2003

(iii) SELECT Name, GameName FROM GAMES G, PLAYER P WHERE G.Gcode=P.Gcode AND G.PrizeMoney>10000;

Ans) Ravi Sahai Lawn Tennis

(iv) SELECT DISTINCT Gcode FROM PLAYER;

Ans) 3

32) Consider the following tables ACTIVITY and COACH. Write SQL commands for the statements

(i) to (iv) and give outputs for SQL queries (v) to (viii)

(MP108-09) 6

Table: ACTIVITY

ACode	ActivityName	Participant Num	PrizeMoney	ScheduleDate
1001	Relay 100x4	16	10000	23-Jan-2004
1002	High jump	10	12000	12-Dec-2003
1003	Shot Put	12	8000	14-Feb-2004
1005	Long Jump	12	9000	01-Jan-2004
1008	Discuss Throw	10	15000	19-Mar-2004

Table: COACH

PCode	Name	Acode
1	Ahmad Hussain	1001
2	Ravinder	1008
3	Janila	1001
4	Naaz	1003

i) To display the name of all activities with their A codes in descending order.

Answer: SELECT ActivityName, ACode FROM ACTIVITY ORDER BY ACode DESC;

(ii) To display sum of PrizeMoney for each of the Number of participants groupings (as shown in column ParticipantsNum 10,12,16)

Answer: SELECT SUM(PrizeMoney), ParticipantsNum FROM ACTIVITY GROUP BY ParticipantsNum;

(iii) To display the coach's name and A codes in ascending order of A code from the table COACH

Answer: SELECT Name, ACode FROM COACH ORDER BY ACode;

(iv) To display the content of the ACTIVITY table whose ScheduleDate earlier than 01/01/2004 in ascending order of ParticipantsNum.

Answer: SELECT * FROM ACTIVITY WHERE ScheduleDate < '01-Jan-2004' ORDER BY ParticipantsNum;

v) SELECT COUNT(DISTINCT ParticipantsNum) FROM ACTIVITY;

Answer: 3

(vi) SELECT MAX(ScheduleDate), MIN(ScheduleDate) FROM ACTIVITY;

Answer:

19-Mar-2004	12-Dec-2003
-------------	-------------

(vii) SELECT SUM(PrizeMoney) FROM ACTIVITY;

Answer: 54000

(viii) SELECT DISTINCT

ParticipantsNum FROM ACTIVITY;

Answer: 16

10

12

33) Consider the following tables GAMES and PLAYER. Write SQL commands for the statements (i) to (iv) and give outputs for SQL queries (v) to (viii) (MP209-10) 6

Table: GAMES

GCode	GameName	Number	PrizeMoney	ScheduleDate
101	Carom Board	2	5000	23-Jan-2004
102	Badminton	2	12000	12-Dec-2003
103	Table Tennis	4	8000	14-Feb-2004
105	Chess	2	9000	01-Jan-2004
108	Lawn Tennis	4	25000	19-Mar-2004

Table: PLAYER

PCode	Name	Gcode
1	Nabi Ahmad	101
2	Ravi Sahaj	108
3	Jatin	101
4	Nazneen	103

i) To display the name of all Games with their G codes

Answer:

SELECT GameName, Gcode FROM GAMES;

(ii) To display details of those games which are having PrizeMoney more than 7000.

Answer:

SELECT * FROM GAMES WHERE PrizeMoney > 7000

(iii) To display the content of the GAMES table in ascending order of ScheduleDate.

Answer:

SELECT * FROM GAMES ORDER BY ScheduleDate;

iv) To display sum of PrizeMoney for each of the Number of participation groupings (as shown in column Number 2 or 4)

Answer: SELECT SUM(PrizeMoney), Number FROM GAMES GROUP BY Number;

v) SELECT COUNT(DISTINCT Number) FROM GAMES;

Answer: 2

(vi) SELECT MAX(ScheduleDate), MIN(ScheduleDate) FROM GAMES;

Answer: 19-Mar-2004 12-Dec-2003

(vii) SELECT SUM(PrizeMoney) FROM GAMES;

Answer: 59000

(viii) SELECT DISTINCT Gcode FROM PLAYER;

Answer: 101

103

108

34) Consider the following tables SCHOOL and ADMIN. Write SQL commands for the statements (i) to (iv) and give outputs for SQL queries (v) to (viii).

TABLE: SCHOOL

CODE	TEACHERNAME	SUBJECT	DOJ	PERIODS	EXPERIENCE
1001	RAVI SHANKAR	ENGLISH	12/03/2000	24	10
1009	PRIYA RAI	PHYSICS	03/09/1998	26	12
1203	LISA ANAND	ENGLISH	09/04/2000	27	5
1045	YASHRAJ	MATHS	24/08/2000	24	15
1123	GAMAM	PHYSICS	16/07/1999	28	3
1167	HARISH B	CHEMISTRY	19/10/1999	27	5
1215	UMESH	PHYSICS	11/05/1998	22	16

TABLE: ADMIN

CODE	GENDER	DESIGNATION
1001	MALE	VICE PRINCIPAL
1009	FEMALE	COORDINATOR
1203	FEMALE	COORDINATOR
1045	MALE	HOD
1123	MALE	SENIOR TEACHER
1167	MALE	SENIOR TEACHER
1215	MALE	HOD

(i) To decrease period by 10% of the teachers of English subject.

UPDATE SCHOOL SET PERIOD=PERIOD*0.90;

(ii) To display TEACHERNAME, CODE and DESIGNATION from tables SCHOOL and ADMIN whose gender is male.

SELECT S.TEACHERNAME, S.CODE, A.DESIGNATION FROM SCHOOL, ADMIN A WHERE GENDER='MALE' AND S.CODE=A.CODE;

(iii) To display number of teachers in each subject.

SELECT SUBJECT, COUNT(*) FROM SCHOOL GROUP BY SUBJECT;

(iv) To display details of all teachers who have joined the school after 01/01/1999 in descending order of experience.

SELECT S.CODE, S.TEACHERNAME, S.SUBJECT, S.DOJ, S.PERIODS, S.EXPERIENCE, A.GENDER, A.DESIGNATION FROM SCHOOL S,

**ADMIN A WHERE DOB>'01/01/1999' AND
S.CODE=A.CODE ORDER BY EXPERIENCE
DESC;**

(v) SELECT SUM(PERIODS), SUBJECT FROM
SCHOOL GROUP BY SUBJECT;

SUM(PERIODS)	SUBJECT
51	ENGLISH
76	PHYSICS
24	MATHS
27	CHEMISTRY

(vi) SELECT TEACHERNAME, GENDER FROM
SCHOOL, ADMIN WHERE DESIGNATION
='COORDINATOR' AND
SCHOOL.CODE=ADMIN.CODE;

TEACHERNAME	GENDER
PRIYA RAI	FEMALE
LISA ANAND	FEMALE

(vii) SELECT DESIGNATION, COUNT(*) FROM
ADMIN GROUP BY DESIGNATION HAVING
COUNT(*)>1;

DESIGNATION	COUNT(*)
COORDINATOR	2
HOD	2
SENIOR TEACHER	2

(viii) SELECT COUNT(DISTINCT SUBJECT) FROM
SCHOOL;
COUNT(*)

4

13. BOOLEAN ALGEBRA

Laws:

- (1) Properties of 0 and 1:
 $0 + X = X, \quad 1 + X = 1,$
 $0.X = 0, \quad 1.X = X$
- (2) Idempotence Law:
 (a) $X + X = X$ (b) $X.X = X$
- (3) Involution Law: $\overline{\overline{A}} = A$
- (4) Complementary Law:
 (a) $X + \overline{X} = 1$ (b) $X.\overline{X} = 0$
- (5) Commutative Law:
 (a) $X + Y = Y + X$ (b) $X.Y = Y.X$
- (6) Associative Law:
 (a) $X + (Y + Z) = (X + Y) + Z$
 (b) $X.(Y.Z) = (X.Y).Z$
- (7) Distributive Law:
 (a) $X(Y + Z) = XY + XZ$
 (b) $X + YZ = (X + Y)(X + Z)$
- (8) Absorption Law:
 (a) $X + XY = X$ (b) $X(X + Y) = X$
- (9) Third distributive Law: $X + \overline{X}Y = X + Y$
 [In some places this law is showing in absorption law instead of third distributive law]
- (10) Demorgan's Theorems
 (a) $\overline{X + Y} = \overline{X}.\overline{Y}$ (b) $\overline{X.Y} = \overline{X} + \overline{Y}$

Model 1: Boolean Laws (2 Marks)

1.State any one Distributive Law of Boolean Algebra and Verify it using truth table. 2019MP2

Distributive Law:
 $A + BC = (A + B)(A + C)$

Verification

A	B	C	BC	A+BC	(A+B)	(A+C)	(A+B)(A+C)
0	0	0	0	0	0	0	0
0	0	1	0	0	0	1	0
0	1	0	0	0	1	0	0
0	1	1	1	1	1	1	1
1	0	0	0	1	1	1	1
1	0	1	0	1	1	1	1
1	1	0	0	1	1	1	1
1	1	1	1	1	1	1	1

OR

$A(B + C) = AB + AC$

A	B	C	B+C	A(B+C)	AB	AC	AB+AC
0	0	0	0	0	0	0	0
0	0	1	1	0	0	0	0
0	1	0	1	0	0	0	0
0	1	1	1	0	0	0	0
1	0	0	0	0	0	0	0
1	0	1	1	1	0	1	1
1	1	0	1	1	1	0	1
1	1	1	1	1	1	1	1

2) State any one Absorption Law of Boolean Algebra and verify it using truth table (2018)2

$X + X.Y = X$
Verification:

X	Y	X.Y	X+X.Y
0	0	0	0
0	1	0	0
1	0	0	1
1	1	1	1

OR
 $X . (X + Y) = X$
Verification:

X	Y	X+Y	X.(X+Y)
0	0	0	0
0	1	1	0
1	0	1	1
1	1	1	1

OR
 $X + X' . Y = X + Y$
Verification:

X	Y	X'	X'.Y	X+X'.Y	X+Y
0	0	1	0	0	0
0	1	1	1	1	1
1	0	0	0	1	1
1	1	0	0	1	1

OR

$X . (X' + Y) = X . Y$
Verification:

X	Y	X'	X'+Y	X.(X'+Y)	X.Y
0	0	1	1	0	0
0	1	1	1	0	0
1	0	0	0	0	0
1	1	0	1	1	1

3.State DeMorgan's Laws of Boolean Algebra and verify them using truth table. (2017)

(i) $(A.B)' = A' + B'$ (ii) $(A + B)' = A'.B'$

Ans)

Truth Table Verification:

(i)

A	B	A.B	(A.B)'	A'	B'	A'+B'
0	0	0	1	1	1	1
0	1	0	1	1	0	1
1	0	0	1	0	1	1
1	1	1	0	0	0	0

(ii)

A	B	A+B	(A+B)'	A'	B'	A'.B'
0	0	0	1	1	1	1
0	1	1	0	1	0	0
1	0	1	0	0	1	0
1	1	1	0	0	0	0

3) State and Verify Absorption law in Boolean Algebra. (OD2008) 2

$$X+X.Y=X$$

X	Y	X.Y	X+X.Y	X
0	0	0	0	0
0	1	0	0	0
1	0	0	1	1
1	1	1	1	1

OR

$$X.(X+Y)=X$$

X	Y	X+Y	X.(X+Y)	X
0	0	0	0	0
0	1	1	0	0
1	0	1	1	1
1	1	1	1	1

Ans)

OR

$$X+X'.Y=X+Y$$

X	Y	X'	X'.Y	X+X'.Y	X+Y
0	0	1	0	0	0
0	1	1	1	0	0
1	0	0	0	1	1
1	1	0	0	1	1

OR

$$X.(X'+Y)=X.Y$$

X	Y	X'	X'+Y	X.(X'+Y)	X.Y
0	0	1	1	0	0
0	1	1	1	0	0
1	0	0	0	0	0
1	1	0	1	1	1

OR

$$X+X.Y=X$$

$$\begin{aligned} \text{L.H.S} &= X+X.Y \\ &= X.1+X.Y \\ &= X.(1+Y) \\ &= X.1 \\ &= X \\ &= \text{R.H.S} \end{aligned}$$

Verified

OR

$$\begin{aligned} X(X+Y) &= X \\ \text{L.H.S} &= X.(X+Y) \\ \text{L.H.S} &= X.X+X.Y \\ &= X+X.Y \\ &= X.1+X.Y \\ &= X.(1+Y) \\ &= X.1 \\ &= X \\ &= \text{R.H.S} \end{aligned}$$

Verified

OR

$$\begin{aligned} X+X'.Y &= X+Y \\ \text{L.H.S} &= (X+X').(X+Y) \\ &= 1.(X+Y) \\ &= X+Y \\ &= \text{R.H.S} \end{aligned}$$

Verified

OR

$$X.(X'+Y)=X.Y$$

$$\begin{aligned} \text{L.H.S} &= X.(X'+Y) \\ &= X.X'+X.Y \\ &= 0+X.Y \\ &= X.Y \\ &= \text{R.H.S} \end{aligned}$$

Verified

4) State and verify De Morgan's law in Boolean Algebra. (D2008) 2

Ans)

$$(X+Y)'=X'.Y'$$

OR

$$(X.Y)'=X'+Y'$$

Verification:

X	Y	X+Y	(X+Y)'	X'	Y'	X'.Y'
0	0	0	1	1	1	1
0	1	1	0	1	0	0
1	0	1	0	0	1	0
1	1	1	0	0	0	0

VERIFIED

OR

$$(X+Y)'=X'.Y'$$

$$\text{If } (X+Y).(X+Y)'=(X'.V).(X+Y)$$

$$\text{If } 0 = X'.Y'.X+X'.Y'.Y$$

$$\text{If } 0 = 0+0$$

Hence Proved and Verified

5) State and verify Associative Law. (OD2006) 2

Ans)

$$(i) X+(Y+Z)=(X+Y)+Z$$

X	Y	Z	Y+Z	X+Y	X+(Y+Z)	(X+Y)+Z
0	0	0	0	0	0	0
0	0	1	1	0	1	1
0	1	0	1	1	1	1
0	1	1	1	1	1	1
1	0	0	0	1	1	1
1	0	1	1	1	1	1
1	1	0	1	1	1	1
1	1	1	1	1	1	1

(ii) $X.(Y.Z)=(X.Y).Z$

X	Y	Z	YZ	X.Y	X.(YZ)	(X.Y).Z
0	0	0	0	0	0	0
0	0	1	0	0	0	0
0	1	0	0	0	0	0
0	1	1	1	0	0	0
1	0	0	0	0	0	0
1	0	1	0	0	0	0
1	1	0	0	1	0	0
1	1	1	1	1	1	1

X	Y	X+Y	X.(X+Y)
0	0	0	0
0	1	1	0
1	0	1	1
1	1	1	1

OR

X	Y	X'	X'+Y	X.(X'+Y)	X.Y
0	0	1	0	0	0
0	1	1	1	0	0
1	0	0	0	0	0
1	1	0	1	1	1

OR

X	Y	X'	X'.Y	X+X'.Y	X+Y
0	0	1	0	0	0
0	1	1	1	1	1
1	0	0	0	1	1
1	1	0	0	1	1

OR

Algebraic Verification:

$$\begin{aligned} X+X.Y &= X \\ X.1+X.Y &= X \\ X.(1+Y) &= X \\ X.1 &= X \\ X &= X \end{aligned}$$

OR

$$\begin{aligned} X.(X+Y) &= X \\ XX+X.Y &= X \\ X.1+X.Y &= X \\ X.(1+Y) &= X \\ X.1 &= X \\ X &= X \end{aligned}$$

OR

$$\begin{aligned} X+X'.Y &= X+Y \\ (X+X')(X+Y) &= X+Y \\ 1.(X+Y) &= X+Y \\ X+Y &= X+Y \end{aligned}$$

OR

$$\begin{aligned} X(X'+Y) &= X.Y \\ XX'+X.Y &= X.Y \\ 0+X.Y &= X.Y \\ X.Y &= X.Y \end{aligned}$$


6) State and verify Distributive Law. (D2006) 2

Ans)(a) $A(B+C) = AB+AC$

(b) $A+(BC) = (A+B)(A+C)$

Verification of first distributive law using truth table:

A	B	C	B+C	A(B+C)	AB	AC	AB+AC
0	0	0	0	0	0	0	0
0	0	1	1	0	0	0	0
0	1	0	1	0	0	0	0
0	1	1	1	0	0	0	0
1	0	0	0	0	0	0	0
1	0	1	1	1	0	1	1
1	1	0	1	1	1	0	1
1	1	1	1	1	1	1	1



Comparing Column Numbers 5 and 8, Distributive law is verified.

7) State and verify Absorption Law in Boolean algebra. (OD2005) 2

Ans) Absorption Law:

$$X+X.Y=X$$

OR

$$X.(X+Y)=X$$

OR

$$X+X'.Y=X+Y$$

OR

$$X.(X'+Y)=X.Y$$

X	Y	X.Y	X+X.Y
0	0	0	0
0	1	0	0
1	0	0	1
1	1	1	1

OR

8) State and verify Associative law in Boolean Algebra. (D2005) 2

Ans)

Associative Laws of Boolean Algebra:

$$A.(B.C) = (A.B).C$$

OR

$$A+(B+C) = (A+B)+C$$

Verification of $A.(B.C) = (A.B).C$

A	B	C	B.C	A.(B.C)	A.B	(A.B).C
0	0	0	0	0	0	0
0	0	1	0	0	0	0
0	1	0	0	0	0	0
0	1	1	1	0	0	0
1	0	0	0	0	0	0
1	0	1	0	0	0	0
1	1	0	0	0	1	0
1	1	1	1	1	1	1

OR

Verification of $A+(B+C) = (A+B)+C$

A	B	C	B+C	A+(B+C)	A+B	(A+B)+C
0	0	0	0	0	0	0
0	0	1	1	1	0	1
0	1	0	1	1	1	1
0	1	1	1	1	1	1
1	0	0	0	1	1	1
1	0	1	1	1	1	1
1	1	0	1	1	1	1
1	1	1	1	1	1	1

9) State and prove the Absorption law algebraically. (2004)

10) State and verify Duality Principle. (2001)

11) Prove $XY + YZ + Y'Z = XY + Z$, algebraically. (2002) 2

12) Prove algebraically: $x'y'z' + x'y'z + x'yz' + x.y'z = x' + y'$ (2001)

13) Prove $X'.Y+Y'.Z = X'.Y.Z+X'.Y'.Z'+X.Y'.Z+X'.Y'.Z$ algebraically. (2000)

14) Prove $x+x'y=x+y$ algebraically. (1999)

15) Prove $X+Y'Z=(X+Y'+Z')(X+Y'+Z)(X+Y+Z)$ algebraically. (1998)

16) State & verify Demorgan's Laws.(MP108-09)2

Ans) $(X+Y)' = X'.Y'$
 $(X.Y)' = X'+Y'$

X	Y	X+Y	(X+Y)'	X'	Y'	X'.Y'	X.Y	(X.Y)'	X'+Y'
0	0	0	1	1	1	1	0	1	0
0	1	1	0	1	0	0	0	1	0
1	0	1	0	0	1	0	0	1	0
1	1	1	0	0	0	0	1	0	1

17) State and verify Distributive law in Boolean Algebra. 2

Model 1A: Boolean Laws – Algebraic Method (2Marks)

1. Verify the following using Boolean Laws. (2016)2

$$X' + Y'Z = X'.Y'.Z' + X'.Y.Z' + X'.Y.Z + X'.Y'.Z + X.Y'.Z$$

Ans LHS = $X' + Y'.Z$
 $= X'.(Y + Y').(Z + Z') + (X + X').Y'.Z$
 $= X'.Y.Z + X'.Y.Z' + X'.Y'.Z + X'.Y'.Z' + X.Y'.Z$
 $+ X'.Y'.Z$
 $= X'.Y.Z + X'.Y.Z' + X'.Y'.Z + X'.Y'.Z' + X.Y'.Z$
 $= X'.Y'.Z' + X'.Y.Z' + X'.Y.Z + X'.Y'.Z + X.Y'.Z$
 $= \text{RHS}$

OR

RHS

$$X'.Y'.Z' + X'.Y.Z' + X'.Y.Z + X'.Y'.Z + X.Y'.Z$$

$$= X'.Y'.Z + X'.Y'.Z' + X'.Y.Z + X'.Y.Z' + X.Y'.Z$$

$$= X'.Y'.(Z+Z') + X'.Y.(Z+Z') + X.Y'.Z$$

$$= X'.Y' + X'.Y + X.Y'.Z$$

$$= X'.(Y'+Y) + X.Y'.Z$$

$$= X' + X.Y'.Z$$

$$= (X' + X).(X' + Y'.Z)$$

$$= X' + Y'.Z$$

$$= \text{LHS}$$

2. Verify the following using Boolean Laws. (2015)

$$U' + V = U'.V' + U'.V + U.V$$

L.H.S
 $= U' + V$
 $= U'.(V+V') + V.(U'+U)$
 $= U'.V + U'.V' + U'.V + U.V$
 $= U'.V + U'.V' + U.V$
 $= \text{R.H.S}$

OR

R.H.S
 $= U'.V' + U'.V + U.V$
 $= U'.(V'+V) + U.V$
 $= U'.1 + U.V$
 $= U' + U.V$
 $= U' + V$
 $= \text{L.H.S}$

(a) Verify the following using Boolean Laws $X + Z = X + X' \cdot Z + Y \cdot Z$ 2

Answer :

$$\begin{aligned} \text{L.H.S.} &= X + X' \cdot Z + Y \cdot Z \\ &= X + X'Z \cdot 1 + Y \cdot Z \\ &= X + X'Z(Y+Y') + (X+X')(YZ) \\ &= X + X'YZ + X'Y'Z + XYZ + X'Y'Z \\ &= X + YZ(X+X') + X'Y'Z + XYZ \\ &= X + YZ + X'Y'Z + XYZ \\ &= X + YZ + X'Z(Y+Y') \\ &= X + YZ + X'Z \\ &= X + Z(X+Y) \\ &= X + Z \\ &= \text{R.H.S.} \end{aligned}$$

Hence Proved (2013)

4) Verify the following algebraically $(A'+B')(A+B) = A'B + AB'$ (2011)

Ans. L.H.S

$$\begin{aligned} (A'+B') \cdot (A+B) &= A'A + A'B + A'B' + B'B \\ &= 0 + A'B + A'B' + 0 \\ &= A'B + A'B' \\ &= \text{R.H.S. (Verified)} \end{aligned}$$

5) Verify the following algebraically: $(OD 2010)2$
 $X'Y + XY' = (X'+Y')(X+Y)$

Ans. R. H. S

$$\begin{aligned} (X'+Y')(X+Y) &= x'(x+y) + y'(x+y) \\ &= x'(x+y) + y'(x+y) \\ &= x \cdot x' + x' \cdot y + y \cdot x' + y \cdot y' \\ &= x' \cdot y + y' \cdot x \\ &= x' \cdot y + x \cdot y' \end{aligned}$$

So L.H.S=R.H.S

OR

L.H.S.

$$\begin{aligned} X'Y + XY' &= (X'Y+X)(X'Y+Y') \\ &= (X'+X)(Y+X)(X'+Y')(Y+Y') \\ &= 1 \cdot (X+Y) \cdot (X'+Y') \cdot 1 = (X+Y)(X'+Y') = \text{R.H.S.} \end{aligned}$$

6) Verify $X \cdot Y'Z + X \cdot Y'Z' + X' \cdot Y'Z = X \cdot Y' + Y' \cdot Z$ algebraically. (2003)

7) State and algebraically verify Absorption Laws. (MP208-09) 2

Ans) $X + X \cdot Y = X$

$$\begin{aligned} \text{L.H.S.} &= X + X \cdot Y \\ &= X \cdot 1 + X \cdot Y \\ &= X \cdot (1+Y) \\ &= X \cdot 1 = X = \text{R.H.S.} \end{aligned}$$

$X + X' \cdot Y = X + Y$

$$\begin{aligned} \text{L.H.S.} &= X + X' \cdot Y \\ (X+X') \cdot (X+Y) &= 1 \cdot (X+Y) \\ &= X+Y = \text{R.H.S.} \end{aligned}$$

8) State and verify Demorgan's Laws algebraically. (MP109-10)2

Ans) $(X+Y)' = X' \cdot Y'$

Verification

$$\begin{aligned} (X+Y)' \cdot (X+Y) &= X' \cdot Y' \cdot (X+Y) \\ &= X' \cdot Y' \cdot X + X' \cdot Y' \cdot Y \\ &= X' \cdot X \cdot Y' + X' \cdot 0 \\ &= 0 \cdot Y' + 0 \\ &= 0 + 0 \\ &= 0 \\ \text{L.H.S.} &= \text{R.H.S.} \end{aligned}$$

9) State and algebraically verify Absorption Laws. (MP209-10) 2

Ans)

$$\begin{aligned} X + X \cdot Y &= X \\ \text{L.H.S.} &= X + X \cdot Y \\ &= X \cdot 1 + X \cdot Y \\ &= X \cdot (1+Y) \\ &= X \cdot 1 \\ &= X \\ &= \text{R.H.S.} \end{aligned}$$

$$\begin{aligned} X + X' \cdot Y &= X + Y \\ \text{L.H.S.} &= X + X' \cdot Y \\ &= (X+X') \cdot (X+Y) \\ &= 1 \cdot (X+Y) \\ &= X+Y \\ &= \text{R.H.S.} \end{aligned}$$

Model 1B: Boolean Laws – Using Truth Table (2Marks)

1. Name the law shown below and verify it using a truth table. (2014)

$$X + X' \cdot Y = X + Y$$

Answer :

X	Y	X'	X'Y	X+X'Y	X+Y
0	0	1	0	0	0
0	1	1	1	1	1
1	0	0	0	1	1
1	1	0	0	1	1

Hence Proved

$$X + X' \cdot Y = X + Y$$

This is third distributive law.

2) Verify the following using truth table: (2012)2

(i) $X \cdot X' = 0$

Ans

X	X'	X \cdot X'	0
0	1	0	0
1	0	0	0

Verified

(ii) $X+1=1$

X	1	X+1
0	1	1
1	1	2

Verified

3) Verify the following using Truth Table: 2

$X+Y, Z=(X+Y).(X+Z)$

Ans

X	Y	Z	YZ	X+YZ	X+Y	X+Z	(X+Y).(X+Z)
0	0	0	0	0	0	0	0
0	0	1	0	0	0	1	0
0	1	0	0	0	1	0	0
0	1	1	1	1	1	1	1
1	0	0	0	1	1	1	1
1	0	1	0	1	1	1	1
1	1	0	0	1	1	1	1
1	1	1	1	1	1	1	1

↑ VERIFIED ↑

4) Verify $X'Y + X.Y' + X'Y' = (X' + Y')$ using truth table. (D2009) 2

Ans)

X	Y	X'	Y'	X'Y	XY'	X'Y'	X'Y+XY'+X'Y'	X'+Y'
0	0	1	1	0	0	1	1	1
0	1	1	0	1	0	0	1	1
1	0	0	1	0	1	0	1	1
1	1	0	0	0	0	0	0	0

↑ VERIFIED ↑

5) State and verify absorption law using truth table. (OD2009) 2

Ans Absorption Law : For every X, Y ∈ B

i) $X + X . Y = X$

$X . (X + Y) = X$ (by Duality)

ii) $X + X' . Y = X + Y$

(i)

X	Y	XY	X+XY
0	0	0	0
0	1	0	0
1	0	0	1
1	1	1	1

↑ VERIFIED ↑

(ii)

X	X'	Y	X'Y	X+X'Y	X+Y
0	1	0	0	0	0
0	1	1	1	1	1
1	0	0	0	1	1
1	0	1	0	1	1

↑ VERIFIED ↑

6) State De Morgan's Theorems and verify the same using truth table. (OD2007) 2

Ans)

(a) If X, Y ∈ B

$(X+Y)' = X' . Y'$

$(X.Y)' = X' + Y'$

X	Y	X'	Y'	X+Y	(X+Y)'	X' . Y'
0	0	1	1	0	1	1
0	1	1	0	1	0	0
1	0	0	1	1	0	0
1	1	0	0	1	0	0

X	Y	X'	Y'	X.Y	(X.Y)'	X'+Y'
0	0	1	1	0	1	1
0	1	1	0	0	1	1
1	0	0	1	0	1	1
1	1	0	0	1	0	0

7) State Distributive law and verify the same using truth table. 2 (2007 D)

Ans)

(a) If X, Y, Z are Boolean Variables then

$X . (Y + Z) = X . Y + X . Z$

OR

$X + Y . Z = (X + Y) . (X + Z)$

X	Y	Z	Y+Z	X.(Y+Z)	XY	XZ	X.Y+X.Z
0	0	0	0	0	0	0	0
0	0	1	1	0	0	0	0
0	1	0	1	0	0	0	0
0	1	1	1	0	0	0	0
1	0	0	0	0	0	0	0
1	0	1	1	1	0	1	1
1	1	0	1	1	1	0	1
1	1	1	1	1	1	1	1

↑ VERIFIED ↑

8) State De Morgan's Laws. Verify one of the De Morgan's Laws using a truth table. (2003)

9) State the Distributive law and verify the law using Truth table. (2002) 1

10) State Absorption Laws. Verify one of the Absorption Laws using a truth table. (2000)

11) State the distributive law. Verify the law using truth table. (1999)

12) State Demorgan's laws. Verify one of the Demorgan's laws using truth tables. (1998)

Model 1D: Correct the Boolean Laws/Statements (2Marks)

Correct the following boolean statements:

1. $X+1 = X$ 2. $(A')' = A'$
 3. $A+A'=0$ 4. $(A+B)' = A.B$ (2017 MP)
 A) 1. $X+1 = 1$ or $X+0=X$ 2. $((A')') = A$
 3. $A + A' = 1$ or $A . A' = 0$ 4. $(A+B)' = A' . B'$

Model 2A: Write SOP Form (1 Mark)

1. Derive a Canonical SOP expression for a Boolean function $F(X,Y,Z)$ represented by the following truth table: **2019MP1**

X	Y	Z	F(X,Y,Z)
0	0	0	1
0	0	1	1
0	1	0	0
0	1	1	0
1	0	0	1
1	0	1	0
1	1	0	0
1	1	1	1

Ans:

$$F(X,Y,Z) = X'Y'Z' + X'Y'Z + XY'Z' + XYZ$$

OR

$$F(X,Y,Z) = \Sigma(0,1,4,7)$$

2. Derive a Canonical SOP expression for a Boolean function G , represented by the following truth table: **(2016)**

A	B	C	G(A,B,C)
0	0	0	1
0	0	1	0
0	1	0	1
0	1	1	0
1	0	0	0
1	0	1	0
1	1	0	1
1	1	1	1

$$G(A,B,C) = A'.B'.C' + A'.B.C' + A.B.C' + A.B.C$$

OR

$$G(A,B,C) = \Sigma(0,2,6,7)$$

3) (2013)

(c) Write the Sum of Product form of the function $F(A, B, C)$ for the following truth table representation of F. **1**

A	B	C	F
0	0	0	0
0	0	1	0
0	1	0	1
0	1	1	1
1	0	0	1
1	0	1	0
1	1	0	0
1	1	1	1

Answer : $F(A,B,C) = \bar{A}\bar{B}\bar{C} + \bar{A}BC + A\bar{B}\bar{C} + ABC$

4. Write the SOP form of a Boolean function F , which is represented in a truth table as follows: **(2012)**

X	Y	Z	F
0	0	0	1
0	0	1	0
0	1	0	1
0	1	1	0
1	0	0	1
1	0	1	0
1	1	0	0
1	1	1	1

Ans $X'Y'Z' + X'YZ' + XY'Z' + XYZ$ OR $F(X,Y,Z) = (0,2,4,7)$

5. 2011

Write the SOP form of a Boolean function F , which is represented in a truth table as follows:

U	V	W	F
0	0	0	1
0	0	1	0
0	1	1	1
1	0	0	0
1	0	1	0
1	1	0	1
1	1	1	1

$$F(U, V, W) = U'.V'.W' + U'.V.W + U.V.W + U.V.W$$

6) Write the SOP form of a Boolean function G , which is represented in a truth table as follows: **(OD2010) 1**

P	Q	R	G
0	0	0	0
0	0	1	0
0	1	0	1
0	1	1	1
1	0	0	1
1	0	1	0
1	1	0	1
1	1	1	1

Ans) $G(P,Q,R) = P'.Q.R' + P'.Q.R + P.Q'.R' + P.Q.R' + P.Q.R$

OR

$$G(P,Q,R) = \Sigma(2,3,4,6,7)$$

7) Write the SOP form of a Boolean Function F , Which is represented by the following truth table: **(D2005)1**

A	B	C	F
0	0	0	1
0	0	1	0
0	1	0	0
0	1	1	1
1	0	0	0
1	0	1	0
1	1	0	1
1	1	1	1

Ans) $A'.B'.C' + A'.B.C + A.B.C' + A.B.C$

8) Give the following truth table, derive a sum of product (SOP) and Product of Sum (POS) Form of Boolean expression from it: **(2004)**

A	B	C	F(A,B,C)
0	0	1	1
0	1	0	0
0	1	1	1
1	0	0	0
1	0	1	1
1	1	0	1
1	1	1	0

Model 2B: Write POS Form (1 Mark)

1) Derive a canonical POS expression for a Boolean function FN, represented by the following truth table. (2018)

X	Y	Z	FN(X,Y,Z)
0	0	0	1
0	0	1	1
0	1	0	0
0	1	1	0
1	0	0	1
1	0	1	0
1	1	0	0
1	1	1	1

9) Write the Sum of Products form of the function G(U,V,W) . Truth table representation of G is as follows: (2000)

U	V	W	G
0	0	0	0
0	0	1	0
0	1	0	1
0	1	1	1
1	0	0	1
1	0	1	0
1	1	0	0
1	1	1	1

10) Write sum of product form of the function F(x,y,z). The truth table representation for the function F is given below: (1999)

x	y	z	f
0	0	0	0
0	0	1	1
0	1	0	0
0	1	1	0
1	0	0	1
1	0	1	0
1	1	0	1
1	1	1	1

11) Write the SOP form of a Boolean function G, which is represented in a truth table as follows: (MP208-09)1

P	Q	R	G
0	0	0	0
0	0	1	0
0	1	0	1
0	1	1	0
1	0	0	1
1	0	1	0
1	1	0	1
1	1	1	1

Ans) $G(P,Q,R) = P'.Q.R' + P'.Q'.R' + P'.Q.R' + P'.Q.R$

12) Write the SOP form of a Boolean function G, which is represented in a truth table as follows: (MP209-10)1

P	Q	R	G
0	0	0	0
0	0	1	0
0	1	0	1
0	1	1	0
1	0	0	1
1	0	1	0
1	1	0	1
1	1	1	1

Ans) $F(P,Q,R) = P'.Q.R' + P'.Q.R + P'.Q.R + P'.Q'.R$

Ans:

$FN(X,Y,Z) = (X+Y'+Z).(X+Y'+Z').(X'+Y+Z').(X'+Y'+Z)$
OR

$FN(X,Y,Z) = \prod (2,3,5,6)$

2. Derive a Canonical POS expression for a Boolean function G, represented by the following truth table: (2017) 1

X	Y	Z	G(X, Y, Z)
0	0	0	0
0	0	1	0
0	1	0	1
0	1	1	0
1	0	0	1
1	0	1	1
1	1	0	0
1	1	1	1

Ans) $G(X,Y,Z) = (X+Y+Z).(X+Y+Z').(X+Y'+Z').(X'+Y'+Z)$
OR

$G(X,Y,Z) = \prod (0,1,3,6)$

3. Write the POS form of a Boolean Function F, which is represented in a truth table as follows: (2017 MP)

P	Q	R	F
0	0	0	0
0	0	1	1
0	1	0	1
0	1	1	1
1	0	0	0
1	0	1	1
1	1	0	0
1	1	1	1

a) $(P+Q+R).(P'+Q+R).(P'+Q'+R)$

4) 2015

P	Q	R	F(P,Q,R)
0	0	0	1
0	0	1	0
0	1	0	0
0	1	1	1
1	0	0	1
1	0	1	0
1	1	0	0
1	1	1	1

$F(P,Q,R) = (P+Q+R')(P+Q'+R)(P'+Q+R')(P'+Q'+R)$

OR

$F(P,Q,R) = \Pi(1,2,5,6)$

5) Write the Product of Sum form of the function F(X,Y,Z) for the following truth representation of F: (2014) 1

X	Y	Z	F
0	0	0	1
0	0	1	0
0	1	0	0
0	1	1	1
1	0	0	0
1	0	1	0
1	1	0	1
1	1	1	1

Answer :

$F(X, Y, Z) = (X+Y+\bar{Z}).(X+\bar{Y}+Z).(\bar{X}+Y+Z).(\bar{X}+Y+\bar{Z})$

6) Write the POS form of a Boolean function H, which is represented in a truth table as follows:

X	Y	Z	H
0	0	0	1
0	0	1	0
0	1	0	1
0	1	1	1
1	0	0	1
1	0	1	0
1	1	0	0
1	1	1	1

Ans. $(X + Y + Z').(X'+Y + Z').(X'+Y'+Z)$

OR

$H(X,Y,Z) = \Pi (1, 5, 6)$

7) Write the POS form of a Boolean function H, which is represented in a truth table as follows: (D2009) 1

A	B	C	H
0	0	0	0
0	0	1	1
0	1	0	1
0	1	1	1
1	0	0	1
1	0	1	0
1	1	0	0
1	1	1	1

Ans) $(A+B+C).(A'+B+C').(A'+B'+C)$

OR

$H(A,B,C) = \Pi (0, 5, 6)$

8) Write the POS form of a Boolean function G, which is represented in a truth table as follows: (OD2009)1

U	V	W	G
0	0	0	1
0	0	1	1
0	1	0	0
0	1	1	0
1	0	0	1
1	0	1	1
1	1	0	0
1	1	1	1

$(U+V'+W).(U+V'+W').(U'+V'+W)$

OR

$G(U,V,W) = \Pi (2, 3, 6)$

9) Write the POS form of a Boolean Function F, Which is represented by the following truth table: (OD2005) 1

X	Y	Z	F
0	0	0	1
0	0	1	1
0	1	0	0
0	1	1	1
1	0	0	0
1	0	1	1
1	1	0	0
1	1	1	0

Ans)

$(X+Y'+Z)(X'+Y+Z).(X'+Y'+Z)(X'+Y'+Z')$

(10) Given the following truth table, write the product of sums form of the function. (2002)

X	Y	Z	F
0	0	0	0
0	0	1	1
0	1	0	1
0	1	1	0
1	0	0	1
1	0	1	0
1	1	0	0
1	1	1	1

(11) Write the Product of Sum form of the function H(U,V,W), truth table representation of H is as follows:(1998)

U	V	W	H
0	0	0	1
0	0	1	0
0	1	0	1
0	1	1	0
1	0	0	0
1	0	1	1
1	1	0	0
1	1	1	1

12)Write the POS form of a Boolean function F, which is represented in a truth table as follows:(MP108-09)

U	V	W	F
0	0	0	1
0	0	1	0
0	1	0	1
0	1	1	0
1	0	0	1
1	0	1	0
1	1	0	1
1	1	1	1

Ans) $F(U,V,W) = (U+V+W').(U+V'+W').(U'+V+W')$


12) Write the POS form of a Boolean function F, which is represented in a truth table as follows: (MP109-10)1

U	V	W	F
0	0	0	1
0	0	1	0
0	1	0	1
0	1	1	0
1	0	0	1
1	0	1	0
1	1	0	1
1	1	1	1

Ans) $F(U,V,W) = (U+V+W).(U+V'+W).(U'+V+W)$


Model 3A: Write the Equivalent Boolean Expression (2 Marks)

1. Write the Boolean Expression for the result of the Logic Circuit as shown below: (2016)




$$P \cdot Q' + P \cdot R + Q \cdot R'$$

2) Obtain the Boolean Expression for the logic shown below: (2014)



Answer :
 $F(A,B,C,D) = (\overline{A} \cdot B) + (C + D)$
 $F(A,B,C,D) = (\overline{A} \cdot B) + (\overline{C} + \overline{D})$
 $F(A, B, C, D) = (\overline{A} \cdot B) + (\overline{C} \cdot D)$


3. Write the equivalent Boolean expression for the following Logic Circuit: (2012)



Ans. $U \cdot V' + U' \cdot W$


4) 2013

(b) Obtain the Boolean Expression for the logic circuit shown below: 2




Answer : The Boolean expression for the given Logic Circuit is :
 $F = PQ + (Q + R)$
 $= \overline{P}Q + Q + \overline{R}$
 $= Q(\overline{P} + 1) + \overline{R}$
 $= Q(1) + \overline{R}$
 $= Q + \overline{R}$

5) Write the equivalent Boolean Expression for the following Logic Circuit: (2011)




Ans $F = PQ' + PR'$

6) Write the equivalent Boolean Expression for the following Logic circuit: 2




Ans. $(P + Q') \cdot (Q + R')$

7) Write the equivalent Boolean Expression for the following Logic Circuit: (OD2010) 2



Ans. $(U' + V) \cdot (V' + W)$

8) Write the equivalent Boolean Expression for the following Logic Circuit: (D2009) 2




Ans $(X + Y') \cdot (X' + Z)$

9) Write the equivalent Boolean expression for the following logic circuit (OD2007) 2


Ans) $F = A \cdot B' + C' \cdot D$

Model 3B: Draw the Logic Circuit (2 Marks)





10) Write the equivalent Boolean expression for the following logic circuit (D2007) 2

Ans)



$$F = W.X' + Y'.Z$$


11) Write the equivalent expression for the following Logic Circuit : (D2006) 2




12) Write the equivalent expression for the following Logic Circuit : (OD2006) 2

Ans) $(A+C)'.(A+B)'.(B+C)'$

13) Write the equivalent Boolean Expression for the following Logic Circuit (MP109-10)2




Ans) $F(P,Q)=(P'+Q).(P+Q')$



1.Draw the Logic Circuit of the following Boolean Expression:


$$((U + V).(U + W)).(V + W')$$

2019MP2



2) Draw the Logic Circuit of the following Boolean Expression: (2018)2


$$(U'+V).(V'+W')$$




3. Draw the Logic Circuit of the following Boolean Expression using only NOR Gates:

$$(A+B).(C+D)$$

(2017) 2




4.Draw the equivalent logic circuit for the following Boolean expression: $(A.B)+C$ (2017MP)




4. Draw the Logic Circuit for the following Boolean Expression : (2015)

$$(X'+Y).Z+W'$$



5) Write the equivalent Boolean Expression for the following Logic Circuit: (OD2009) 2




Ans $P \cdot Q' + P' \cdot R$

6) Draw a logical circuit diagram for the following Boolean Expression: (OD2008) 1


A. $(B+C')$

Ans)




7) Draw a Logical Circuit Diagram for the following Boolean Expression. (D2008) 1

$X' \cdot (Y'+Z)$




8) Draw a logical circuit diagram for the following Boolean expression: $A' \cdot (B+C)$ 1

9) Write the equivalent expression for the following Logic Circuit : (OD2005) 2




Ans) $U \cdot V' + U' \cdot V + U' \cdot V$


10) Write the equivalent Boolean expression for the following Logic Circuit: (D2005) 2



Ans)



11) Write the equivalent Boolean Expression for the following Logic Circuit (MP108-09) 2



Ans) $F(P,Q) = (P'+Q) \cdot (P+Q')$

12) Write the equivalent Boolean Expression for the following Logic Circuit (MP208-09) 2

Ans) $F(U,V) = U' \cdot V + U \cdot V'$

13) Write the equivalent Boolean Expression for the following Logic Circuit .(MP209-10) 2

Ans) $F(U,V) = U' \cdot V + U \cdot V'$

Model 4A: Reduce the Boolean Expression using K-Map Σ (3 Marks)

1. Reduce the following Boolean Expression to its simplest form using K-Map: 2019SP3

$F(X,Y,Z,W) = \Sigma (0,1,2,3,4,5,8,10,11,14)$

	$Z'W'$	$Z'W$	ZW	ZW'
$X'Y'$	1	1	1	1
$X'Y$	1	1		
XY				1
XY'	1		1	1

Answer:

Simplified Expression:
 $X'Z' + Y'W' + Y'Z + XZW'$

2) Reduce the following Boolean Expression to its simplest form using K-Map: 2018 (3)

$G(U,V,W,Z) = \Sigma (3,5,6,7,11,12,13,15)$

	$U'V'$	$U'V$	UV	UV'
$W'Z'$		0	4	12
$W'Z$		1	5	13
WZ	3	7	15	11
WZ'		2	6	14

OR

	W' Z'	W' Z	W Z	W Z'
U' V'	0	1	3	2
U' V	4	5	7	6
U V	12	13	15	14
U V'	8	9	11	10

$F(U,V,W,Z) = VZ + WZ + UVW' + U'VW$

2. Reduce the following Boolean expression to its simplest form using K-Map: (2017)

$E(U,V,Z,W) = \Sigma(2,3,6,8,9,10,11,12,13)$

	U' V'	U' V	U V	U V'
Z' W'			1	1
Z' W			1	1
Z W	1			1
Z W'	1	1		1

OR

	Z' W'	Z' W	Z W	Z W'
U' V'			1	1
U' V				1
U V	1	1		
U V'	1	1	1	1

3.(2017)

Reduce the following Boolean Expression using K Map:

$F(A,B,C,D) = \Sigma(0,1,3,5,6,7,9,11,13,14,15)$

	C'D'	C'D	CD	CD'
A'B'	1	0	1	1
A'B		4	5	1
AB		12	13	1
AB'		8	9	1

$A'BC' + D + BC$

3.2016

Reduce the following Boolean Expression to its simplest form using K-Map:

$F(P,Q,R,S) = \Sigma(0,4,5,8,9,10,11,12,13,15)$

	R' S'	R' S	R S	R S'
P' Q'	1		1	
P' Q	1	4	1	5
P Q	1	12	1	13
P Q'	1	8	1	9

$F(P,Q,R,S) = R' S' + PQ' + QR' + PS$

4.Reduce the following Boolean Expression to its simplest form using K-Map : (2015)

$F(X,Y,Z,W) = \Sigma(0,1,4,5,6,7,8,9,11,15)$

	Z' W'	Z' W	Z W	Z W'
X' Y'	1	1		
X' Y	1	1	1	1
XY			1	
XY'	1	1	1	

Simplified Expression: $Y'Z' + X'Y + XZW$

5) Obtain the minimal form for the following Boolean expression using Karnaugh's Map. (2014) 3

$F(X,Y,Z) = \Sigma(1,3,4,5,6,7,12,13)$

Answer :

	C D	C D	C D	C D
A B	0 0	0 1	1 1	1 0
A B	0 1	4	5	7
A B	1 1	12	13	15
A B	1 0	8	9	11

Quad 1: \overline{AD}

Quad 2: \overline{CD}

Quad 3: \overline{AB}

\therefore Answer is $\overline{AD} + \overline{CD} + \overline{AB}$

6)2013

(d) Obtain the minimal form for the following Boolean expression using Karnaugh map.

$F(U, V, W, Z) = \Sigma(0, 1, 2, 3, 6, 7, 8, 9, 10, 13, 15)$ 3

Answer :

		W Z	W Z	W Z	W Z
		0 0	0 1	1 1	1 0
U V		1		1	
0 0	0	1	3	2	
U V			1		1
0 1	4	5	7	6	
U V		1			1
1 1	12	13	15	14	
U V		1		1	
1 0	8	9	11	10	

Quadrant 1 : \overline{UV}

Quadrant 2 : \overline{UW}

Quadrant 3 : \overline{VZ}

Pair 1 : $UV\overline{W}$

Pair 2 : $UV\overline{Z}$

SOP = $\overline{UV} + \overline{UW} + \overline{VZ} + UV\overline{Z}$

7) Reduce the following Boolean Expression using K-Map: (2012) 3

$F(A, B, C, D) = \Sigma(2, 3, 4, 5, 6, 7, 8, 10, 11)$ (D2010)

	C'D'	C'D	CD	CD'
A'B'			1	1
A'B	1	1	1	1
AB				
AB'	1		1	1

$F(A, B, C, D) = A'B + A'C + B'C + AB'D'$

8.Reduce the following Boolean Expression using K-Map: (2011) 3

$F(A, B, C, D) = \Sigma(0, 1, 2, 4, 5, 6, 7, 8, 10)$

	C'D'	C'D	CD	CD'
A'B'	1	1		1
A'B	1	1		1
AB				
AB'	1			1

Ans $F(A, B, C, D) = A'C + AD' + BD'$

9) Reduce the following Boolean Expression using K-Map : (D2010) 3

Ans. $F(U, V, W, Z) = \Sigma(3, 5, 7, 10, 11, 13, 15)$

	W'Z'	W'Z	WZ	WZ'
U'V'	0	1	1	2
U'V	4	5	7	6
UV	12	13	15	14
UV'	8	9	11	10

$F(U, V, W, Z) = WZ + VZ + UV'W$

10) Reduce the following Boolean Expression using K-Map : (OD2010) 3

$F(A, B, C, D) = \Sigma(3, 4, 5, 6, 7, 13, 15)$

	C'D'	C'D	CD	CD'
A'B'	0	1	1	2
A'B	1	1	1	6
A B	12	13	15	14
A B'	8	9	11	10

Ans) $F(A, B, C, D) = A'B + BD + A'CD$

11) Reduce the following Boolean Expression using K-Map : (D2009) 3

$F(P, Q, R, S) = \Sigma(1, 2, 3, 5, 6, 7, 9, 11, 12, 13, 15)$

Ans) $F(P, Q, R, S) = PQR' + R + P'R$

(This is only answer. Please draw the table and complete)

12)OD2009

(d) Reduce the following Boolean Expression using K-Map :

$H(U, V, W, Z) = \Sigma(0, 1, 4, 5, 6, 7, 11, 12, 13, 14, 15)$

Ans)

$H(U, V, W, Z) = V + U'W' + UWZ$

(This is only answer. Please draw the table and complete)

13) Reduce the following Boolean expression using K-map: (OD2008) 3

$F(A, B, C, D) = \Sigma(0, 1, 2, 4, 5, 8, 9, 10, 11)$

Ans)

$F(A, B, C, D) = A'C + A'B' + B'D'$

(This is only answer. Please draw the table and complete)

14) Reduce the following Boolean Expression using K-map. (D2008) 3

$F(A, B, C, D) = \Sigma(0, 2, 3, 4, 6, 7, 8, 10, 12)$

Ans) $F = C'D' + A'C + B'D'$

(This is only answer. Please draw the table and complete)

15) Reduce the following Boolean expression using K - Map : (D2007) 2

$F(U, V, W, Z) = \sum(0,1,2,3,4,10,11)$
 $F = U'.V'+W.V'+U'.W'.Z'$
 (This is only answer. Please draw the table and complete)

16) Reduce the following Boolean expression using K – Map : (D2006) 3
 $F(P, Q, R, S) = \sum(0,3,5,6,7,11,12,15)$

	R'S'	R'S	RS	RS'
P'O'	1		1	
P'O		1	1	1
PO	1		1	
PO'			1	

$F = RS + P'QS + P'QR + P'Q'R'S' + PQR'S'$

17) Reduce the following Boolean expression using K – Map : (OD2005) 3
 $F(A, B, C, D) = \sum(0,1,2,3,4,5,10,11,15)$

	C'D'	C'D	C.D	C.D'
A'B'	1 0	1	1 3	1
A'B	1 4	1		7
A.B			1	15
A.B'			1	11

$F(A,B,C,D)=A'C'+B'.C+A.C.D$

18) Obtain a simplified form for the following Boolean Expression using Karnaugh Map:(2004)
 $F(a,b,c,d) = \sum(0,1,2,4,5,7,8,9,10,11,14)$

19) Obtain a simplified form for a Boolean Expression:
 $F(U,V,W,Z)=\sum(0,2,3,4,7,9,10,13,14,15)$ (2003)

20) Obtain the simplified form, of a Boolean expression using Karnaugh map. 2
 $F(w,x,y,z)=\sum(2,3,6,10,11,14)$ (2002)

21) Obtain simplified form for a boolean expression
 $F(x,y,z,w)=\sum(1,3,4,5,7,9,11,12,13,15)$ using Karnaugh Map. (2000)

22) Minimise $F(w,x,y,z)$ using Karnaugh map.
 $F(w,x,y,z) = \sum(0,4,8,12)$ (1999)

23) Obtain a simplified form for a Boolean expression: $F(U, V, W,Z) = \sum(0,1,3,5,7,9,10,11,12,13,14,15)$ (1998)

24) Reduce the following Boolean Expression using K-Map: (MP108-09) 3

$F(A,B,C,D)=\sum(0,1,2,4,5,6,8,10)$

$F(A,B,C,D)=A'C'+A'D'+B'D'$

(This is only answer. Please draw the table and complete)

25) Reduce the following Boolean Expression using K-Map: (MP109-10) 3

$F(A,B,C,D)=\sum(0,1,2,4,5,6,8,10)$

Ans) $F(A,B,C,D)=A'C'+A'D'+B'D'$

(This is only answer. Please draw the table and complete)

Model 4B: Reduce the Boolean Expression using K-Map II (3 Marks)

1) Reduce the following Boolean expression using K – Map : (OD2007) 2

$F(A, B, C, D,) = \Pi(5, 6, 7, 8, 9, 12, 13, 14, 15)$

2) Reduce the following Boolean expression using K – Map : (OD2006) 3

$F(P, Q, R, S,) = \Pi(0,3,5,6,7,11,12,15)$

	RS	R+S	R+S'	R'+S'	R'+S
PQ					
P+Q	0	1	0	3	2
P+Q'	4	0	0	7	6
P'+Q'	0		0		
P'+Q	8	9	0	11	16

$F(P,Q,R,S)=(P+Q+R+S).(P'+Q'+R+S).(P+Q'+R).(P+Q'+S).(R'+S')$

OR

	RS	00	01	11	10
PQ					
00		0	1	3	2
01	1		5	7	6
11			1		1
10	1		1	15	14

$F(P,Q,R,S)=P'QR'S'+PQ'S'+PRS'+PR'S'+Q'RS'+Q'R'S'$

3) Reduce the following Boolean expression using K – Map : (D2005) 3

$F(A, B, C, D,) = \Pi(0,1,2,3,4,5,10,11,15)$

Ans) $F(A, B, C, D,) = \Pi(0,1,2,3,4,5,10,11,15)$

	C+D	C+D'	C'+D'	C'+D
A+B	0 0	0 1	0 3	0 2
A+B'	0 4	0 5	7	1 6
A'+B'	12	13	0 15	14
A'+B	8	9	0 11	0 10

$$F(A, B, C, D) = (A+C) \cdot (B+C') \cdot (A'+C'+D')$$

OR

$$F(A, B, C, D) = \sum(6, 7, 8, 9, 12, 13, 14)$$

	C'D'	C'D	C.D	C.D'
A'B'	0	1	3	2
A'B	4	5	1 7	1 6
A.B	1 12	1 13	15	1 14
A.B'	1 8	1 9	11	10

$$F(A, B, C, D) = A.C' + A'.B.C + B.C.D'$$

4) If $F(a,b,c,d) = \Pi(0,1,3,4,5,7,8,9,11,12,13,15)$, Obtain the simplified form using K-map. (2001)

5) Reduce the following Boolean Expression using K-Map: (MP208-09)

$$F(U, V, W, Z) = \Pi(0,1,2,4,5,6,8,10)$$

Ans) $F(U, V, W, Z) = UV + WZ + UZ$

(This is only answer. Please draw the table and complete)

6) Reduce the following Boolean Expression using K-Map: 3

$$F(A, B, C, D) = \Pi(1,3,4,5,7,9,11,12,13,14)$$

7) Reduce the following Boolean Expression using K-Map: (MP209-10) 3

$$F(U, V, W, Z) = \Pi(0,1,2,4,5,6,8,10)$$

Ans) $F(U, V, W, Z) = UV + WZ + UZ$

(This is only answer. Please draw the table and complete)

Model 5A: Convert the expression into SOP (1Mark)

1) Convert the following Boolean expression into its equivalent Canonical Sum of Product Form (SOP): (D2008) 2

$$(X'+Y+Z')(X'+Y+Z)(X'+Y'+Z)(X'+Y'+Z')$$

$$F(X, Y, Z) = \Pi(4, 5, 6, 7)$$

Ans) $= \sum(0, 1, 2, 3)$

$$= X'. Y'. Z' + X'. Y'. Z + X'. Y. Z' + X'. Y. Z$$

2) Write the equivalent canonical product of sum expression for the following sum of product expression: (D2007) 2

$$F(X, Y, Z) = \Pi(1,3,6,7)$$

$$F(X, Y, Z) = \pi(0,2,4,5)$$

Ans) $= X'. Y'. Z' + X'. Y. Z' + X. Y'. Z' + X. Y'. Z$

3) Convert the following Boolean expression into its equivalent Canonical Sum of Product Form (SOP): 2

$$(U'+V'+W').(U+V'+W).(U+V+W).$$

Model 5B: Convert the expression into POS(1Mark)

1) Convert the following Boolean expression into its equivalent Canonical Product of sum form (POS): $A.B'C + A'.B.C + A'.B.C'$. (OD200) 2

Ans)

$$= \Pi(0, 1, 4, 6, 7)$$

OR

$$= (A+B+C).(A+B+C').(A'+B+C).(A'+B'+C).(A'+B'+C')$$

2) Write the equivalent canonical product of sum expression for the following sum of product expression: (OD2007) 2

$$F(X, Y, Z) = \sum(0, 2, 4, 5)$$

Ans) $F(X, Y, Z) = p(1, 3, 6, 7)$

OR

$$F = (X+Y+Z')(X+Y'+Z')(X'+Y'+Z)(X'+Y'+Z')$$

Model 6A: Express the following in SOP (1 Mark)

1) Express $P + Q'R$ in canonical SOP form. (D2006)1

$$\begin{aligned} (P + Q'R) &= P(Q+Q')(R+R') + Q'R(P+P') \\ &= (PQ + PQ')(R + R') + PQ'R + P'Q'R \\ &= PQR + PQ'R + PQR' + PQ'R' + P'Q'R \\ &= PQR + PQ'R + PQR' + PQ'R' + P'Q'R \end{aligned}$$

Model 6B: Express the following in POS (1 Mark)

1) Express $P + Q'R$ in POS form. (OD 2006)1

$$(P+Q').(P+R)$$

OR

$$(P+Q'+R).(P+Q'+R').(P+Q+R)$$

Model 7: Mislleneous Models
Write the dual for the following(1 Mark)
Represent the Boolean expression using NOR/NAND gates, etc

1) Write the dual of the Boolean Expression: $(B'+C).A$ (2003)

2) Write the **dual** of the Boolean expression $(x+y).(x'+y')$ (1999)

3) Write the **dual** of the Boolean expression $(U+W)(V'U+W)$ (1998)

4) Represent the Boolean expression $X'Y+Y'Z$ with the help of **NAND** gates only. (2000)


5) Represent the Boolean expression $(X+Y)(Y+Z)(X+Z)$ with help of **NOR** gates only. (2002) 1

6) Represent the Boolean expression $(x+y)(y+z)(z+x)$ with the help of **NOR** gates only. (1999)

7) Represent the Boolean expression $X+Y.Z'$ with the help of **NOR** gates only. (1998)

8) Seven inverters are cascaded one after another. What is the output if the input is 1? (2001)

9) Given the following circuit:




What is the output if (i) both inputs are FALSE(0)
(ii) one is FALSE and the other is TRUE.

314.COMMUNICATION AND NETWORK CONCEPTS

4Marks Problem

1. Multipurpose Public School, Bangluru is Setting up the network between its Different Wings of school campus. There are 4 wings Named as SENIOR(S),JUNIOR(J), ADMIN(A) and HOSTEL(H). 2019MP4

Multipurpose Public School, Bangluru



Distance between various wings are given below:

WingAtoWingS	100m
WingAtoWingJ	200m
WingAtoWingH	400m
WingStoWingJ	300m
WingStoWingH	100m
WingJtoWingH	450m


Number of Computers installed at various wings are as follows:

Wings	NumberofComputers
WingA	20
WingS	150
WingJ	50
WingH	25

(i) Suggest the best wired medium and draw the cable layout to efficiently connect various wings of Multipurpose PublicSchool, Bangluru.

Answer:

Best wired medium: Optical Fibre OR CAT5 OR CAT6 OR CAT7 OR CAT8 OR Ethernet Cable



(ii) Name the most suitable wing where the Server should be installed. Justify your answer.

Answer:

Wing Senior(S)- Because it has maximum number of computers.

(iii) Suggest a device/software and its placement that would provide data security for the entire network of the School.

Answer:

Firewall - Placed with the server at Senior OR

OR
Any other valid device/software name

(iv) Suggest a device and the protocol that shall be needed to provide wireless

Internet access to all smartphone/laptop users in the campus of Multipurpose Public School, Bangluru.

Answer:

Device Name: WiFi Router OR WiMax OR RF Router OR Wireless Modem OR RFTransmitter
Protocol : WAP OR 802.16 OR TCP/IP OR VOIP OR MACP OR 802.11

21) CASE STUDY BASED QUESTION: (2018)

Ayurveda Training Educational Institute is setting up its centre in Hyderabad with four specialized departments for Orthopedics, Neurology and Pediatrics along with an administrative office in separate buildings. The physical distances between these department buildings and the number of computers to be installed in these departments and administrative office are given as follows. You, as a network expert, have to answer the queries as raised by them in (i) to (iv)


Shortest distances between various locations in meters:

Administrative office to Orthopedics Unit	55
Neurology Unit to Administrative Office	30
Orthopedics Unit to Neurology Unit	70
Pediatrics Unit to Neurology Unit	50
Pediatrics Unit to Administrative	40

Office	
Pediatrics Unit to Orthopedics Unit	110

Number of Computers installed at various locations are as follows:

Pediatrics Unit	40
Administrative Office	140
Neurology	50
Orthopedics Unit	80




(i) Suggest the most suitable location to install the main server of this institution to get efficient connectivity.

Ans:

Administrative Office

(ii) Suggest the best cable layout for effective network connectivity of the building having server with all the other buildings.

Ans:



OR

Administrative Office is connected to Orthopedic, Radiology, Pediatrics units directly in a Star Topology

(iii) Suggest the devices to be installed in each of these buildings for connecting computers installed within the building out of the following:

- * Gateway
- * Modem
- * Switch

Ans:

Switch

(iv) Suggest the topology of the network and network cable for efficiently connecting each computer installed in each of the buildings out of the following:

- Topologies: Bus Topology, Star Topology
- Network Cable: Single Pair Telephone, Coaxial Cable, Ethernet Cable.


Topology : Star Topology

Network Cable: Ethernet Cable / Coaxial Cable

3) Hi Standard Tech Training Ltd is a Mumbai based organization which is expanding its office set-up to Chennai. At Chennai office compound, they are planning to have 3 different blocks for Admin, Training and Accounts related activities. Each block has a number of computers, which are required to be connected in a network for communication, data and resource sharing.

As a network consultant, you have to suggest the best network related solutions for them for issues/problems raised by them in (i) to (iv), as per the distances between various blocks/locations and other given parameters.

(2017)



Shortest distances between various blocks/locations:

Admin Block to Account Block	300 Metres
Accounts Block to Training Block	150 Metres
Admin Block to Training Block	200 Metres
MUMBAI Head Office to CHENNAI Office	1300 KM

Number of computers installed at various blocks are as follows:

Training Block	150
Accounts Block	30
Admin Block	40


i) Suggest the most appropriate block/ location to house the SERVER in the CHENNAI Office (out of the 3 blocks) to get the best and effective connectivity. Justify your answer. (1)

Ans) Training Block - Because it has maximum number of computers.

ii) Suggest the best wired medium and draw the cable layout (Block to Block) to efficiently connect various blocks within the CHENNAI office compound. (1)

Ans) Best wired medium:

Optical Fibre OR CAT5 OR CAT6 OR CAT7 OR CAT8 OR Ethernet Cable



iii) Suggest a device/software and its placement that would provide data security for the entire network of the CHENNAI office. (1)

Ans) Firewall - Placed with the server at the Training Block **OR**


Any other valid device/software name

iv) Suggest a device and the protocol that shall be needed to provide wireless Internet access to all smartphone/laptop users in the CHENNAI office(1)

A)Device Name: WiFi Router **OR** WiMax **OR** RF Router **OR** Wireless Modem **OR** RF Transmitter

Protocol : WAP **OR** 802.16 **OR** TCP/IP **OR** VOIP **OR** MACP **OR** 802.11

4) Rehaana Medicos Center has set up its new center in Dubai. It has four buildings as shown in the diagram given below: (2017MP)



Distances between various buildings are as follows:

Accounts to Research Lab	55 m
Accounts to Store	150 m
Store to Packaging Unit	160 m
Packaging Unit to Research Lab	60 m
Accounts to Packaging Unit	125 m
Store to Research Lab	180 m


Number of Computers

Accounts	25
Research Lab	100
Store	15
Packaging Unit	60


As a network expert, provide the best possible answer for the following queries:

i) Suggest a cable layout of connections between the buildings.

(i) Layout 1



Layout 2



ii) Suggest the most suitable place (i.e. buildings) to house the server of this organization.

Ans) The most suitable place/ building to house the server of this organization would be building Research Lab, as this building contains the maximum number of computers.

iii) Suggest the placement of the following device with justification: a) Repeater b) Hub/Switch

a) For layout1, since the cabling distance between Accounts to Store is quite large, so a repeater would ideally be needed along their path to avoid loss of signals during the course of data flow in this route. For layout2, since the cabling distance between Store to Recreasearch Lab is quite large, so a repeater would ideally be placed.


b) In both the layouts, a Hub/Switch each would be needed in all the buildings to interconnect the group of cables from the different computers in each building.

iv) Suggest a system (hardware/software) to prevent unauthorized access to or from the network.

A) Firewall

5)Intelligent Hub India is a knowledge community aimed to uplift the standard of skills and knowledge in the society. It is planning to setup its training centers in multiple towns and villages pan India with its head offices in the nearest cities.They have created a model of their network with a city, a town and 3 villages as follows: (2016) 4

As a network consultant, you have to suggest the best network related solutionsfor their issues/problems raised in (i) to (iv), keeping in mind the distances between various locations and other given parameters.



Shortest distances between various locations:

VILLAGE 1 to YTOWN	2 KM
VILLAGE 2 to YTOWN	1.5 KM
VILLAGE 3 to YTOWN	3 KM
VILLAGE 1 to VILLAGE 2	3.5 KM
VILLAGE 1 to VILLAGE 3	4.5 KM
VILLAGE 2 to VILLAGE 3	3.5 KM
CITY Head Office to YHUB	30 Km

Number of Computers installed at various locations are as follows:

YTOWN	100
VILLAGE 1	10
VILLAGE 2	15
VILLAGE 3	15
CITY OFFICE	5

Note: In Villages, there are community centers, in which one room has been given as training center to this organization to install computers.The organization has got financial support from the government and top IT companies.


(i) Suggest the most appropriate location of the SERVER in the YHUB (out of the 4 locations), to get the best and effective connectivity. Justify your answer.

1
Ans YTOWN

Justification

- Since it has the maximum number of computers.
 - It is closest to all other locations.
- (ii) Suggest the best wired medium and draw the cable layout (location to location) to efficiently connect various locations within the YHUB. 1

Ans Optical Fiber




(iii) Which hardware device will you suggest to connect all the computers within each location of YHUB?1

Ans Switch OR Hub

(iv) Which service/protocol will be most helpful to conduct live interactions of Experts from Head Office and people at YHUB locations? 1

Ans Videoconferencing OR VoIP OR any other correct service/protocol

6) Xcelencia Edu Services Ltd. is an educational organization. It is planning to set up its India campus at Hyderabad with its head office at Delhi. The Hyderabad campus has 4 main buildings - ADMIN, SCIENCE, BUSINESS and MEDIA. You as a network expert have to suggest the best network related solutions for their problems raised in (i) to (iv), keeping in mind the distances between the buildings and other given parameters. (2015)



Shortest Distances between various buildings:

ADMIN to SCIENCE	65M
ADMIN to BUSINESS	100m
ADMIN to ARTS	60M
SCIENCE to BUSINESS	75M
SCIENCE to ARTS	60M
BUSINESS to ARTS	50M
DELHI Head Office to HYDERABAD Campus	1600KM

Number of Computers installed at various building are as follows:


ADMIN	100
SCIENCE	85
BUSINESS	40
ARTS	12
DELHI Head Office	20

(i) Suggest the most appropriate location of the server inside the HYDERABAD campus (out of the 4 buildings), to get the best connectivity for maximum no. of computers. Justify your answer.1

Ans ADMIN (due to maximum number of computers)

(ii) Suggest and draw the cable layout to efficiently connect various buildings 'within the HYDERABAD campus for connecting the computers.

Any one of the following



(iii) Which hardware device will you suggest to be procured by the company to be installed to protect and control the internet uses within the campus?1

Ans Firewall OR Router

(iv) Which of the following will you suggest to establish the online face-to-face communication between the people in the Admin Office of HYDERABAD campus and DELHI Head Office?


- (a) E-mail (b) Text Chat (c) Video Conferencing (d) Cable TV

Ans Video Conferencing

7) 2014

Tech Up Corporation (TUC) is a professional consultancy company. The company is planning to set up their new offices in India with its hub at Hyderabad. As a network adviser, you have to understand their requirement and suggest them the best available solutions. Their queries are mentioned as (i) to (iv) below.

Physical locations of the blocks of TUC



Block to Block distances (in Mtrs.)


Block (From)	Block (To)	Distance
Human Resource	Conference	60
Human Resource	Finance	120
Conference	Finance	80

Expected Number of Computer to be installed in each bloc

Block	Computers
Human Resource	125
Finance	25
Conference	60

- (i) What will be the most appropriate block, where TU should plan to install their services?
- (ii) Draw a block to block cable layout to connect all the buildings in the most appropriate manner for efficient communication.
- (iii) What will be the possible connectivity out of the following you will suggest to connect the new setup of offices Hyderabad with its London based office.
- Infrared
 - Satellite Link
 - Ethernet Cable


Answer:

- (i) Human Resource Block is appropriate to install a server.
 - (ii) **CABLE LAYOUT:**
- 
- (iii) Satellite Link
 - (iv) Switch

8)2013

(c) Rovenza Communication International (RCI) is an online corporate training provider company for IT related courses. The company is setting up their new campus in Kolkata. You as a network expert have to study the physical locations of various blocks and the number of computers to be installed. In the planning phase, provide the best possible answer for the queries (i) to (iv) raised by them. 4

Physical Locations of the blocks RCI



Block to Block distance (in Mtrs.)

From	To	Distance
Administrative Block	Finance Block	60
Administrative Block	Faculty Recording Block	120
Finance Block	Faculty Recording Block	70


Expected computers to be installed in each block

Block	Computers
Administrative Block	30
Finance Block	20
Faculty Recording Block	100

(i) Suggest the most appropriate block, where RCI should plan to install the server.

A) Faculty Recording Block is most appropriate block to install the server.

(ii) Suggest the most appropriate layout to connect all three blocks for efficient communication.



(iii) Which type of network out of the following is formed by connecting the computers of these three blocks?

- LAN
- MAN
- WAN


A) LAN

(iv) Which wireless channel out of the following should be opted by RCI to connect to students from all over the world?

- Infrared
- Microwave
- Satellite

A) Satellite.

9) Workalot Consultants are setting up a secured network for their office campus at Gurgaon for their day-to-day office and web-based activities. They are planning to have connectivity between 3 buildings and the head office situated in Mumbai. Answer the questions (i) to (iv) after going through the building positions in the campus and other details, which are given below: (2012) 3



Distances between various buildings

Building "GREEN" to Building "RED"	110 m
Building "GREEN" to Building "BLUE"	45 m
Building "BLUE" to Building "RED"	65 m
Gurgaon Campus to Head Office	1760 KM

Number of Computers

Building "GREEN"	32
Building "RED"	150
Building "BLUE"	45
Head Office	10


(i) Suggest the most suitable place (i.e. building) to house the server of this organization. Also give a reason to justify your location.

Ans Building "RED", since it contains maximum number of computers


OR
Building "BLUE", since it is closest to "GREEN" and "RED"

(ii) Suggest a cable layout of connections between the buildings inside the campus.

Ans Layout 1:



Layout 2



(iii) Suggest the placement of the following devices with justification:

- (1) Switch (2) Repeater

Ans (1) Switch:

In each of the buildings, since a network switch is a networking device that joins multiple computers together within one local area network (LAN).

(2) Repeater:

For the Layout 1 drawn in (e2)- Between buildings "GREEN" and "RED", since distance between these two buildings is greater than 70 m which will otherwise lead to loss of signal intensity for data to be transferred.

For the Layout 2 drawn in (e2): Repeater is not needed, since distance between both the buildings connected to "Ganga" is less than 70 m, not leading to any signal loss

OR


Any other placement of Repeater with proper justification

(iv) The organization is planning to provide a high speed link with its head office situated in the MUMBAI using a wired connection. Which of the following cable will be most suitable for this job?

- (i) Optical Fibre (ii) Co-axial Cable (iii) Ethernet Cable

Ans (i) Optical Fibre

10. Great Studies University is setting up its Academic schools at Sunder Nagar and planning to set up a network. The university has 3 academic schools and one administration center as shown in the diagram below: (2011) 4



Center to center distances between various buildings is as follows :

Law School to Business School	60m
Law School to Technology School	90m
Law School to Admin Center	115m
Business School to Technology School	40m
Business School to Admin Center	45m
Technology School to Admin Center	25m

Number of Computers in each of the Schools/Center is follows:

Law School	25
Technology School	50
Admin Center	125
Business School	35


(i) Suggest the most suitable place (i.e. School/Center) to install the server of this university with a suitable reason. 1

Ans Option 1 : Admin center as it has the most number of computers


Option 2. Business School as it will require minimum cable length to connect other blocks

(ii) Suggest an ideal layout for connecting these schools/ center for a wired connectivity. 1

Ans Option 1:



Option 2:




(iii) Which device will you suggest to be placed/installed in each of these schools / center to efficiently connect all the computers within these schools / center? 1

Ans Switch

(iv) The university is planning to connect its admission office in the closest big city, which is more than 350 km from the university. Which type of network out of LAN, MAN or WAN will be formed? Justify your answer. 1

Ans WAN as the distance is more than the range of LAN or MAN. 1

11) "Vidya for All" is an educational NGO. It is setting up its new campus at Jaipur for its web-based activities. The campus has four buildings as shown in the diagram below: (2010 OD) 4



Center to center distances between various buildings as per architectural drawings (in meters) is as follows:


Main Building to Resource Building	120 m
Main Building to Training Building	40 m
Main Building to Accounts Building	135 m
Resource Building to Training Building	125 m
Resource Building to Accounts Building	45 m
Training Building to Accounts Building	110 m

Expected Number of Computers in each Building is as follows:


Main Building	15
Resource Building	25
Training Building	250
Accounts Building	10

(e1) Suggest a cable layout of connections between the buildings.

Ans.



OR



(e2) Suggest the most suitable place (i.e. building) to house the server for this NGO. Also, provide a suitable reason for your suggestion.

Ans. Training Building as it contains maximum number of computers.

(e3) Suggest the placement of the following devices with justification:

(i) Repeater(ii) Hub/Switch

Ans. (i) A Repeater should be placed when the distance between any two connecting buildings exceeds 70 m.


(ii) Every building will need one Hub / Switch, to send signals to all of the workstations connected to it

(e4) The NGO is planning to connect its International office situated in Delhi. Which out of the following wired communication links, will you suggest for a very high speed connectivity ?

- (i) Telephone Analog Line(ii) Optical Fiber
- (iii) Ethernet Cable

Ans. (ii) Optical Fibre

12) Eduminds University of India is starting its first campus in a small town Parampur of Central India with its center admission office in Delhi. The university has 3 major buildings comprising of Admin Building, Academic Building and Research Building in the 5 KM area Campus. As a network expert, you need to suggest the network plan as per (E1) to (E4) to the authorities keeping in mind the distances and other given parameters. (2009 OD)




Expected Wire distances between various locations:

Research Building to Admin Building	90m
Research Building to Academic Building	80m
Academic Building to Admin Building	15m
Delhi Admission Office to Parampur Campus	1450 km

Expected number of computers to be installed at various locations in the university are as follows:

Research Building	20
Academic Building	150
Admin Building	35
Delhi Admission Office	5

(E1) Suggest to the authorities, the cable layout amongst various buildings inside the university campus for connecting the buildings. 1



Ans)

(E2) Suggest the most suitable place (i.e. building) to house the server of this organisation, with a suitable reason. 1

Ans Academic Building as it contains maximum number of computers.

(E3) Suggest an efficient device from the following to be installed in each of the buildings to connect all the computers : 1

- (i) GATEWAY (ii) MODEM (iii) SWITCH


Ans SWITCH

(E4) Suggest the most suitable (very high speed) service to provide data connectivity between Admission Building located in Delhi and the campus located in Par am pur from the following options: 1

- _ Telephone line
- _ Fixed-Line Dial-up connection
- _ Co-axial Cable Network
- _ GSM
- _ Leased line
- _ Satellite Connection

Ans Satellite Connection OR Leased line

13) "China Middleton Fashion" is planning to expand their network in India, starting with two cities in India to provide infrastructure for distribution of their product. The company has planned to setup their main office in Chennai at three different locations and have named their offices as "Production Unit", "Finance Unit" and "Media Unit". The Company has its corporate unit in Delhi. A rough layout of the same is as follows: (2008 OD)



Approximate distance between these Units is as follows:

From	To	Distance
Production Unit	Finance Unit	70 Mtr
Production Unit	Media Unit	15 KM
Production Unit	Corporate Unit	2112 KM
Finance Unit	Media Unit	15 KM

In continuation of the above, the company experts have planned to install the following number of computers in each of their offices:

Production Unit	158
Finance Unit	79
Media Unit	90
Corporate Unit	51

1) Suggest the kind of network required (out of LAN, MAN, WAN) for connecting each of the following office units: i) Production Unit and Media Unit

ii) Production Unit and Finance Unit

Ans) Production Unit and Media Unit : MAN

Production Unit and Finance Unit : LAN

2) Which one of the following devices will you suggest for connecting all the computers with in each of their office units? i) Switch/Hub ii) Modemii) Telephone

Ans) Switch / Hub


3) Which of the following communication media, you will suggest to be procured by the company for connecting their local office units in Chennai for very effective (High Speed) communication?

- i) Telephone cable ii) Optical Fibre iii) Ethernet Cable

Ans) Optical Fibre

4) Suggest a cable/wiring layout for connecting the company's local office units located in Chennai. Also, suggest an effective method/technology for connecting the company's office unit located in Delhi.


Ans)



Optical Fiber/Star Topology

Wireless/Satellite Link/leased Line

14) "Hindustan Connecting World Association "is planning to start their offices in four major cities in India to provide regional IT infrastructure support in the field of Education & Culture. The company has planned to set up their head office in New Delhi in three locations and have named their New Delhi offices as "Sales Office ","Head Office "and "Tech Office ". The company's regional offices are located at "Coimbatore","Kolkata"and "Ahmadabad". A rough layout of the same is as follows: (2007OD) 4



Approximate distance between these offices as per network survey team is as

follows

Place From	Place To	Distance
Head Office	Sales Office	10 KM
Head Office	Tech Office	70 KM
Head Office	Kolkata Office	1291KM
Head Office	Ahmadabad Office	790 KM
Head Office	Coimbatore Office	1952KM

In continuation of the above, the company experts have planned to install the following number of computers in each of their offices:

Head Office	100
Sales Office	20
Tech Office	50
Kolkata Office	50
Ahmadabad Office	50
Coimbatore Office	50

1) Suggest network type(out of LAN,MAN,WAN) for connecting each of the following set of their offices:

- Head Office and Tech Office
- Head Office and Coimbatore Office

Ans) Head Office and Tech Office: LAN

Head Office and Coimbatore Office: WAN

2) Which device you will suggest to be produced by the company for connecting all the computers with in each of their offices out of the following devices?

- Modem
- Telephone
- Switch/Hub

Ans) Switch / Hub

3) Which of the following communication media, will suggest to be procured by the company for connecting their local offices in New Delhi for very effective and fast communication?


- Ethernet Cable, Optical Fibre, Telephone Cable

Ans) Optical Fibre


4) Suggest a cable/writing layout for connecting the company's local offices located in New Delhi. Also, suggest an effective method /technology for connecting the company's regional offices at "Kolkata", "Coimbatore" and "Ahmadabad".

Ans) Optical Fiber/Star Topology

Wireless



OR



Optical Fiber/Bus Topology

Wireless

15) INDIAN PUBLIC SCHOOL in Darjeeling is setting up the network between its different wings. There are 4 wings named as SENIOR(S), JUNIORS (J), ADMIN (A) and HOSTEL (H). (2006OD)

Distance between various wings is given below:
Number of Computers

Wing A	10
Wing S	200
Wing J	100
Wing H	50

i) Suggest a suitable Topology for networking the computer of all wings.1

Ans)Star Topology OR Bus Topology

ii) Name the wing where the server to be installed. Justify your answer. 1m

Ans)Wing S

as it has the maximum number of computers

OR

WingA as it is placed in the Admin Wing (for security reasons)

iii) Suggest the placement of Hub/Switch in the network.


Ans) Inside all the four wings

iv) Mention in economic technology to provide internet accessibility to all wings. 1m

Ans:Any one of the following:

Dialup, TCP/IP, DSL, Modem, Broadband, Cable, ISDN, Telephone Line, Co-axial, Ethernet Cable, Radiowave

16) The Cyber Mind Organization has set up its new Branch at Mizoram for its office and web based activities. It has 4 Wings of buildings as shown in the diagram: (OD 2005)



Center to center distances between various blocks

Wing X to Wing Z	40 m
Wing Z to Wing Y	60 m
Wing Y to Wing X	135 m
Wing Y to Wing U	70 m
Wing X to Wing U	165 m
Wing Z to Wing U	80 m

Number of computers

Wing X	50
Wing Z	130
Wing Y	40
Wing U	15

1) Suggest a most suitable cable layout of connections between the Wings, and topology. 1m

2) Suggest the most suitable place (i.e., Wing) to house the server of this organization with a suitable reason, with justification. 1m

Ans) Wing Z as it has largest number of computers

3) Suggest the placement of the following devices with justification: 1m

- (i) Repeater (ii) Hub/Switch

4) The organization is planning to link its head office situated in Delhi with the offices at Srinagar. 1m Suggest an economic way to connect it; the company is ready to compromise on the speed of connectivity. Justify your answer. 2m

Ans) TCP/IP Dial Up (Most Suitable answer 1)

OR

Telephone Link (Most Suitable answer 2)

OR

Microwave

OR

Radio Link/Radio Wave


OR

Satellite Link

OR

WAN

17) Knowledge Supplement Organisation has set up its new center at Mangalore for its office and web based activities. It has 4 blocks of buildings as shown in the diagram below: (MP109-10)4



Center to center distances between various blocks


Block A to Block B	50 m
Block B to Block C	150 m
Block C to Block D	25 m
Block A to Block D	170 m
Block B to Block D	125 m
Block A to Block C	90 m

Number of Computers

Block A	25
Block B	50
Block C	125
Block D	10


e1) Suggest a cable layout of connections between the blocks.

Layout Option 1:



Ans)

Layout Option 2: Since the distance between Block A and Block B is quite short




e2) Suggest the most suitable place (i.e. block) to house the server of this organization with a suitable reason.

Ans) The most suitable place / block to house the server of this organisation would be Block C, as this block contains the maximum number of computers, thus decreasing the cabling cost for most of the computers as well as increasing the efficiency of the maximum computers in the network.


e3) Suggest the placement of the following devices with justification

- (i) Repeater (ii) Hub/Switch


Ans) (i) For Layout 1, since the cabling distance between Blocks A and C, and that between B and C are quite large, so a repeater each, would ideally be needed along their path to avoid loss of signals during the course of data flow in these routes.



For layout 2, since the distance between Blocks A and C is large so a repeater would ideally be placed in between this path.




(ii) In both the layouts, a hub/switch each would be needed in all the blocks, to interconnect the group of cables from the different computers in each block.



e4) The organization is planning to link its front office situated in the city in a hilly region where cable connection is not feasible, suggest an economic way to connect it with reasonably high speed?

Ans) The most economic way to connect it with a reasonable high speed would be to use radio wave transmission, as they are easy to install, can travel long distances, and penetrate buildings easily, so they are widely used for communication, both indoors and outdoors. Radio waves also have the advantage of being omni directional, which is they can travel in all the directions from the source, so that the transmitter and receiver do not have to be carefully aligned physically.

18) Ravya Industries has set up its new center at Kaka Nagar for its office and web based activities. The company compound has 4 buildings as shown in the diagram below:
(MP209-10) 4



Center to center distances between various buildings is as follows:

Harsh Building to Raj Building	50 m
Raj Building to Fazz Building	60 m
Fazz Building to Jazz Building	25 m
Jazz Building to Harsh Building	170 m
Harsh Building to Fazz Building	125 m
Raj Building to Jazz Building	90 m


Number of Computers in each of the buildings is follows:

Harsh Building	15
Raj Building	150
Fazz Building	15
Jazz Building	25


e1) Suggest a cable layout of connections between the buildings.

Ans)

Layout 1:



Layout 2: Since the distance between Fazz Building and Jazz Building is quite short



e2) Suggest the most suitable place (i.e. building) to house the server of this organization with a suitable reason.

Ans) The most suitable place / block to house the server of this organisation would be Raj Building, as this block contains the maximum number of computers, thus decreasing the cabling cost for most of the computers as well as increasing the efficiency of the maximum computers in the network.

e3) Suggest the placement of the following devices with justification:

- (i) Internet Connecting Device/Modem
- (ii) Switch


Ans)(i) Raj Building

(ii) In both the layouts, a hub/switch each would be needed in all the buildings, to interconnect the group of cables from the different computers in each block

e4) The organisation is planning to link its sale counter situated in various parts of the same city, which type of network out of LAN, MAN or WAN will be formed? Justify your answer.

Ans) The type of network that shall be formed to link the sale counters situated in various parts of the same city would be a MAN, because MAN (Metropolitan Area Networks) are the networks that link computer facilities within a city.

19) Knowledge Supplement Organisation has set up its new center at Mangalore for its office and web based activities. It has 4 blocks of buildings as shown in the diagram below: (MP108-09)



Center to center distances between various blocks


Block A to Block B	50 m
Block B to Block C	150 m
Block C to Block D	25 m
Block A to Block D	170 m
Block B to Block D	125 m
Block A to Block C	90 m

Number of Computers

Block A	25
Block B	50
Block C	125
Block D	10


e1) Suggest a cable layout of connections between the blocks. 1

Ans) Layout 1:



Layout Option 2:

Since the distance between Block A and Block B is quite short



e2) Suggest the most suitable place (i.e. block) to house the server of this organisation with a suitable reason. 1


Ans) The most suitable place / block to house the server of this organisation would be Block C, as this block contains the maximum number of computers, thus decreasing the cabling cost for most of the computers as well as increasing the

efficiency of the maximum computers in the network.


e3) Suggest the placement of the following devices with justification 1

- i) Repeater
- ii) Hub/Switch

Ans) For Layout 1, since the cabling distance between Blocks A and C, and that between B and C are quite large, so a repeater each, would ideally be needed along their path to avoid loss of signals during the course of data flow in these routes





For layout 2, since the distance between Blocks A and C is large so a repeater would ideally be placed in between this path



In both the layouts, a hub/switch each would be needed in all the blocks, to interconnect the group of cables from the different computers in each block

Layout 1



e4) The organization is planning to link its front office situated in the city in a hilly region where cable connection is not feasible, suggest an economic way to connect it with reasonably high speed? 1

Ans) The most economic way to connect it with a reasonable high speed would be to use radio wave transmission, as they are easy to install, can travel long distances, and penetrate buildings easily, so they are widely used for communication, both indoors and outdoors. Radio waves also have the advantage of being omni directional, which is they can travel in all the directions from the source, so that the transmitter and receiver do not have to be carefully aligned physically.

Theory Question: Fundamental Concepts

1) What was the role of ARPANET in the Computer Network? (D2010) 1

Ans. The first computer network was jointly designed by The Advanced-Research Projects Agency (ARPA) and Department of Defence (DoD) of United States in 1969 and was called ARPANET. It was an experimental project, which connected a few computers from some of the reputed universities of USA and DoD. ARPANET allowed access to computer resource sharing projects. This ARPANET was handed over to Defence Communication Agency (DCA) for further development.

2) What is the significance of ARPANET in the network? (MP108-10) 1

Ans) The first evolution of network was jointly designed by The Advanced Research Projects Agency (ARPA) and Department of Defence (DoD) in 1969 and was called ARPANET. It was an experimental project, which connected a few computers of some of the reputed universities of USA and DoD. ARPANET allowed access and use of computer resource sharing projects. Later Defence Data Network (DDN) was born in 1983.

LAN,MAN,WAN,PAN:

1. Assume that 50 employees are working in an organization. Each employee has been allotted a separate workstation to work. In this way, all computers are connected through the server and all these workstations are distributed over two floors. In each floor, all the computers are connected to a switch. Identify the type of network? 2019MP1

Ans:
LAN(Local Area Network)

2) Daniel has to share the data among various computers of his two offices branches situated in the same city. Name the network (out of LAN, WAN, PAN and MAN) which is being formed in this process. (2017MP)1

Ans MAN

3. Differentiate between PAN and LAN types of networks. (2016) 1

PAN - Personal Area Network	LAN - Local Area Network
A personal area network - PAN - is a computer network organized around an individual person.	LAN interconnects a high number of access or node points or stations within a confined physical area upto a kilometer.

4.2013

(d) Which type of network (out of LAN, PAN and MAN) is formed, when you connect two mobiles using Bluetooth to transfer a video. 1

Answer : PAN (Personal Area Network)


5 In networking, what-is WAN? How is it different from LAN? (2011) 1

Ans A WAN (wide area network), is not restricted to a geographical location, although it might be confined within the bounds of a state or country. A WAN connects several LANs, and may be limited to an enterprise (a corporation or an organization) or accessible to the public. The technology is high speed and relatively expensive. The Internet is an example of a worldwide public WAN.

A LAN (local area network) is a group of computers and network devices connected together, usually within the same building or campus.


6) What is the difference between LAN and WAN? (OD2009) 1

Ans LAN (Local Area Network):
Interconnects a high number of access or node points or stations within a confined physical area. An example is the territory covered in a single office building that houses various departments/offices. All these areas are interconnected using a LAN.



WAN (Wide Area Network)

It is used to connect systems with no limitation of geographical area. It is used to serve many locations distributed over a large geographical area. A system of overnight teller machines used by a banking organisation covering the North of India is an example of a WAN. Internet is also an example of the same.



7) What is the difference between MAN and WAN? (2003) 1m

8) What is the difference between LAN and WAN? (2000) 1m

9) What is the difference between WAN and MAN. (1999) 1m

10) What is the difference between LAN and MAN? (1998) 1m

TOPOLOGIES:


1) Differentiate between Bus Topology and Star Topology of Networks. What are the advantages and disadvantages of Star Topology over Bus Topology? (2018)

Ans:

Bus Topology: It is characterised by common transmission medium shared by all the connected nodes.



Star Topology: It is characterised by central switching node connected directly to each of multiple nodes in the network.



Advantages of Star Topology over Bus Topology:

Topology: • Faster communication as compared to Bus topology

• Independent line of connection allows freedom of removing or adding nodes from the network

Disadvantages of Star Topology over Bus Topology:

Topology: • Expensive as compared to Bus topology

• Long cable length

2) Identify the type of topology on the basis of the following: (2017MP)


a. Since every node is directly connected to the server, a large amount of cable is needed which increases the installation cost of the network.

b. It has a single common data path connecting all the nodes. 2


Ans: a. Star Topology b. Bus Topology

3. Illustrate the layout for connecting 5 computers in a Bus and a Star topology of Networks. (2015) 2

Bus topology



Star Topology



OR any valid illustration of Bus and Star Topology.


4) Write one advantage of Bus Topology of network. Also, illustrate how 4 computers can be connected with each other using star topology of network. (2012)2

Ans Cable length required for this topology is the least compared to other networks.

OR

Any other correct advantage of Bus Topology of network.

Illustration of 4 computers connected with each other using star topology of network.



5) What is difference between Star Topology and Bus Topology of network? (D2009) 1


Ans)

Bus Topology: It is characterised by common transmission medium shared by all the connected hosts, managed by dedicated nodes. It offers simultaneous flow of data and control.

Star Topology: It is characterised by central switching node (communication controller) and unique path (point to point link) for each host. It is easy to add and remove additional hosts by upgrading the centralised node.



Bus



Star

6) Write one advantage of STAR topology as compared to BUS topology (D2006) 1m

Ans) Fault detection is easy.
Fault isolation is easy.

7) Write two advantages and disadvantages of the following topologies in a Network. (2002) 1m

- i) BUS ii) RING

8) Write two advantages and two disadvantages for STAR topology? (2004) 1m

9) Write one advantage and one disadvantage of the following topologies in network: (2003) 2m

- i) STAR Topology ii) BUS Topology

10) Mention one difference between Linear and Star topologies in networking. (2001) 1m

11) Write the two advantages and two disadvantages of BUS Topology in network? (2000) 2

12) Give two advantages and disadvantages of following network topologies: (1999) 2m
i) BUS ii) Tree

MESSAGE SWITCHING:

1) Differentiate between packet switching over message switching? (2015) 1

Ans) Packet Switching follows store and forward principle for fixed packets. Fixes an upper limit for packet size.

Message Switching follows store and forward principle for complete message. No limit on block size.

2) Name two switching techniques used to transfer data between two terminals (computers). (D2009) 1

Ans) Message Switching and Packet Switching

OR

Circuit Switching and Message Switching

OR


Circuit Switching and Packet Switching

3) Mention one difference between circuit switching and packet switching. (2002) 2m


4) What is the difference between Message Switching technique and Packet Switching technique? (D2005) 1m

Ans) **Message switching:** The source computer sends data (message) to the switching office, which stores data in a buffer. It then looks for a free link to another switching office and sends data to that office. This process

continues until data is delivered to the destination computer. This type of switching technique is also known as 'store and forward' switching.



Packet switching: A fixed size of packet that can be transmitted across the network is specified. All the packets are stored in the main memory instead of disk. As a result, accessing time of packets is reduced.



5) Define Packet switching? (2004) 1m

6) Compare any two Switching techniques. MP109-10)1

Ans) Appropriate comparison between any two out of Circuit Switching, Message Switching, Packet Switching

GUIDED & UNGUIDED MEDIA:

1. Your friend wishes to install a wireless network in his office. Explain him the difference between guided and unguided media. 2019MP1

Answer:

Guided media uses cables to connect computers, whereas unguided media uses waves.

2) Differentiate between communication using Optical Fiber and Ethernet Cable in context of wired medium of communication technologies. (2017) 2

Ans)

Optical Fibre

- Very Fast
- Expensive
- Immune to electromagnetic interference

Ethernet Cable -

- Slower as compared to Optical Fiber
- Less Expensive as compared to Optical Fiber
- prone to electromagnetic interference

3) Out of the following, which is the fastest (i) wired and (ii) wireless medium of communication? (2015) 1

Infrared, Coaxial Cable, Ethernet Cable, Microwave, Optical Fiber

Ans (i) Wired – Optical Fiber

(ii) Wireless - Infrared OR Microwave

4.2014

(a) Write two advantages of using an optical fibre cable over an Ethernet cable to connect two service stations, which are 200 m away from each other. 1

Answer :

Two using an optical fibre cable over an Ethernet cable are:

- Provides high speed.
- Electrical and Magnetic interference does not affect the transmission.

5) How is Coaxial cable different from Optical Fibre?(D2008) 1m

Ans)

Coaxial Cable: Comparatively Slow, Economic, convenient to lay down, used in Bus topology of networks

Optical Fibre: Very fast, expensive, reliable, no interference

6) Compare Optical Fiber and Coaxial transmission media. (OD2005) 1m

Ans)

Coaxial Cable: Comparatively Slow, Economic, convenient to lay down, used in Bus topology of networks;

Optical Fibre: Very fast, expensive, reliable, no interference

7) Write one difference between Coaxial and optical cable? (2004) 1m

8) Write an advantage and a disadvantage of using optical fibre cables? (2003) 1m

9) Name two transmission media for networking. 1m (OD2006)

Ans) Optical Fiber

Ethernet Cable or twisted pair cable or UTP or STP

Co-axial Cable

Infrared

Radio Link OR Radiowave

Microwave link OR Microwave

Satellite Link

10) Name two communication channels used in networking and explain any one. (2001) 2m

OTHERS:

1) Which of the following is not an unit for data transfer rate? (D2010) 1

(i) bps (ii) abps (iii) gbps (iv) kbps

Ans. (ii)abps

2) Which of the following is not a unit for data transfer rate? (OD2010) 1

(i) mbps (ii) kbps (iii) sbps (iv) gbps

Ans. (iii) sbps

3) Which of the following unit measures the speed with which data can be transmitted from one node to another node of a network? Also, give the expansion of the suggested unit. (D2007)1

i) Mbps ii) KMps iii) MGps

Ans)Mbps (Mega Bits Per Second)

4) Which of the following unit measures the speed with which data can be transmitted from one node to another node of a network? Also, give the expansion of the suggested unit(OD2007) 1m

i) KMps ii) Mbps iii) MGps

Ans) (ii) Mbps Mega bits per second

5) Differentiate between Internet and Intranet (D2006) 1

Ans)**Internet** is a network of computer networks which operates world-wide using a common set of communications protocols.

Intranet is an inter-connected network within one organization that uses Web technologies for the sharing of information internally.

6) What is NFS? (2001) 1m

7) Mention one advantage of networking(2001). 1m

8) What do you understand by a backbone network? (1998) 1m

9) Define the term Bandwidth. Give any one unit of Bandwidth. (MP209-10) 1

Ans)

Bandwidth is referred to the volume of information per unit of time that a transmission medium (like an Internet connection) can handle.

OR

The amount of data that can be transmitted in a fixed amount of time is known as bandwidth.

For digital devices, the bandwidth is usually expressed in bits per second(bps) or bytes per second. For analog devices, the bandwidth is expressed in cycles per second, or Hertz (Hz)

10)Define the term Bandwidth. Give unit of Bandwidth. (MP208-10) 1

Ans)

Bandwidth is the capability of a medium to transmit an amount of information over a distance. Bandwidth of a medium is generally measured in bits per second (bps) or more commonly in kilobits per second (kbps)

Theory Question : Communication Devices

1) What is the purpose of using a repeater in the context of networking? (2003) 1

2) What is a Hub? (D2008) 1

Ans) A Hub is used for a central connection between two or more computers on a network.

OR

A Hub is a network device used to connect two or more computers.

OR

A Hub is an unintelligent network device to connect computers.

3) What is a Modem? (OD2008) 1m

Ans) **Modem** is a Modulation Demodulation device that converts analog signal to digital signal and vice versa.

4) What is a Modem? (2002) 1m

5) What are Routers? (2000) 1m

6) What is the purpose of using a MODEM? (2000) 1m

7) What is a bridge? (1999) 1m

8) What are repeaters? (1998) 1m

Theory Question : Protocols

1. Which protocol helps us to transfer files to and from a remote computer? (2016) 1

Ans **FTP OR Telnet OR TCP**

2.2013

(b) What is the different between HTTP and FTP? 1

Answer :

HTTP	FTP
1. HTTP, is a protocol used to transfer files from a web server onto a browser in order to view a Web page that is on the Internet.	1. FTP, is a protocol used to upload files from a workstation to a FTP server or download files from a FTP server to a workstation.
2. It is used to define the format and Transfer the web page.	2. It is used to transfer the file from one system to another.

3) What is protocol? Which protocol is used to search information from internet using an internet browser? (D2009) 1

Ans A protocol is the set of rules for governing communication between two communication devices. It also infers documentation, negotiations and establishment of rules. Protocol used to search information from internet using an internet browser is : TCP/IP OR HTTP

4) What is protocol? Which protocol is used to copy a file from/to a remotely located server? (OD2009) 1

Ans A protocol is the set of rules for governing communication between two communication devices. It also infers documentation, negotiations and establishment of rules. Protocol used to copy a file from/to a remotely located server is FTP (File Transfer Protocol)

5) What is the purpose of using FTP? (1999) 1

Theory Question : Internet Related Others

1. Arun opened his e-mail and found that his inbox was full of hundreds of unwanted mails. It took him around two hours to delete these unwanted mails and find the relevant ones in his inbox. What may be the cause of his receiving so many unsolicited mails? What can Arun do to prevent this happening in future? 2019MP2

Ans:

Arun's email has been attacked with spam. These may be promotional mails from different advertisement groups. Arun must have checked some promotional offers while surfing the Internet.

He should create filters in his email to stop receiving these unwanted mails.

2. Janish Khanna used a pen drive to copy files from his friend's laptop to his office computer. Soon his office computer started abnormal functioning. Sometimes it would restart by itself and sometimes it would stop different applications running on it. Which of the following options out of (i) to (iv), would have caused the malfunctioning of the computer? Justify the reason for your chosen option:

- (i) Computer Virus
- (ii) Spam Mail
- (iii) Computer Bacteria
- (iv) Trojan Horse (2017)

Ans)

- (i) Computer Virus **OR** (iv) Trojan Horse

Justification:

- Pen drive containing Computer Virus / Trojan Horse was used before the abnormal functioning started, which might have corrupted the system files.
- Computer Virus/ Trojan Horse affects the system files and start abnormal functioning in the computer

3. Ms. Raveena Sen is an IT expert and a freelancer. She recently used her skills to access the Admin password for the network server of Super Dooper Technology Ltd. and provided confidential data of the organization to its CEO,

informing him about the vulnerability of their network security. Out of the following options (i) to (iv), which one most appropriately defines Ms.Sen?

Justify the reason for your chosen option:

- (i) Hacker (ii) Cracker
(iii) Operator (iv) Network Admin (2017)2

Ans) (i) Hacker

A Hacker is a person who breaks into the network of an organization without any malicious intent.

4) Who is a hacker? (2017MP) 1

Ans: A computer enthusiast, who uses his computer programming skills to intentionally access a computer without authorization is known as hacker. A hacker accesses the computer without the intention of destroying data or maliciously harming the computer.

5) How is a Hacker different from a Cracker?(OD2008)1

Ans)Hackers are the ones who get into someone's code or computer without any malicious intentions, where as Crackers are the one's who get into someone's code or computer with malicious intentions.

6) Difference between Hackers and Crackers? (OD2006)1

Ans)Hackers: Computer enthusiasts who enjoy learning about computer systems and get into other system/network for gaining more knowledge or may find flaws in the system for rectification purposes.

Crackers: Malicious programmers who break into secure systems for stealing and corrupting/spoiling data.

7) Write two advantages of 3G over 2G Mobile Telecommunication Technologies in terms of speed and services? (2016) 1

Ans Speed -

- Faster web browsing
- Faster file transfer

Service -

- Better video clarity
- Better security

8) Write two characteristics of Web 2.0. (2016) 1

Ans ● Makes web more interactive through online social medias

- Supports easy online information exchange
- Interoperability on the internet
- Video sharing possible in the websites

9) What is the basic difference between Computer Worm and Trojan Horse? (2016) 1

Trojan Horse	Computer Worm
It is a "Malware" computer program presented as useful or harmless in order to induce the user to install and run them.	It is a self-replicating computer program which uses a network to send copies of itself to other computers on the network and it may do so without any user intervention.

10) What is Trojan Horse? (2015) 1

Ans A Trojan Horse is a code hidden in a program, that looks safe but has hidden side effects typically causing loss or theft of data, and possible system harm.

11) What is the difference between Trojan Horse and Virus in terms of computers? (D2010) 1

Ans. TROJAN HORSE: "Malware" computer programs presented as useful or harmless in order to induce the user to install and run them.

VIRUS: Virus is a malicious program that damages data and files and causes harm to computer system.

12) What is the difference between Virus and Worms in the computers?(OD2010) 1

Ans.Virus: Virus is a malicious program that damages data and files and causes harm to computer system.

Worms: Worms disrupt services and create system management problems. In some cases worms can install viruses that cause damage to system.

13) How Trojan Horses are different from Worms? Mention any one difference. (MP209-10) 1

Ans)A Trojan horse is a term used to describe malware that appears, to the user, to perform a desirable function but, in fact, facilitates unauthorized access to the user's computer system.

A computer worm is a self-replicating computer program. It uses a network to send copies of itself to other nodes (computers on the network) and it may do so without any user intervention.

14) What term we use for a software/hardware device, which is used to block, unauthorized access while permitting authorized communications. This term is also used for a device or set of devices configured to permit, deny, encrypt, decrypt, or proxy all (in and out) computer traffic between different security domains based upon a set of rules and other criteria. (D2010)1

Ans. Firewall

Firewall: Any of a number of security schemes (hardware/software) that prevent unauthorized users from gaining access to a computer network or that monitor transfers of information to and from the network.

15) How firewall protect our Network? (MP209-10) 1
Ans)A **firewall** is a part of a computer system or network that is designed to block unauthorized access while permitting authorized communications. It is a device or set of devices configured to permit, deny, encrypt, decrypt, or proxy all (in and out) computer traffic between different security domains based upon a set of rules and other criteria.

16) Define the term firewall. (MP208-10) 1
Ans) Firewall is a feature used for Network Security. In a Network there is always danger of information leaking out or leaking in. Firewall is a feature which forces all information entering or leaving the network to pass through a check to make sure that there is no unauthorized usage of the network.

17. 2014

(a) Write two characteristics Wi-Fi. 1

Answer :

The characteristics of Wi-Fi are as follows:-

1. It allows the devices to connect with the network without any wire.
2. Group of devices can be connected with single internet connection.

18. 2014

What is the difference between E-Mail and Chat? 1

Answer : In Email, it is not necessary that receiver should be present online when the receiver is sending the E-mail, whereas, in Chat, it is must that the communicators should be online at the time of communication.

19) Name any two common Web browsers.(OD2010)1

Ans. Internet explorer, Firefox, Netscape Navigator, Google Chrome, Opera, Safari

20) What is the purpose of using a Web Browser? Name any one commonly used Web Browser. (MP108-10)1

Ans) The **Web Browser** fetches the page requested, interprets the text and formatting commands that it contains, and displays the page properly formatted on the screen.

Example of a Web Browser:

Mozilla Firefox OR Internet Explorer OR Netscape Navigator OR Safari OR OPERA

21) Describe the following in brief: 2m (1998)

- i) MOSAIC
- ii) Usenet

22) What do you mean by IP Address? How is it useful in Computer Security? 1

Ans) An Internet Protocol (IP) address is a numerical identification and logical address that is assigned to devices connected in a computer network. An IP Address is used to uniquely identify

devices on the Internet and so one can quickly know the location of the system in the network.

23) What do you mean by Spam Mails? How can you protect your mailbox from Spams? (2000)

Ans) Spam mails, also known as junk e-mail, is a subset of spam that involves nearly identical messages sent to numerous recipients by e-mail. We can protect our mailbox from spams by creating appropriate filters.

24) Give one suitable example of each URL and Domain Name (2012)1

Ans URL Example: <http://www.w3schools.com/html/default.asp>

OR

www.youtube.com

Domain Name Example: w3schools.com

OR

Any other correct URL and Domain Name Examples

Note: Domain names in both the examples may/may not be same

25) What is the importance of URL in networking? (MP209-10) 1

Ans) A Uniform Resource Locator (URL) is used to specify, where an identified resource is available in the network and the mechanism for retrieving it. A URL is also referred to as a Web address.

26) What is the importance of URL in networking? (MP208-10)1

Ans) **URL** stands for Uniform Resource Locator. Each page that is created for Web browsing is assigned a URL that effectively serves as the page's worldwide name or address. URL's have three parts: the protocol, the DNS name of the machine on which the page is located and a local name uniquely indicating the specific page (generally the filename).

27) Give two major reasons to have network security. (MP108-10) 1

Ans) Two major reasons to have Network Security are

(i) **Secrecy:** Keeping information out of the reach of unauthorized users.

(ii) **Authentication:** Determining the authorized user before sharing sensitive information with or entering into a business deal.

Theory Question : Scripts & Cookies

1) Classify each of the following Web Scripting as Client Side Scripting and Server Side Scripting: (2018)

(i) Java Scripting (ii) ASP (iii) VB Scripting

(iv) JSP

Ans:

- (i) Client Side Scripting / Server Side Scripting
- (ii) Server Side Scripting
- (iii) Client Side Scripting
- (iv) Server Side Scripting

2) Categories the following under **Client side and Server Side script category?** (2016)

- (i) Java Script (ii) ASP
- (iii) VB Sript (iv) JSP

Client Side Scripts	Server Side Scripts
VB Script	ASP
Java Script	JSP

3) Name one server side scripting language and one client side scripting language. (2012)1

Ans Client side scripts: Java script / VB script / Perl Tcl/Tk / REXX.

Server side scripts: JSP / ASP / PHP / CGI / Perl

4. Out of the following, identify client side script (s) and server side script (s). (2011)1

- (i) Javascript (ii) ASP
- (iii) vbscript (iv) JSP

Ans) Javascript & vbscript are client side scripts
JSP & ASP are server side scripts

5) Which of the following is not a Client Side script: (MP109-10) 1

- (i) VB Script (ii) Java Script
- (iii) ASP (iv) PHP

Ans) (iii) ASP and (iv) PHP are not client side scripts

(6) What kind of data gets stored in **cookies** and how is it useful? (2015) 1

Ans When a Website with cookie capabilities is visited, its server sends certain information about the browser, which is stored in the hard drive as a text file. It's a way for the server to remember things about the visited sites.

7. What are cookies? (2011)

Ans A small piece of information that a server sends to a client. When a person visits a Web site with cookie capabilities, its server sends certain information about him/her to the browser, which is stored on his/her hard drive as a text file. At some later time (such as returning to the site the next day), the server retrieves the cookie.

8) What do you understand by the terms Cookies and Firewall? (OD2005) 1m

Ans) Cookies: A small piece of information that a server sends to a client When you visit a Web site with cookie capabilities, its server sends certain information about you to your browser, which is stored on your hard drive as a text file. At some later time (such as returning to the site the next day), the server retrieves the cookie. It's a way to the server to remember things about you.

Theory Question : Cyber Crimes

(1) Out of the following, which all comes under **cyber crime?** (2015) 1

- (i) Stealing away a brand new hard disk from a showroom.
- (ii) Getting in someone's social networking account without his consent and posting on his behalf.
- (iii) Secretly copying data from server of a organization and selling it to the other organization.
- (iv) Looking at online activities of a friends blog.

Ans (ii) & (iii)

2) Which out of the following comes under Cyber Crime?(2012) 1

- (i) Operating someone's Internet banking account, without his knowledge.
- (ii) Stealing a keyboard from someone's computer.
- (iii) Working on someone's computer with his/her permission.

Ans (i) Operating someone's Internet banking account, without his knowledge.

3) What is the significance of Cyber law? (D2007)1m

Ans) Cyber law encompasses a wide variety of political and legal issues related to the Internet and other communications technology, including intellectual property, privacy, freedom of expression, and jurisdiction. **OR**
Cyber law helps prevent Cyber Crime, Hacking, Data theft, Software Piracy and protects rights of Cyber Users.

4) What is the significance of Cyber law? 1m(OD2007)

Ans)Cyber law encompasses a wide variety of political and legal issues related to the Internet and other communications technology, including intellectual property, privacy, freedom of expression, and jurisdiction. **OR**
Restricting unauthorized access to user accounts. Promoting, coordinating and controlling e-business.

5) Write two application of Cyber Law. (D2005) 1

Ans)Cyber law encompasses a wide variety of political and legal issues related to the Internet and other communications technology, including intellectual property, privacy, freedom of expression, and jurisdiction.

6) If someone has hacked your Website, to whom you lodge the Complain? (MP1 09-10) 1

Ans) The complaint has to be lodged with the Police under IT Act.

Theory Question : XML & HTML

1. Differentiate between XML and HTML.

(2011) 1

Ans The Extensible Markup Language (XML) was initially visualized as a language for defining new document formats for the World Wide Web. XML is textbased formats that provide mechanisms for describing document structures with the help of user defined Tags.

HTML - short for Hypertext Markup Language is the predominant markup language for the creation of web pages. It provides a means to describe the structure of text-based information in a document by denoting certain text as headings, paragraphs, lists, and to supplement that text with interactive forms, embedded images, and other objects using predefined Tags.

2) What is the difference between XML and HTML? Write two differences.(OD2005)1m

Ans)Extensible Markup Language:

It contains user defined tags

Hyper Text Markup Language:

It contains predefined tags

3) When do you prefer XML over HTML and why? (MP209-10) 1

Ans)

The first benefit of XML is that because you are writing your own markup language, you are not restricted to a limited set of tags defined by proprietary vendors.

Rather than waiting for standards bodies to adopt tag set enhancements (a process which can take quite some time), or for browser companies to adopt each other's standards (yeah right!), with XML, you can create your own set of tags at your own pace.

Theory Question : Open Source Softwares

1. 2014

(f) Write the name of any two popular Open Source Softw which are used as operating system.

Answer: Linux and Unix are two Open Source operating syst

(g) Write any two important characteristics of Clc Computing.

Answer:

Two characteristic of Cloud Computing are:-

(i) It is controlled by entity and restricted to their authori user.

(ii) It is delivered through internet 24x7.

(2) Write two advantages of using open source software over proprietary software. 2013

A) Two advantages of using open source software over proprietary software are:

Open Source Software is software whose source code is available to customer and it can be modified

and redistributed without any limitations whereas source code of proprietary software is not available. Open Source software may come free of cost or with payment of normal charges whereas proprietary software is neither open nor freely available.

(3) Name two Proprietary softwares along with their application. (2012)1

Ans Microsoft Office - For office applications

Adobe Photoshop - For design related works

Autocad - For professional Design

MAYA - For professional animations & Movie making 3D Studio - For 3 dimensional objects

Tally - For accounting

Oracle Database - For database management

4. What is WEB2.0? (2011)1

Ans The term Web 2.0 is associated with **web applications that facilitate participatory information sharing, interoperability, user-centered design, and collaboration on the World Wide Web.** Web 2.0 is also used for social networking. Example: **Social Networking Sites, Blogs, Facebook,** Video Sharing Sites, Video Conferencing Applications etc.

(5) Compare Open Source Software and Proprietary Software. (2011) 1

Ans Open source software refers to a program or software in which the source code (the form of the program when a programmer writes a program in a particular programming language) is available to the general public for use and/or modification from its original design free of charge.

Proprietary software is software that is owned by an individual or a company (usually the one that developed it). There are almost always major restrictions on its use, and its source code is almost always kept secret.

6) Write one advantage of each for Open Source Software and Proprietary Software. 1

Ans. An Open Source Software is freely and liberally licensed because of which users have right to study, change, and improve its design and source code. A Proprietary Software has a copyright owner, who can restrict the user's control over the software, its modification, or restrictions in publishing of modified or unmodified versions.

7) Mention any two advantages of Open Source Software over Proprietary Software. (2000)

Ans)Open Source's proponents often claim that it offers significant benefits when compared to typical Proprietary Software. Proprietary Software typically favour visible features (giving marketing advantage) over harder-to-measure qualities such as stability,security and similar less glamorous attributes.

Open Source Software developers are evidently motivated by many factors but favouring features over quality is not noticeable amongst them. For many developers, peer review and acclaim is important, so it's likely that they will prefer to build software that is admired by their peers. Highly prized factors are clean design, reliability and maintainability, with adherence to standards and shared community values preeminent.

8) Compare freeware and Shareware. (MP209-10) 1

Ans) Freeware, the name derived from words "free" and "software". It is a computer software that is available for use at no cost or for an optional fee. Freeware is generally proprietary software available at zero price, and is not free software. The author usually restricts one or more rights to copy, distribute, and make derivative works of the software.

Shareware is usually offered as a trial version with certain features only available after the license is purchased, or as a full version, but for a trial period. Once the trial period

has passed the program may stop running until a license is purchased. Shareware is often offered without support, updates, or help menus, which only become available with the purchase of a license. The words "free trial" or "trial version" are indicative of shareware.

Full Forms

1. Write the expanded names for the following abbreviated terms used in Networking and Communications: 2019MP2

(i) CDMA (ii) HTTP (iii) XML (iv) URL

Answer:

- (i) Code Division Multiple Access
- (ii) Hyper Text Transfer Protocol
- (iii) Extensible Markup Language
- (iv) Uniform Resource Locator

2) Write the expanded names for the following abbreviated terms used in Networking and Communications: 2018 2

(i) SMTP (ii) VoIP (iii) GSM (iv) WLL

A) (i) SMTP - Simple Mail Transfer Protocol

VoIP - Voice Over Internet Protocol

(Voice over IP)

GSM - Global System for Mobile Communication

WLL - Wireless Localloop

3) Expand the following: (2017MP)

a. VOIP b. SMTP 1

Ans: a. Voice Over Internet Protocol

b. Simple Mail Transfer Protocol

4) Expand the following (i)GSM (ii)GPRS 2014
Ans) GSM-Global system for mobile communication,
GPRS – General Packet Radio Service

5) Write the full forms of the following: (D2010)1

(f1) GNU (f2) XML

Ans (f1) GNU's not Unix

(f2) eXtensible Markup Language

6) Write the full forms of the following (D2010)1
(f1) FTP (f2) FSF

Ans. (f1) FILE TRANSFER PROTOCOL

(f2) FREE SOFTWARE FOUNDATION

7) Expand the following abbreviations (D2009) 1

(i) GSM (ii) CDMA

Ans (i) Global System for Mobile Communication

(ii) Code Division Multiple Access

8) Expand the following abbreviations:1

(i) HTTP (D2009) (ii) ARPANET

Ans (i) Hyper Text Transfer Protocol

(ii) Advanced Research Projects Agency Network

9) Expand the following terms with respect to Networking: 2m (D2008)

i) MODEM ii) WLL iii) FTP iv) TCP/IP

Ans (i) Modulator - Demodulator

(ii) Wireless Local Loop **OR** Wireless in Local Loop

(iii) File Transfer Protocol

(iv) Transfer Control Protocol/Internet Protocol

10) Expand the following terms with respect to Networking: (D2008) 2m

i) PPP ii) GSM iii) XML iv) HTTP

Ans(i) Point To Point Protocol

(ii) Global System for Mobile Communication

(iii) eXtensible Markup Language

(iv) Hyper Text Transfer Protocol

10) Expand the following terms with respect to networking: 2m (D2007)

i) CDMA ii) WLL iii) FTP iv) HTML

Ans(i) Code Division Multiple Access

(ii) Wireless Local Loop

(iii) File Transfer Protocol

(iv) Hyper Text Markup Language

11) Expand the following terms with respect to networking: 2m (D2007)

i) XML ii) WWW iii) WLL iv) TCP/IP

Ans(i) XML eXtensible Markup Language

(ii) WWW World Wide Web

(iii) WLL Wireless in Local Loop

(iv) TCP/IP Transmission Control Protocol/Internet Protocol

11) Expand the following terms: 2m (D2006)

i) CDMA ii) URL iii) HTTP iv) WAN

Ans(i) Code Division Multiple Access

(ii) Uniform Resource Locator (Location) / Universal Resource Locator (Location)

(iii) Hyper Text Transfer (Transmission) Protocol

(iv) Wide Area Network

12) Expand the following terms: 2m (D2006)

i) XML ii) GSM iii) SMS iv) MAN

Ans(i) XML Extensible Markup Language

(ii) GSM Global System for Mobile

(iii) SMS Short Messaging Service

{Message/Messaging both acceptable}

(iv) MAN Metropolitan Area Network

13) Expand the following terminologies: (D2005) 2m

i) TCP/IP ii) XML iii) CDMA iv) WLL

Ans(i) Transmission Control Protocol/Internet Protocol

(ii) eXtensible Markup Language **OR**

extendable Markup Language
(iii) Code Division Multiple Access
(iv) Wireless in a Local Loop

14) Expand the following terminologies:
i) HTML ii) GSM (OD2005)

Ans) Hyper Text Markup Language
Global System for Mobile communication

15) Explain the following terms in short. (2004)2m
i) FTP ii) URL

16) Write the following abbreviations in their full form.
(2002) i) FTP ii) WAN iii) WWW

17) Expand the following terminologies: (MP108-10)1
(i) CDMA (ii) GSM

Ans) Code Division Multiple Access
Global System for Mobile Communication

18) Expand the following terminologies:
(MP208-10) 1 (i) HTML (ii) XML

Ans) Hypertext Markup Language
Extended Markup Language

Mislleneous

1) The following is a 32 bit binary number usually represented as 4 decimal values, each representing 8 bits, in the range 0 to 255 (known as octets) separated by decimal points. 140.179.220.200

What is it? What is its importance? (2017MP) 1

Ans: It is an IP Address. It is used to identify the computers on a network.

2) What out of the following, will you use to have an audio-visual chat with an expert sitting in a far-away place to fix-up a technical issue? 2012

(i) VoIP (ii) Email (iii) FTP **Ans** (ii) VoIP OR
None of the Options

NETWORKS FULL FORMS

TCP/IP – Transmission Control Protocol / Internet Protocol
LAN – Local Area Network
MAN – Metropolitan Area Network
WAN – Wide Area Network
Modem – Modulation(tor)/Demodulation(tor)
URL – Uniform Resource Location
FTP – File Transfer Protocol
HTTP – Hyper Text Transfer Protocol
PPP – Point to Point Protocol
GSM – Global System for Mobile
CDMA – Code Division Multiple Access
WLL(WiLL)–Wireless in Local Loop
SMS – Short Message Service
WWW – World Wide Web
HTML – Hyper Text Markup Language
XML – eXtensible Markup Language
NFS – Network File System
ARPANET – Advanced Research Projects Agency
NSFnet – National Science Foundation
NIU – Network Interface Unit
NIC - Network Interface Card
TAP – Terminal Access Point (NIU = NIC = TAP)
VGM – Voice Grade Medium
DGM – Data Grade Medium
STP – Shielded Twisted Pair
UTP – Unshielded Twisted Pair
LED – Light Emitting Diode
LD – Laser Diode
Kbps – Kilo bits Per Second
KBps – Kilo Bytes Per Second
Mbps - Mega Bits Per Second
MBps – Mega Bytes Per Second
Gbps - Giga Bits Per Second
GBps – Giga Bytes Per Second
OFC – Optic Fiber Cable, Fiber Optic Cable
KHz – Kilo Hertz
MHz – Mega Hertz
GHz – Giga Hertz
THz – Tera Hertz
Bps – Bytes Per Second
bps - Bits Per Second
PDA – Personal Digital Assistants
P-P - Point to Point
AM – Amplitude Modulation
FM - Frequency Modulation
PM – Phase Modulation
A/F – Audio Frequency
(Txd – Transmit,Rxd – Receive, RTS – Request to Send
CD –Carrier Detect, **DSR** – Data Set Ready, **CTS** – Clear to Send
DTR – Data Terminal Ready)
RJ45 – Registered Jack – 45
BNC – Bayone – Neill – Concelman
AUI – Attachment Unit Interface
SNA – Systems Network Architecture
VFIR – Very Fast Infrared
URI – Uniform Resource Identifier
URN – Uniform Resource Name
MIME – Mail and Multipurpose Internet Mail Extensions
POP – Post Office Protocol
SMTP – Simple Mail Transfer Protocol
NNTP – Network News Transfer Protocol

HTTP – Hyper Text Transfer Protocol
NTP – Network Time Protocol
IMAP – Internet Mail Transfer Protocol
SLIP – Serial Line Internet Protocol
IPCP – IP Control Protocol
NCP – Network Control Protocol
LCP – Link Control Protocol
PC – Personal Computer
ISP – Internet Service Provider
SIM – Subscriber Identity Module
TDMA – Time Division Multiple Access
TDM – Time Division Multiplexing
IDEN – Integrated Digital Enhanced Network
WCDMA –Wideband CDMA
PSTN – Public Switched Telephone Network
3G – Third Generation
UMTS – Universal Mobile Telecommunications System /
Universal Mobile Telephone System
EDGE – Enhanced Data rates for Global Evolution
SMSC – Short Message Service Center
HLR – Home Location Register
Email – Electronic Mail
Fax – Fascimile
VSNL – Videsh Sanchar Nigam Limited
DNS – Domain Name Server
DHTML– Dynamic Hyper Text Markup Language
DECnet– Digital’s family of communication protocols
IE – Internet Explorer

**“If wealth is lost, nothing is lost,
If health is lost, something is lost,
If character is lost, everything is lost”**

**“THE FEAR OF THE
LORD
IS THE BEGINNING
OF WISDOM”**

MATERIAL
CHAPTER 5 - CONSTRUCTORS & DESTRUCTORS

Constructor: A member function with the same name as its class is called Constructor and it is used to initialize the objects of that class type with a legal initial value.

If a class has a constructor, each object of that class will be initialized before any use is made of the object.

Need for Constructors: A variable, an array or a structure in C++ can be initialized at the time of their declaration.

```
Eg: int a=10;
    int a[3]= {5,10,15};
    struct student
    {   int rno;
        float m1,m2,m3;
    };
    student s1={1,55.0,90.5,80.0};
```

But this type of initialization does not work for a class because the class members have their associated access specifiers. They might not be available to the outside world (outside their class). A Constructor is used to initialize the objects of the class being created (automatically called by the compiler).

Difference between a constructor and an ordinary member function:

	CONSTRUCTOR	MEMBER FUNCTION
Name	Name of the class	Any valid identifier
Purpose	Initialize the object when it is being created	For any general purpose
Call	Implicit	Explicit
Return Type	Should not keep	Must be there at least void

Declaration and Definition:

A constructor is a member function of a class with the same name as that of its class name. A constructor is defined like other member functions of a class. It can be defined either inside the class definition or outside the class definition.

```
Eg: class X
    { int i;
    public:
        int j,k;
        X ( )           //Constructor
        {   i = j = k = 0;
        }
        -----
        //Other members
        -----
    };
```

This simple constructor (X::X ()) is as an inline member function. Constructors can be written as outline functions also as it is shown below:

```
class X
{   int i;
    public:
        int j, k;
        X ( );    //Only constructor declaration.
        ----- //Other members
        -----
};
X :: X ( )    //Constructor defined outside
{
    i = j = k = 0;
}
```

Generally constructor will be defined under public section, which can be available to non members also. But it can also be defined under private or protected. A private or protected constructor is not available to the non-member functions. Ie With a private or protected constructor, you cannot create an object of the same class in a non-member function.

There are three types of constructors

A) Non-parameterized or Default Constructor

B) Parameterized Constructor

C) Copy Constructors Default constructor:

A constructor that accepts no parameter is called the default constructor.

With a default constructor, objects are created just the same way as variables of other data types are created.

```
class X
{   int i;
    public:
        int j, k;
        -----
        //Members Functions
        -----
};
```

```
Eg: X ob1;
    Student s1;
```

If a class has no explicit constructor defined, the compiler will supply a default constructor. This implicitly declared default constructor is an **inline public** members of its class. Declaring a constructor with arguments hides the default constructor.

There can be a default constructor as well as another constructor with arguments for a class, having multiple constructors is called as constructor overloading.

A constructor can also have default arguments. A constructor with default arguments is equivalent to a default constructor.

```
Eg: class Rectangle
    { float l,b,a;
    public:
        Rectangle ( float len = 5.0, float bre = 5.0)
        //Constructor with Default arguments
        {   l = len;
            b = bre;
        }
        -----
        -----
    };
void main()
{   Rectangle first(7.0,9.5);
    Rectangle second;
//Takes default argument values. Equivalent to second(5.0,5.0)
    -----
    -----
}
```

The default constructors are very useful when you want to create objects without having to type the initial objects every time with pre specified initial values or if you want to create array of objects of your class type. You can't create an array of objects unless your class has a default constructor (implicitly or explicitly defined).

b) Parameterized Constructor:

A constructor that take arguments, is called as parameterized constructor.

The parameterized constructor allow us to initialize the various data elements of different objects with different values when they are created. This is achieved by

passing different values as arguments to the constructor function when the objects are created.

```
Eg: class Rectangle
{
    float l,b,a;
public:
    Rectangle ( float len , float bre )
        //Parameterized Constructor.
    {
        l = len;
        b = bre;
    }
    -----
};
void main( )
{
    Rectangle first(7.0,9.5);
    ----
    ----
}
}
```

With a parameterized constructor, the initial values must be passed at the time of object created. This can be done in two manners:

(i) By calling the constructor implicitly (implicit call)

Eg: Rectangle first(8.5,3.9);

(ii) By calling the constructor explicitly (Explicit call)

Eg: Rectangle first = Rectangle (8.5,3.9);

Temporary Instances:

A temporary instance lives in the memory as long as it is being used or referenced in an expression and after this it dies. A temporary instance will not have any name. The explicit call to a constructor also allows you to create a temporary instance or temporary object. The temporary instances are deleted when they are no longer referenced.

```
Eg: class Sample
{
    int i,j;
public:
    sample (int a, int b)
    {
        i=a;
        j=b;
    }
    void print ( )
    {
        cout<<i<<j<<"\n";
    }
    ----
    ----
};
void test ( )
{
    Sample S1(2,5);
        //An object S1 created
    S1.print ( );
        //Data values of S1 printed
    Sample (4,9).print ( );
        //Data values of a temporary
        //sample instance printed
}
}
```

The primitive (fundamental) types also have their own constructors. When no values are provided, they use their default constructors but when you provide initial values, the newly created instance is initialized with the provided value.

```
Eg: int a,b,c;
//Default constructor used
int i(3), j(4), k(5); //i,j,k initialized
```

c) Copy Constructor:

A copy constructor is a constructor of the form **classname(classname &)**. The compiler will use the copy constructor whenever you initialize an instance using values of another instance of same type.

```
Eg: Sample S1; //Default constructor used
Sample S2=S1; //Copy constructor used. Also Sample S2(S1);
```

In the above code, for the second statement, the compiler will copy the instance S1 to S2 member by member. If you have not defined a copy constructor, the compiler automatically, creates it and it is public.

A copy constructor takes a reference to an object of the same class as an argument.

Eg:

```
class Sample
{
    int i,j;
public:
    Sample (int a, int b) //Constructor
    {
        i = a;
        j = b;
    }
    Sample (Sample &s) //Copy Constructor
    {
        i=s.i;
        j=s.j;
        cout<<"Copy constructor Working\n";
    }
    void print( )
    {
        cout<<i<<"\t"<<j<<"\n";
    }
    ----
    ----
};
void main( )
{
    Sample S1(4,9); //S1 initialized first constructor used
    Sample S2(S1); //S1 copied to S2. Copy constructor called.
    Sample S3=S1; //S1 copied to S3. Copy constructor called again.
    ----
    ----
}
}
```

Why the argument to a copy constructor is passed by reference:

If we try to pass the argument by value to a copy constructor (ie, for a class X, if we use an X(X) constructor in place of X(X&), the compiler complains out of memory. The reason is, when an argument is passed by value, a copy of it is constructed. To create a copy of the object, the copy constructor works. But the copy constructor is creating a copy of the object for itself, thus it calls itself. Again the called copy constructor requires another copy so again it is called. In fact it calls itself again until the compiler runs out of memory. So, in the copy constructor, the argument must be passed by reference, so that to make a copy of the passed object, original object is directly available.

Dynamic initialization of objects: The dynamic initialization means that the initial values may be provided during runtime. The benefit of dynamic initialization is that it provides the flexibility of assigning initial values at run time.

Initialization of Const & Reference Members:

If your class contains a constant and a reference as member field, then you need to specify that through **Member-Initialization List**.

A constructor can initialize the constituent data members of its class through a mem-initialization list that appears in the function header of the constructor.

Eg:

```
class Test
{
    int a ;
```

```

char b;
public:
    Test(int i,char j):a(i), b(j);
        //a(i) initializes member a with value i, b(j)...b
with j.
{
    ....
}
}

```

You can even have a combination of mem-initialization list and initialization within constructor body.

Eg:

```

class Test
{
    .....
public:
    Test(int i, char j):a(i)
    {
        b=j;
    }
    .....
};

```

And if your class contains a **const** and /or a **reference** member, then these members must be initialized through mem-initialization list as these cannot be initialized within constructor body.

Eg:

```

struct Sname
{ char fname[25];
  char lname[25];
} S1;
class Test
{ int a,b;
  const int max;           //const member
  Sname &name;             //reference member
public:
    Test ( ):max(300),name(S1)
    { a=0;
      b=10;
    }
    -----
};

```

Mem-initialization lists are especially used in the following four cases:

- (i) initialization of const members.
- (ii) initialization of reference members.
- (iii) Invoking base class constructor.
- (iv) Initialization of member objects.

Constructor Overloading:

The constructor of a class may also be overloaded so that even with different number and types of initial values, an object may still be initialized.

Default Arguments Versus Overloading:

Using default arguments gives the appearance of overloading, because the function may be called with an optional number of arguments.

Eg:

Prototype :

```
float amount (float principal, int time=2, float rate=0.08);
```

Can be called as

```

Amount(2000.0,4,0.10);
Amount(3520.5,3);
Amount(5500.0);

```

Special Characteristics of Constructors:

1. Constructor functions are invoked automatically when the objects are created.
2. If a class has a constructor, each object of that class will be initialized before any use is made of the object.

3. Constructor functions obey the usual access rules. I.e private and protected constructors are available only for member and friend functions, however, public constructors are available for all the functions. Only the functions that have access to the constructor of a class, can create an object of the class.
4. No return type (not even void) can be specified for a constructor.
5. They cannot be inherited, though a derived class can call the base class constructor.
6. A constructor may not be static.
7. Default constructors and copy constructors are generated (by the compiler) where needed. Generated constructors are public.
8. Like other c++ functions, constructors can also have default arguments.
9. It is not possible to take the address of a constructor.
10. An object of a class with a constructor cannot be a member of a union.
11. Member functions may be called from within a constructor.
12. A constructor can be used explicitly to create new objects of its class type, using the syntax class-name (expression-list)
Eg: Sample obj1=Sample(13,22.42);

DESTRUCTORS

Destructor:

A destructor is used to destroy the objects that have been created by a constructor. A destructor destroys the values of the object being destroyed.

A destructor is also a member function whose name is the same as the class name but is preceded by tilde (~). A destructor takes no arguments, and no return types can be specified for it (not even void). It is automatically called by the compiler when an object is destroyed. A local object, local to a block, is destroyed when the block gets over; a global or static object is destroyed when the program terminates. A destructor cleans up the storage (memory area of the object) that is no longer accessible.

Eg:

```

class Sample
{ int i,j;
  Public:
    Sample(int a, int b) //Constructor
    { i=a; j=b;
    }
    ~Sample()
    { cout<<"Destructor at work\n";
    }
    -----
};
void main( )
{
    Sample s1(3,4);
    //Local object s1 constructed with values 3 & 4 using
    Sample ( )
    -----
    /*Automatically s1 is destructed at the end of the
    block using destructor ~Sample()*/
}

```

Need for Destructors:

During construction of any object by the constructor, resources may be allocated for use. (for example, a constructor may have opened a file and a memory area may be allotted to it). These allocated

resources must be de allocated before the object is destroyed.A destructor performs these types of tasks.

Some Characteristics of Destructors:

1. Destructor functions are invoked automatically when the objects are destroyed.
2. If a class has a destructor, each object of that class will be deinitialized before the object goes out of scope.(Local objects at the end of the block defining them and global and static objects at the end of the program).
3. Destructor functions also, obey the usual access rules as other member functions do.
- 4.No argument can be provided to a destructor, neither does it return any value.
5. They cannot be inherited.
6. A destructor may not be static.
7. It is not possible to take the address of a destructor.
8. Member functions may be called from within a destructor.
9. An object of a class with a destructor cannot be a member of a union.

CONSTRUCTORS AND DESTRUCTORS (PROGRAMS)

1.Program to find area of a circle using class, constructor functions and destructor.

```
#include<iostream.h>
#include<conio.h>
class Circle
{ float r,a; //r and a are private
public:
    Circle( ) //Non parameterized or Default
Constructor
    { r=0.0;
      a=0.0;
    }
    Circle(float rad) //Parameterized Constructor
    { r = rad;
      a = 3.1415*r*r;
    }
    Circle(Circle &obj) //Copy Constructor
    { r = obj.r;
      a = obj.a;
    }
    ~Circle()
    {cout<<"\nThe object is being destroyed....";
    }
    void take( )
    {
      cout<<"Enter the value of Radius: ";
      cin>>r;
    }
    void calculate( )
    {
      a = 3.1415*r*r;
    }
    void display( )
    { cout<<"\nThe Radius of the Circle = "<<r;
      cout<<"\nThe Area of the Circle = "<<a;
    }
};
void main()
{ clrscr();
  Circle c1; /*Default Constructor will be called
implicitly. ie c1.r = 0.0 and c1.a = 0.0 */
  Circle c2(10.3); //Parameterized Constructor will be called
implicitly
  Circle c3(c2); //Copy Constructor will be called implicitly
  c1.take( );
  c1.calculate( );
  c1.display( );
```

```
c2.display( );
c3.display( );
getch();
}
```

2. Program to process student data using class concept, constructors and destructor.

```
#include<iostream.h>
#include<conio.h>
class Student
{ float m1,m2,m3,total,avg;
public:
    Student()
    { m1=0.0;
      m2=0.0;
      m3=0.0;
      total=0.0;
      avg=0.0;
    }
    Student(float x,float y,float z)
    { m1=x;
      m2=y;
      m3=z;
      total=m1+m2+m3;
      avg=total/3;
    }
    Student(Student &Test)
    { m1=Test.m1;
      m2=Test.m2;
      m3=Test.m3;
      total=Test.total;
      avg=Test.avg;
    }
    ~Student()
    { cout<<"The Object is being Destroyed....";
    }
    void readProcess()
    { cout<<"\nEnter the 3 Subject marks of a
student: ";
      cin>>m1>>m2>>m3;
      total=m1+m2+m3;
      avg=total/3;
    }
    void display()
    { cout<<"\nTotal Marks = "<<total;
      cout<<"\nAverage Marks = "<<avg;
    }
};
void main()
{ clrscr();
  Student S1;
  Student S2(50.5,90.0,75.5);
  Student S3=S2;
  S1.readProcess();
  S1.display();
  S2.readProcess();
  S2.display();
  S3.display();
  getch();
}
```