

MATHEMATICS

Time allowed : 3 hours

Maximum marks : 80

General Instructions :



1. This question paper contains two parts A and B. Each part is compulsory. Part-A carries 24 marks and Part-B carries 56 marks.
2. Part-A has Objective Type Questions and Part-B has Descriptive Type Questions.
3. Both Part-A and Part-B have internal choices.

Part - A :

1. It consists of two Sections-I and II.
2. Section-I comprises of 16 very short answer type questions.
3. Section-II contains 2 case study-based questions.

Part - B :

1. It consists of three Sections-III, IV and V.
2. Section-III comprises of 10 questions of 2 marks each.
3. Section-IV comprises of 7 questions of 3 marks each.
4. Section-V comprises of 3 questions of 5 marks each.
5. Internal choice is provided in 3 questions of Section-III, 2 questions of Section-IV and 3 questions of Section-V. You have to attempt only one of the alternatives in all such questions.



PART - A

Section - I

1. Write the cofactor of the element a_{31} in $A = \begin{pmatrix} 3 & 2 & 6 \\ 5 & 0 & 7 \\ 3 & 8 & 5 \end{pmatrix}$.

OR

If A is a square matrix of order 3 and $|2A| = k|A|$, then find the value of k .

2. Evaluate : $\tan^{-1} \left[2 \cos \left(2 \sin^{-1} \frac{1}{2} \right) \right]$

3. Find the integrating factor of the differential equation $\left\{ \frac{e^{-2\sqrt{x}}}{\sqrt{x}} + \frac{y}{\sqrt{x}} \right\} \frac{dx}{dy} = 1 (x \neq 0)$.

OR

Find order and degree of the equation $\left(\frac{d^3 y}{dx^3} \right)^4 + \left(\frac{d^2 y}{dx^2} \right)^3 + \frac{dy}{dx} + 4y = \sin x$.

4. If $f(x) = x^2 - 4x + 1$, find $f(A)$, where $A = \begin{bmatrix} 2 & 3 \\ 1 & 2 \end{bmatrix}$.
5. Find the unit vector in the direction of vector $\vec{a} = 2\hat{i} + 3\hat{j} + 4\hat{k}$.

OR

Find the projection of the vector $7\hat{i} + \hat{j} - 4\hat{k}$ on $2\hat{i} + 6\hat{j} + 3\hat{k}$.

6. Check whether the function $f(x) = x^3 - 3x^2 - x$ is one-one or not?
7. Evaluate : $\int_1^3 (x-1)(x-2)(x-3)dx$

OR

Evaluate : $\int_{-\pi}^{\pi} x^{10} \sin^7 x \, dx$

Dr. AGYAT GUPTA 9425109601

8. Check whether the lines having direction ratios $(\sqrt{3}-1, -\sqrt{3}-1, 4)$ and $(-\sqrt{3}+1, \sqrt{3}+1, -4)$ are perpendicular to each other.
9. If the vectors $3\hat{i} + 2\hat{j} - \hat{k}$ and $6\hat{i} - 4x\hat{j} + y\hat{k}$ are parallel, then the values of x and y .

OR

Find the point which divides the line segment joining the points $(-2, 3, 5)$ and $(1, 2, 3)$ in the ratio $2 : 3$ externally.


10. Find vector equation of the plane which is at a distance of $\frac{6}{\sqrt{29}}$ from the origin and its normal vector from the origin is $2\hat{i} - 3\hat{j} + 4\hat{k}$.
11. Let $A = \{1, 2, 3, 4\}$. Show that $f = \{(1, 2), (2, 3), (3, 4), (4, 1)\}$ is a bijection from A to A ?
12. If \vec{a} and \vec{b} are unit vectors enclosing an angle θ and $|\vec{a} + \vec{b}| < 1$, find the value of θ .
13. Find the area of the region bounded between the line $x = 2$ and the parabola $y^2 = 8x$.
14. Find equation of a line which passes through the point $(1, 2, 3)$ and is parallel to the vector $3\hat{i} + 2\hat{j} - 2\hat{k}$.
15. If $A = \begin{bmatrix} 2 & 2 \\ -3 & 1 \\ 4 & 0 \end{bmatrix}$, $B = \begin{bmatrix} 6 & 2 \\ 1 & 3 \\ 0 & 4 \end{bmatrix}$, such that $A + B + C$ is a zero matrix, then find the matrix C .


16. If the line joining $(2, 3, -1)$ and $(3, 5, -3)$ is perpendicular to the line joining $(1, 2, 3)$ and $(3, 5, \lambda)$, then find the value of λ .

Section - II

Case study-based questions are compulsory. Attempt any 4 sub parts from each question. Each sub-part carries 1 mark.

17. A teacher arranged a surprise game for students of a classroom having 5 students, namely Amit, Aruna, Eklavya, Yash and Samina. He took a bag containing tickets numbered 1 to 11 and told each student to draw two tickets without replacement.





- (i) Probability that both tickets drawn by Amit shows even number, is
 (a) $1/11$ (b) $2/11$ (c) $3/11$ (d) $4/11$
- (ii) Probability that both tickets drawn by Aruna shows odd number, is
 (a) $1/11$ (b) $2/11$ (c) $3/11$ (d) $4/11$
- (iii) When tickets are drawn by Eklavya, find the probability that number on one ticket is a multiple of 4 and on other ticket is a multiple 5.
 (a) $4/55$ (b) $6/55$ (c) $7/55$ (d) None of these
- (iv) When tickets are drawn by Yash, find the probability that number on one ticket is a prime number and on other ticket is a multiple of 4 .
 (a) $3/11$ (b) $5/11$ (c) $6/11$ (d) $2/11$
- (v) When tickets are drawn by Samina, find the probability that first ticket drawn shows an even number and second ticket drawn shows an odd number.
 (a) $2/11$ (b) $3/11$ (c) $5/11$ (d) $8/11$

18. An open water tank of aluminium sheet of negligible thickness, with a square base and vertical sides, is to be constructed in a farm for irrigation. It should hold 4000 l of water, that comes out from a tube well.



Based on above information, answer the following questions.


- (i) If the length, width and height of the open tank be x , x and y m respectively, then surface area of tank is given by
 (a) $S = x^2 + 2xy$ (b) $S = 2x^2 + 4xy$ (c) $S = 2x^2 + 2xy$ (d) $S = 2x^2 + 8xy$
- (ii) The relation between x and y is
 (a) $x^2y = 4$ (b) $xy^2 = 4$ (c) $x^2y^2 = 4$ (d) $xy = 4$
- (iii) The outer surface area of tank will be minimum when depth of tank is equal to
 (a) half of its width (b) its width (c) $\left(\frac{1}{4}\right)^{\text{th}}$ of its width (d) $\left(\frac{1}{3}\right)^{\text{rd}}$ of its width
- (iv) The cost of material will be least when width of tank is equal to
 (a) half of its depth (b) twice of its depth (c) $\left(\frac{1}{4}\right)^{\text{th}}$ of its depth (d) thrice of its depth

- (v) If cost of aluminium sheet is ₹ 360/m², then the minimum cost for the construction of tank will be
 (a) ₹ 2320 (b) ₹ 3320 (c) ₹ 4320 (d) ₹ 5320

PART - B

Section - III

19. Find the equations of the tangent and the normal to the curve $y = x^3$ at the point $P(1, 1)$.
 20. Express $\tan^{-1}\left(\frac{\cos x}{1 + \sin x}\right)$, $x \in \left(-\frac{\pi}{2}, \frac{3\pi}{2}\right)$ in the simplest form.
 21. Find the area of region bounded by the curve $y^2 = x(1 - x)^2$, shown in following figure.



Dr. AGYAT GUPTA
9425109601

Dr. AGYAT GUPTA
9425109601

22. Suppose 5 men out of 100 and 25 women out of 1000 are good orator. If an orator is chosen at random, find the probability that a male person is selected. Assume that there are equal number of men and women.
 23. Evaluate : $\int \frac{1}{\sqrt{1 - \sin x}} dx$

OR

Evaluate : $\int \frac{dx}{1 - 2 \sin x \cos x}$

24. If $A = \begin{bmatrix} 5a & -b \\ 3 & 2 \end{bmatrix}$ and $A \text{ adj } A = AA^T$, then find the value of $5a + b$.
 25. Find the projection of the vector $2\hat{i} - 3\hat{j} - 6\hat{k}$ on vector joining the points $(5, 6, -3)$ and $(3, 4, -2)$.

OR

If $\vec{a} = 4\hat{i} + 3\hat{j} + 2\hat{k}$ and $\vec{b} = 3\hat{i} + 2\hat{k}$, find $|\vec{b} \times 2\vec{a}|$.

26. Suppose that two cards are drawn at random from a deck of 52 cards. Let X be the number of aces obtained. Then, find the probability distribution of X .

27. If $y = \sin^{-1}x$, then show that $(1 - x^2) \frac{d^2y}{dx^2} - x \frac{dy}{dx} = 0$.

Dr. AGYAT GUPTA
9425109601

28. Find the solution of the differential equation $\frac{dy}{dx} = \frac{y(1+x)}{x(y-1)}$.

OR

Find the particular solution of the differential equation $\log\left(\frac{dy}{dx}\right) = 3x + 4y$; $y = 0, x = 0$.

Section - IV

29. Show that the curve for which the normal at every point passes through a fixed point is a circle.
 30. Find the point on the parabola $y^2 = 2x$ which is closed to the point $(1, 4)$.
 31. If $y = \frac{ax^2}{(x-a)(x-b)(x-c)} + \frac{bx}{(x-b)(x-c)} + \frac{c}{x-c} + 1$, then find $\frac{dy}{dx}$.

OR

Differentiate $\frac{2^{x^2+x+1} \cdot \sqrt{4x-1}}{(x^2-1)^{3/2}}$ w.r.t. x .

32. Let $f: A \rightarrow B$ be a function defined as $f(x) = \frac{2x+3}{x-3}$, where $A = R - \{3\}$ and $B = R - \{2\}$. Is the function f one-one and onto?

33. Find the area of the region bounded by the curve $y = x^2 + x$, the x -axis and the lines $x = 2, x = 5$.


34. Evaluate : $\int_0^1 \tan^{-1} x \, dx$

Evaluate : $\int_1^2 \frac{dx}{x(1+x^2)}$

35. If $f(x)$ is continuous at $x = 0$, where

$$f(x) = \begin{cases} \frac{\sin x}{x} + \cos x, & \text{for } x > 0 \\ \frac{4(1-\sqrt{1-x})}{x}, & \text{for } x < 0 \end{cases}, \text{ then find } f(0).$$

OR



Section-V

36. Find the vector and cartesian equation of the line through the point $\hat{i} + \hat{j} - 3\hat{k}$ and perpendicular to the lines $\vec{r} = 2\hat{i} - 3\hat{j} + \lambda(2\hat{i} + \hat{j} - 3\hat{k})$ and $\vec{r} = 3\hat{i} - 5\hat{j} + \mu(\hat{i} + \hat{j} + \hat{k})$.

OR

The four points $A(3, 2, -5), B(-1, 4, -3), C(-3, 8, -5)$ and $D(-3, 2, 1)$ are coplanar. Find the equation of the plane containing them.

37. Find the minimum value of $Z = 3x + 4y + 270$ subject to the constraints

$$\begin{aligned} x + y &\leq 60 \\ x + y &\geq 30 \\ x &\leq 40, y \leq 40 \\ x &\geq 0, y \geq 0 \end{aligned}$$

OR

Find the point for which the maximum value of $Z = x + y$ subject to the constraints $2x + 5y \leq 100$,

$$\frac{x}{25} + \frac{y}{50} \leq 1, x \geq 0, y \geq 0 \text{ is obtained.}$$

38. If $A = \begin{pmatrix} 2 & 3 & 7 \\ 3 & -2 & -1 \\ 1 & 1 & 2 \end{pmatrix}$, find A^{-1} . Using A^{-1} solve the following system of equations :

$$\begin{aligned} 2x + 3y + 7z &= 12 \\ 3x - 2y - z &= 0 \\ x + y + 2z &= 4 \end{aligned}$$

OR

If $A = \begin{bmatrix} 1 & -2 & 1 \\ -2 & 3 & 1 \\ 1 & 1 & 5 \end{bmatrix}$, find $(\text{adj } A^{-1})$.

