#### Target Mathematics by Dr. Agyat Gupta











## SAMPLE PAPER

AG-TMC-TS-TERM-1-OOD

### **MATHEMATICS**

(STANDARD)

Time Allowed: 90 Minutes

Maximum Marks: 40

#### Dr. AGYAT GUPTA; MOB: 9425109601

#### **SECTION - A**


16 marks

(Section A consists of 20 questions of 1 mark each. Any 16 questions are to be attempted.)

- 1. A quadratic polynomial with sum and product of zeroes as  $-\frac{1}{4}$  and  $\frac{1}{4}$ , respectively,
  - (a)  $4x^2 x + 1$
- (b)  $4x^2 + x + 1$
- (c)  $4x^2 + x 1$
- **2.** In a  $\triangle ABC$  right-angled at B, AB : AC = 1 : 2. Then the value of  $\frac{\cot A + \tan C}{\sin B + \cos B}$  is:
- (c)  $\frac{2\sqrt{2}-\sqrt{3}}{2}$
- (d)  $\sqrt{3} 1$
- 3. The value of  $\sin^2 60^\circ + 2 \tan 45^\circ \cos^2 30^\circ$  is :
  - (a) 0
- (c) 2
- 4. What will be the decimal expansion of the rational number  $\frac{27}{1250}$ ?
  - (a) 0.0125
- (b) 0.0021
- (c) 0.0315
- (d) 0.0216
- 5. What is the point on y-axis which is equidistant from the points (2, 3) and (-4, 1)?
  - (a) (0, -1)
- (b) (0, 1)
- (c) (0, 2)
- (d) (0, -2)

- 6. Ramesh draws a card randomly from a deck of 52 cards. The probability that this card bears an even number in black is:

- 7. As shown in the figure, MN = QP and on producing MN and QP, they intersect at R. If MQ || NP and  $\angle$ NMQ = 65°, calculate  $\angle$ R.



- (a) 30°
- (b) 25°
- (c) 35°
- (d) 50°
- 8. Find a relation between a and b, for which the system of equations ax + 2y = 7 and 3x +by = 16 represents parallel lines.
  - (a) a b = 5
- (b) a + 2b = 7
- (c) ab = 6
- (d) a = 2b
- **9.** Calculate the value of  $\alpha^2 \beta^2$ , where  $\alpha$ ,  $\beta$  are zeroes of the polynomial  $x^2 - 5x + 6$ .
  - (a) 0
- (b) 2
- (c) 7
- (d) 5.

- **10.** A number is selected from the numbers 1, 2 ..., 15. What is the probability that it is a multiple of 4?
  - (a)  $\frac{7}{15}$
- (b)  $\frac{2}{5}$
- (c)  $\frac{1}{5}$
- (d)  $\frac{2}{15}$
- **11.** From where does the graph of the equation x y = 0 passes?
  - (a) x-axis
  - (b) y-axis
  - (c) Origin
  - (d) Data insufficient
- **12.** What is the value of  $\beta \alpha$ , if  $\sin \alpha = \frac{\sqrt{3}}{2}$  and  $\cos \beta = 0$ ?
  - (a) 0°
- (b) 30°
- (c) 45°
- (d) 60°
- **13.** If (x 2) is a factor of polynomial  $p(x) = x^3 + 2x^2 kx + 10$ , then the value of k is:
  - (a) 10
- (b) 11
- (c) 12
- (d) 13
- **14.** A(3, 2) and B(-2, 1) are two vertices of  $\triangle$ ABC.

If  $G\left(\frac{5}{3}, -\frac{1}{3}\right)$  is the centroid of  $\triangle$ ABC, then the

coordinates of vertex C are:

- (a) (4, -4)
- (b) (1, -4)
- (c) (3, 2)
- (d) (9, 7)
- **15.** What will be the maximum number of students among whom 1001 pens and 910 pencils can be distributed provided that each

student gets the same number of pens and pencils?

- (a) 70
- (b) 93
- (c) 91
- (d) 82
- **16.** Calculate the value of a, if x = a and y = b is the solution of the linear equations x y = 2 and x + y = 4.
  - (a) 1
- (b) 3
- (c) 2
- (d) 0
- **17.** Evaluate  $\tan \theta$ , if  $\sin \theta + \cos \theta = \sqrt{2} \cos \theta$ ,  $(\theta \neq 90^{\circ})$ .
  - (a) 0
- (b)  $\sqrt{2}$
- (c)  $\sqrt{2} + 1$
- (d)  $\sqrt{2} 1$
- 18. A rational number in its decimal expansion is 1.7321. If the number is expressed in the

form of  $\frac{p}{q}$ , then q must be of the form:


- (a)  $2^m 7^n$
- (b)  $3^m 5^r$
- (c)  $2^m 5^n$
- (d)  $3^m 7^n$
- **19.** What is the value of k in the quadratic polynomial  $kx^2 + 4x + 3k$ , if the sum of the zeroes is equal to their product?
  - (a)  $-\frac{4}{3}$
- (b)  $\frac{2}{3}$
- (c)  $\frac{1}{0}$
- (d) -5
- **20.** Find the value of k for which the linear equations x + 2y = 3 and 5x + ky = 7, does not have a unique solution.
  - (a) 5
- (b) 7
- (c) 2
- (d) 10

#### **SECTION - B**


16 marks

(Section B consists of 20 questions of 1 mark each. Any 16 questions are to be attempted.)

**21.** In the given figure, PQRS is a trapezium, such that PQ || SR. Find x.



- (a) 2
- (b) 5
- (c) 3
- (d) 4
- 22. In the given figure, the centroid of \( \triangle ABC \) is:




- (a)  $\left(3, \frac{5}{2}\right)$
- (b)  $\left(\frac{5}{2}, 3\right)$
- (c)  $\left(2, \frac{5}{3}\right)$
- (d)  $\left(\frac{5}{3}, 2\right)$

# Target Mathematics by- Dr. Agyat Gupta

Resi.: D-79 Vasant Vihar; Office: 89-Laxmi bai colony visit us: agyatgupta.com;Ph.:7000636110(O) Mobile: 9425109601(P)

- 23. Salesman was having a lot of 100 shirts of which 88 are good, 8 have minor defects and 4 have major defects. Suresh, a shopkeeper will buy only those shirts which are good. If a shirt is selected at random from the lot, what is the probability that he will buy the shirt?
  - (a)  $\frac{22}{25}$
- (b)  $\frac{23}{25}$
- (c)  $\frac{11}{100}$
- (d)  $\frac{24}{25}$
- **24.** Consider two numbers as *x* and *y*. The sum of them is 33 and their difference is 17. Find the numbers.
  - (a) 11 and 22
- (b) 25 and 8
- (c) 17 and 26
- (d) 24 and 9
- **25.** The number of solutions of the pair of linear equations x + 3y = 4 and 2x + y = 5 is:
  - (a) One
- (b) Infinite
- (c) No Solution
- (d) Two
- **26.** Write the sum of exponents of prime factors in the prime factorisation of 250.
  - (a) 4
- (b) 6
- (c) 8
- (d) 3
- **27.** Which of the following condition is correct for the graph of a quadratic polynomial  $p(x) = ax^2 + bx + c$  to be an upward parabola?
  - (a) a < 0
- (b) a = 0
- (c) a > 0
- (d) b = 0
- **28.** Evaluate  $0.\overline{68} + 0.\overline{73}$ .
  - (a)  $1.\overline{31}$
- (b)  $1.\overline{42}$
- (c)  $1.\overline{21}$
- (d)  $1.0\overline{1}$
- 29. Calculate the LCM of two positive integers whose product is 108 and HCF is 3.
  - (a) 72
- (b) 36
- (c) 18
- (d) 9
- **30.** What is the value of  $\theta$  in the expression, tan  $3\theta = \sin 45^{\circ} \cos 45^{\circ} + \sin 30^{\circ}$ ?
  - (a) 0°
- (b) 15°
- (c) 30°
- (d) 45°
- **31.** What is the value of x if the probability of guessing the correct answer to a certain test question is  $\frac{x}{12}$  and the probability of not guessing the correct answer to this question is  $\frac{2}{3}$ ?
  - (a) 4
- (b) 6
- (c) 5
- (d) 3
- **32.** The mid-point of (3p, 4) and (-2, 2q) is (2, 6). The value of (p + q) is:

- (a) 5
- (b) 6
- (c) 7
- (d) 8
- 33. Degree of a zero polynomial is:
  - (a) 0
- (b) 1
- (c) 2
- (d) Not defined
- **34.** In the given figure, AD = 4 cm, BD = 3 cm and CB = 12 cm. Then cot  $\theta$  =



- (a)  $\frac{3}{4}$
- (b)  $\frac{5}{12}$
- (c)  $\frac{4}{3}$
- (d)  $\frac{12}{5}$
- **35.** The value of  $(\tan \theta \csc \theta)^2$   $(\sin \theta \sec \theta)^2$  is:
  - (a) -1
- (b) 0
- (c) 1
- (d) 2
- **36.** Priyanka, a X standard student, has only ₹ 1 and ₹ 2 coins in her piggy bank. While counting, she found that total number of coins are 50 and amount of money with her is ₹ 75. Observing that, certain question arises into her mind. She denote the number of ₹ 1 coins by x and ₹ 2 coins by y.



What are the number of ₹ 1 coins in her piggy bank?

- (a) 10
- (b) 20
- (c) 22
- (d) 25
- **37.** Find the value(s) of x, if the distance between the points A(x, -1) and B(3, 2) is 5.
  - (a) 7, -1
- (b) 1, 7
- (c) -7, 1
- (d) -1, -7
- **38.** In what ratio does x-axis divides the join of A(2, –3) and B(5, 6)?

# Target Mathematics by- Dr. Agyat Gupta

Resi.: D-79 Vasant Vihar; Office: 89-Laxmi bai colony visit us: agyatgupta.com;Ph.:7000636110(O) Mobile: 9425109601(P)

(a) 1:1

(b) 2:1

(c) 1:2

(d) 1:3

**39.** Calculate the least positive integer which is divisible by 20 and 24.

(a) 120

(b) 200

(c) 150

(d) 480

**40.** Which among the following is the relation between x and y such that the point (x, y) is equidistant from (7, 1) and (3, 5)?

(a) x - y = 2

(b) 3x + 2y = 6

(c) 7x - 8y = 0

(d) 3x - 2y = 4

#### **SECTION - C**


8 marks

(Case Study Based Questions.)

(Section C consists of 10 questions of 1 mark each. Any 8 questions are to be attempted.)

#### Q. 41-45 are baded on Case Study-1 Case Study-1:

St. Francis is organising their annual fest. They want to give cash prize along with a momento to their best students. Four identical momento are made by the school to award students for four values i.e. Honesty, Punctuality, Cleanliness and Non-violence. Each momento is made as shown in figure and its base PQRS is shown from the front side. The part PQRS is silver plated. The rate of silver plating is ₹20 per m².





- 41. What is the area of quadrant OSRO?
  - (a)  $36.5 \text{ cm}^2$

(b)  $38.5 \text{ cm}^2$ 

(c)  $39 \text{ cm}^2$ 

(d)  $40 \text{ cm}^2$ 

- **42.** Evaluate the area of  $\triangle POQ$ .
  - (a)  $36 \text{ cm}^2$

(b) 48 cm<sup>2</sup>

(c)  $50 \text{ cm}^2$ 

(d)  $52 \text{ cm}^2$ 

- 43. What is the total cost of silver plating the part PQRS?
  - (a) ₹ 200

(b) ₹ 230

(c) ₹ 280

(d) ₹ 420

**44.** Calculate the area of major sector in the figure.

(a)  $112 \text{ cm}^2$ 

(b) 114 cm<sup>2</sup>

(c) 100 cm<sup>2</sup>

(d) 115.5 cm<sup>2</sup>

45. What is the length of arc SR?

(a) 10 cm

(b) 11 cm

(c) 12 cm

(d) 14 cm

#### Q. 46-50 are baded on Case Study 2 Case Study-2:

Rajesh has a field which is in the shape of a right angled triangle. The perpendicular and the base are of lengths 144 m and 84 m respectively. He wants to leave a space in the form of a square of largest size inside the field for growing wheat and the remaining for growing vegetables.



**46.** Which among the following is the incorrect criterion of similarity?

(a) ASA

(b) SSS

(c) SAS

(d) AAA

- 47. If a line is drawn parallel to one side of a triangle to intersect the other two sides in distinct points, then other two sides are divided in the same ratio. Identify the theorem.
  - (a) Bisector theorem
  - (b) Pythagoras theorem
  - (c) Thales theorem
  - (d) Alternate segment theorem

- 48. What is the length of the side of squared
  - (a) 55.2 m
  - (b) 53.05 m
  - (c) 54 m
  - (d) 52.05 m

- 49. What is the area of the square field?
  - (a) 2850.70 m<sup>2</sup>
- (b) 2820.40 m<sup>2</sup>
- (c) 2930 m<sup>2</sup>
- (d) 2814.30 m<sup>2</sup>
- 50. Evaluate the area of the remaining field, other than the square field?
  - (a)  $3232.5 \text{ m}^2$
- (b) 3645 m<sup>2</sup>
- (c) 3250 m<sup>2</sup>
- (d) 3233.7 m<sup>2</sup>



The Excellence Key...



(M.Sc, B.Ed., M.Phill, P.hd)

the tradition of success

year after year... Congratulation...







outstanding performance in EXAM (2020-21)


**MOHNISH** KHAN

MATHS: 100/100



outstanding performance in **CBSE BOARD** EXAM (2019-20)

MATHS: 100/100



89, LAXMI BAI COLONY, PADAV GWALIOR (M.P.) Mob. 9425109601, 7000636110

Visit us @: www.agyatgupta.com, E-Mail us @: agyat99@gmail.com